MIL-STD-632B
22 July 1975
SUPERSEDING
MIL-STD-632A
9 October 1968

MILITARY STANDARD

LOADERS, SCOOP-TYPE,

TYPES AND CAPACITIES

FSC 3805

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T22:13Z
Check the source to verify that this is the current version before use.

CONTENTS

Paragraph		Page
1.	SCOPE	1
1.1	Purpose	1
1.2	Application	1
1.3	Classification	1 and 2
2.	REFERENCED DOCUMENTS	2
3.	DEFINITIONS	2
3.1	Multisegment bucket	2
3.2	Bucket capacity	2
3.3	Articulated Frame Steer (AFS)	2
3.4	SAE Handbook definition	2
4.	REQUIREMENTS	2
4.1	Characteristics	2
4.2	Capacities	3
4.3	Safety	3
4.4	Attachments	3

APPENDIX

Appendix 10.	REFERENCE MATERIAL	4

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T22:13Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 Purpose. This standard established types and capacities of wheeled and tracked scoop-type for procurement by the military services of the Department of Defense.

1.2 Application. Procurement of wheeled and tracked loaders shall be confined to the types, sizes, and classes listed herein.

1.3 Classification.

Type I - Wheeled loaders.
- Size 1-1/2 - 1-1/2 cubic yard capacity bucket.
  - Class A - Multisegment bucket.
  - Class B - General purpose bucket.
- Size 1-3/4 - 1-3/4 cubic yard capacity bucket.
  - Class A - Multisegment bucket.
  - Class B - General purpose bucket.
- Size 2-1/4 - 2-1/4 cubic yard capacity bucket.
  - Class A - Multisegment bucket.
  - Class B - General purpose bucket.
- Size 2-1/2 - 2-1/2 cubic yard capacity bucket.
  - Class A - Multisegment bucket.
  - Class B - General purpose bucket.
- Size 3 - 3 cubic yard capacity bucket.
  - Class A - Multisegment bucket.
  - Class B - General purpose bucket.
- Size 4-1/2 - 4-1/2 cubic yard capacity bucket.
  - Class C - Rock bucket.
- Size 5 - 5 cubic yard capacity bucket.
  - Class B - General purpose bucket.

Type II - Tracked loaders.
- Size 1 - 1 cubic yard capacity bucket.
  - Class A - Multisegment bucket.
  - Class B - General purpose bucket.
- Size 1-1/2 - 1-1/2 cubic yard capacity bucket.
  - Class A - Multisegment bucket.
  - Class B - General purpose bucket.
- Size 1-3/4 - 1-3/4 cubic yard capacity bucket.
  - Class A - Multisegment bucket.
  - Class B - General purpose bucket.
- Size 2-1/4 - 2-1/4 cubic yard capacity bucket.
  - Class A - Multisegment bucket.
  - Class B - General purpose bucket.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T22:13Z
Check the source to verify that this is the current version before use.

Size 2-1/2 - 2-1/2 cubic yard capacity bucket.
Class A - Multisegment bucket.
Class B - General purpose bucket.
Size 3 - 3 cubic yard capacity bucket.
Class A - Multisegment bucket.
Class B - General purpose bucket.

2. REFERENCED DOCUMENTS

NONGOVERNMENTAL

SOCIETY OF AUTOMOTIVE ENGINEERS

SAE Handbook.

(Application for copies should be addressed to the Society of Automotive Engineers, 400 Commonwealth Drive, Warrendale, PA 15086.)

3. DEFINITIONS

3.1 Multisegment bucket. A scoop-type bucket which is composed of more than one section, usually two, hinged at or near the top. The shape and movement of the parts enables the mounted bucket to operate as a clamshell, a dozer, and as a scraper, in addition to the loading and excavating operations of a general purpose, scoop-type bucket.

3.2 Bucket capacity. Bucket capacities shall be the SAE rating (nominal heaped) in accordance with SAE J742a.

3.3 Articulated Frame Steer (AFS). A steering system for wheeled loader carriers where steering is accomplished by moving frame sections about a hinge type joint (or joints). Front and rear wheels and axles are non-steering.

3.4 SAE Handbook definition. Definitions for other terms shall be in accordance with the SAE Handbook, SAE J732 and SAE J818.

4. REQUIREMENTS

4.1 Characteristics. The scoop-type loaders shall be designed primarily for stockpile and bank loading and for excavating. The loaders shall be diesel-engine-driven, and the lift and bucket mechanisms shall be hydraulically operated and front-mounted. The Type I loaders shall have either an AFS or a rear-wheel steer system.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T22:13Z
Check the source to verify that this is the current version before use.

4.2 Capacities. The operating load shall be not less than 3,000 pounds per cubic yard of rated heaped bucket capacity. For satisfactory operating load stability, the loader weight distribution used to determine the operating load may include counterweights furnished with the loader, unless specified otherwise in the procurement document. Tire ballasting is not acceptable unless specified in the procurement document.

4.3 Safety. The loader shall conform to all current Federal laws and regulations governing safety, noise level, and pollution.

4.4 Attachments. When specified, the loaders shall be equipped with the following attachments which shall be interchangeable with the bucket: Forklift, crane hook, barrel grab, and rotary and displacement type snowplows. When specified, tracked loaders shall be equipped with a rear-mounted winch.

Custodians:

Army - ME
Navy - YD
Air Force - 84

Preparing activity:

Army - ME

Project No. 3805-0087

Review activities:

Army - CE, AT
DSA - CS

User activity:

Navy - MC

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T22:13Z
Check the source to verify that this is the current version before use.

APPENDIX

10. REFERENCE MATERIAL

The following list of specifications does not form a part of this standard. It is provided, primarily, as referenced material for assistance in the procurement of scoop-type loaders:

KKK-L-1086	- Loaders, Scoop-Type, Full Tracked.
KKK-L-1542	- Loaders, Scoop-Type, Four-Wheel Drive, Pneumatic-Tired.
MIL-L-52385	- Loaders, Scoop-Type; Pneumatic-Tired, Four-Wheel-Drive, Diesel-Engine-Driven.
MIL-L-52431	- Loaders, Scoop-Type; Full-Tracked, Diesel-Engine-Driven.
MIL-L-52496	- Loader, Scoop-Type, Rubber-Tired, Diesel-Engine-Driven, Air-Droppable and Helicopter-Transportable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T22:13Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Mobility Equipment Research & Development Command
ATTN: DRDME-DS
Fort Belvoir, VA 22060

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T22:13Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil/... Downloaded: 2020-10-23T22:13Z
Check the source to verify that this is the current version before use.