
FED. SUP CLASS
1660



DASH NO.	MAX WEIGHT	SUPERSEDING
-1	.07 POUND	AN6030-1 STYLE A

THE SUPERSEDING DASH NUMBER IS DIMENSIONALLY AND FUNCTIONALLY INTERCHANGEABLE WITH THE SUPERSEDED AN NUMBER.

MATERIAL: SEE PROCUREMENT SPECIFICATION.
FINISH: SURFACE ROUGHNESS 125 MICROINCHES MAX IN ACCORDANCE WITH (B) ANSI B 46.1

OPPOSITE FITTING ENDS SHALL BE CONCENTRIC WITH EACH OTHER WITHIN .032 FULL INDICATOR READING.
DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES: DECIMALS ±.031; ANGLES ±1°.

FOR DESIGN FEATURE PURPOSES THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.
REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITIATIONS FOR BID.

APPROVED 5 Mar 65 REVISED (A) 1 Jun 65 (B) 22 Jul 82

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.


P.A. USAF - 99 Other Cust Army - AV Navy - AS	TITLE VALVES, CHECK, AIRCRAFT *LOW PRESSURE OXYGEN SYSTEMS*	MILITARY STANDARD MS21211
Procurement Specification MIL-V-7908	SUPERSEDES: AN6030, AN6031, AN6032, AN6033, AN6034, AN6035, AN6036, AN6037	SHEET 1 OF 8

DD FORM 1 SEP 87 672 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

PROJECT No: 1660-0450

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:28Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
1660



DASH NO.	MAX WEIGHT	SUPERSEDING
-2	.14 POUND	AN6031-1 STYLE B

APPROVED 5 Mar 65 REVISED (A) FOR CHANGES SEE SHEET 5. (B)


This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A. USAF - 99 Other Cust Army - AV Navy - AS	TITLE. VALVES, CHECK, AIRCRAFT LOW PRESSURE OXYGEN SYSTEMS	MILITARY STANDARD MS21211
Procurement Specification MIL-V-7908	SUPERSEDES: AN6030, AN6031, AN6032, AN6033, AN6034, AN6035, AN6036, AN6037	SHEET 2 OF 8

DD FORM 1 SEP 87 672 (Superseding previous editions of this form are obsolete)

Downloaded: 2020-10-23T14:28Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
1660



DASH NO.	MAX WEIGHT	SUPERSEDING
-3	.15 POUND	AN6032-1 STYLE C

APPROVED 5 Mar 65 REVISED (A) FOR CHANGES SEE SHEET 5. (B)


This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A. USAF - 99 Other Cust Army - AV, Navy - AS	TITLE VALVES, CHECK, AIRCRAFT LOW PRESSURE OXYGEN SYSTEMS	MILITARY STANDARD MS21211
Procurement Specification MIL-V-7908	SUPERSEDES: AN6030, AN6031, AN6032, AN6033, AN6034, AN6035, AN6036, AN6037	SHEET 3 OF 8

DD FORM 1 SEP 67 672 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:28Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
1660



DASH NO.	MAX WEIGHT	SUPERSEDING
-4	.155 POUND	AN6033-1 STYLE D

APPROVED 5 Mar 65 REVISED (A) FOR CHANGES SEE SHEET 5. (B)


This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A. USAF - 99 Other Cust Army - AV Navy - AS	TITLE VALVES, CHECK, AIRCRAFT LOW PRESSURE OXYGEN SYSTEMS	MILITARY STANDARD MS21211
Procurement Specification MIL-V-7908	SUPERSEDES: AN6030, AN6031, AN6032, AN6033, AN6034, AN6035, AN6036, AN6037	SHEET 4 OF 8

DD FORM 1 SEP 67 672 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:28Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
1660



DASH NO.	MAX WEIGHT	SUPERSEDING
-5	.20 POUND	AN6034-1 STYLE E


REVISED (A) FOR CHANGES SEE SHEET 5. (B)
APPROVED 5 Mar 65

This military standard is approved by the Department of Defense and is mandatory as all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A. USAF - 99 Other Cust Army - AV Navy - AS Procurement Specification MIL-V-7908	TITLE VALVES, CHECK, AIRCRAFT LOW PRESSURE OXYGEN SYSTEMS SUPERSEDES: AN6030, AN6031, AN6032, AN6033, AN6034, AN6035, AN6036, AN6037	MILITARY STANDARD MS21211 SHEET 5 OF 8

DD FORM 1 SEP 67 672 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:28Z
Check the source to verify that this is the current version before use.



DASH NO.	MAX WEIGHT	SUPERSEDING
-6	.07 POUND	AN6035-1 STYLE F

APPROVED 5 Mar 65 REVISED (A) FOR CHANGES SEE SHEET 5. (B)


This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A. USAF - 99 Other Cust Army - AV Navy - AS	TITLE VALVES, CHECK, AIRCRAFT LOW PRESSURE OXYGEN SYSTEMS	MILITARY STANDARD MS21211
Procurement Specification MIL-V-7908	SUPERSEDES: AN6030, AN6031, AN6032, AN6033, AN6034, AN6035, AN6036, AN6037	SHEET 6 OF 8

DD FORM 1 SEP 67 672 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:28Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
1660



DASH NO.	MAX WEIGHT	SUPERSEDING
-7	.07 POUND	AN6036-1 STYLE G

APPROVED · 5 Mar 65 REVISED (A) FOR CHANGES SEE SHEET 5. (B)


This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A. USAF - 99 Other Cust Army - AV Navy - AS	TITLE VALVES, CHECK, AIRCRAFT LOW PRESSURE OXYGEN SYSTEMS	MILITARY STANDARD MS21211
Procurement Specification MIL-V-7908	SUPERSEDES: AN6030, AN6031, AN6032, AN6033, AN6034, AN6035, AN6036, AN6037	SHEET 7 OF 8

DD FORM 1 SEP 67 672 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:28Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
1660



DASH NO.	MAX WEIGHT	SUPERSEDING
-8	.11 POUND	AN6037-1 STYLE H

APPROVED 5 Mar 65 REVISED (A) FOR CHANGES SEE SHEET 5. (B)

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A. USAF -99 Other Cust Army - AV Navy - AS	TITLE VALVES, CHECK, AIRCRAFT LOW PRESSURE OXYGEN SYSTEMS	MILITARY STANDARD MS21211
Procurement Specification MIL-V-7908	SUPERSEDES: AN6030, AN6031, AN6032, AN6033, AN6034, AN6035, AN6036, AN6037	SHEET 8 OF 8

DD FORM 1 SEP 67 672 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE. *U.S. GOVERNMENT PRINTING OFFICE: 1982-569-022/2468

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:28Z
Check the source to verify that this is the current version before use.