FED. SUP CLASS
5325

ARMY - AT, ME, EL, AL
NAVY - MC, MS

ARMY - WC, MI
NAVY - SA

NOTES

1. MATERIAL - ALL COMPONENTS ARE BRASS EXCEPT WHERE OTHERWISE SPECIFIED.
2. FINISH
   a. BLACK.
   b. NICKEL PLATE.
3. DIMENSIONS - IN INCHES.
4. TOLERANCES - PLUS OR MINUS 1/64 INCH (FOR INFORMATION PURPOSES ONLY). PRODUCTION TOLERANCES IN ACCORDANCE WITH DRAWINGS REFERENCED IN SPECIFICATION MIL-F-10884.
5. FOR DESIGN FEATURE SELECTION PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.
6. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATION FOR BIDS.
7. COMPONENT PARTS OF THE SAME FASTENER SHALL BE PROCURED FROM THE SAME MANUFACTURER.
8. (C) THE MS PART NUMBER CONSISTS OF THE MS NUMBER PLUS THE DASH NUMBER. EXAMPLE MS27982-1B

INTERCHANGEABILITY TABLE I	
MS27982	AN227
DASH NO.	DASH NO.
-1B	-49B
-1N	-49
-2B	-50B
-2N	-50
-3B	-66B
-3N	-66
-4B	-51B
-4N	-51
-5B	-52B
-5N	-52
-6B	-53B
-6N	-53

APPROVED 21 July 1961 REVISED (A) 16 MAY '66 (B) 5 MAY 1971 (C) 31 JULY 1978


of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable.

P.A. ARMY - GL	TITLE	MILITARY STANDARD
Other Cust NAVY - AS USAF - 99	FASTENERS, SNAP, STYLE 3 (PRONGED RING HEAD TYPE)	MS 27982
Procurement Specification MIL-F-10884	SUPERSEDES: AN227 (in part)	SHEET 1 OF 3


DD FORM 1 SEP 67 672 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 202640-23T16:54Z
Check the source to verify that this is the current version before use.


FED. SUP CLASS
5325



PRONGED RING



SOCKET
(MULTIPLE SEGMENT OR FLOATING SPRING DESIGN OPTIONAL)



REINFORCED SOCKET

	DASH NO.	
	BLACK	NICKEL PLATE
PRONGED RING	-1B	-1N
SOCKET	-2B	-2N
REINF. SOCKET	-3B	-3N

NOTE: PRONGED RING W/SOCKET OR PRONGED RING W/REINF. SOCKET CONSTITUTE THE FEMALE HALF OF STYLE 3 FASTENER.


APPROVED 21 July 1961 REVISED FOR CHANGES, SEE SHEET 1.

P.A. ARMY - GL Other Cust NAVY - AS USAF - 99	TITLE FASTENERS, SNAP, STYLE 3 (PRONGED RING-HEAD TYPE)	MILITARY STANDARD MS 27982
Procurement Specification MIL-F-10884	SUPERSEDES: AN227 (in part)	SHEET 2 OF 3


DD FORM 1 SEP 57 672 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:34Z
Check the source to verify that this is the current version before use.


FED. SUP CLASS
5325



STUD



EYELET



REVERSIBLE STUD

	DASH NO.	
	BLACK	NICKEL PLATE
STUD	-4B	-4N
EYELET	-5B	-5N
REVERSIBLE STUD	-6B	-6N

NOTE: STUD AND EYELET CONSTITUTE THE MALE HALF STYLE 3 FASTENER. REVERSIBLE STUD, WHEN APPLICABLE, IS USED WITH PRONGED RING SHOWN ON SHEET 2.

APPROVED 21 July 1961 REVISED FOR CHANGES, SEE SHEET 1.

P.A. ARMY - GL Other Cust NAVY - AS USAF - 99	TITLE FASTENERS, SNAP, STYLE 3 (PRONGED RING HEAD TYPE)	MILITARY STANDARD MS 27982
Procurement Specification MIL-F-10884	SUPERSEDES: AN227 (in part)	SHEET 3 OF 3

DD FORM 1 SEP 57 672 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:34:2
Check the source to verify that this is the current version before use.