INCH-POUND
MIL-PRF-15160/51C
11 October 2017
SUPERSEDING
MIL-PRF-15160/51B
w/AMENDMENT 1
9 February 2007

PERFORMANCE SPECIFICATION SHEET

FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F51

Inactive for new design after 19 November 1997

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification and MIL-PRF-15160.



Inches	mm
0.031	0.79
0.078	1.98
0.203	5.16
0.375	9.53
0.406	10.31
1.188	30.17
1.672	42.47

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for information purposes only and are based on 1 inch = 25.4 mm.

FIGURE 1. Style F51, characteristic A.

AMSC N/A

FSC 5920

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:47Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Interface and physical dimensions: See figure 1.

Material:

Body: Plastic sheet.

Terminal: Copper.

Finish: Natural or tin plated.

Alarm springs: May be nickel silver.

Terminal strength: MIL-STD-202-211, 2 pound pull.

Electrical:

Current rating: See table II.

Voltage rating: See table II.

Current carrying capacity: 100 percent normal rating.

Characteristic: See table II.

Overload interrupt: See table I.

Short circuit interrupt: 20 amperes at 90 volts dc.

TABLE I. Overload interrupt.

Fuse current rating	Percent nominal rating	Normal blowing rate
.50	150	0-1.5 min
1.33	150	0-1.5 min
2.00	150	0-3 min.

Part or Identifying Number (PIN): The PIN shall be constructed from table II (e.g., F51A90V1/2A).

TABLE II. Type designation.

Style	Characteristic range	Voltage	Current rating
F51	A	90V	1/2 A
F51	A	90V	1 1/3 A
F51	A	90V	2 A

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:47Z
Check the source to verify that this is the current version before use.

VERIFICATION:

Qualification inspection: Not applicable for this specification sheet.

Conformance inspection: Group A and Group B inspections of MIL-PRF-15160 shall be applicable.

Referenced documents. In addition to MIL-PRF-15160, this document references the following:

MIL-STD-202-211

The margins of this specification are marked with vertical lines to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodians:
Army - CR
Navy - SH
Air Force - 85
DLA - CC

Preparing activity:
DLA - CC

(Project 5920-2017-054)

Review activities:
Army - AR, AT, CR4, MI
Navy - AS, CG, MC, OS
Air Force - 19, 99

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T05:47Z
Check the source to verify that this is the current version before use.