DDD–C–411b
22 JULY 1953
SUPERSEDING
Int. Fed. Spec. DDD–C–411a (GSA–FS)
1 August 1952

FEDERAL SPECIFICATION

CLOTHS, DUST, OIL-TREATED

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. — This specification covers oil-treated cotton dust cloths primarily intended for dusting furniture.

1.2 Classification.

1.2.1 *Type and grade.* — The oil-treated dust cloths covered by this specification shall be of one type and grade.

1.2.2 *Sizes.* — The dust cloths covered by this specification shall be of the following finished sizes, as specified (see 6.1 and 3.3).

Size 1.—18 x 28½ inches.
Size 2.—20 x 36 inches.

2. APPLICABLE SPECIFICATION

2.1 The following Federal Specification, of the issue in effect on date of invitation for bids, forms a part of this specification:

CCC–T–191—Textile Test Methods.

(Copies of Federal Specifications and the Index of Federal Specifications and Standards may be obtained upon application accompanied by check, money order, cash, or Government Printing Office coupons, to the General Services Administration, Business Service Center, Region 3, Seventh and D Streets, SW., Washington 25, D. C. This office will also honor deposit account numbers issued by the Government Printing Office. Prices may be obtained from the Index of Federal Specifications and Standards or from the GSA Regional Offices. Single copies of this specification and other product specifications required for bidding purposes are available without charge at the GSA Regional Offices in Boston, New York, Atlanta, Chicago, Kansas City, Mo., Dallas, Denver, San Francisco, Los Angeles, Seattle, and Washington, D. C.

2.2 Specifications and other publications applicable only to individual departments are listed in section 7.

3. REQUIREMENTS

3.1 Material.

3.1.1 *Cloth.*—The dust cloths shall be made of thoroughly cleaned soft twisted cotton yarns, free from foreign matter, and shall conform to the following:

3.1.1.1 *Yarns per inch.* — The yarns per inch shall be not less than 32 in the warp and not less than 27 in the filling.

3.1.1.2 *Weave.*—The cloth shall be of plain or twill weave, well napped on both sides.

3.1.1.3 *Weight.*—The weight of the cloth shall be not less than 3 ounces nor more than 4 ounces per square yard before being treated with oil.

3.1.2 *Oil.*—The oil used for treating the dust cloths shall be a clean mineral oil of an unobjectionable odor, noninjurious, stainless, and shall be perfumed with oil of cedar, pine oil, oil of citronella or other suitably perfumed oil. The oil shall be of a type, grade, and viscosity suitable for use on highly polished finishes.

203440–53–(848)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:34Z
Check the source to verify that this is the current version before use.

3.1.2.1 *Treatment.*—The cloths shall be oil-treated by uniform spraying or other suitable method. The oil shall moisten the cloth thoroughly without making it excessively wet. The oil content of the cloth shall be not less than 15 percent nor more than 25 percent of the weight of the treated cloth.

3.2 Color.—Dust cloths shall be white or colored.

3.2.1 *Colorfastness to crocking.* — When colored dust cloths are furnished the colorfastness to crocking shall be good.

3.3 Sizes.—The dust cloths shall be finished to the following minimum sizes:

Size 1.—18 x 28½ inches.
Size 2.—20 x 36 inches.

3.4 Edges.—The cloths shall have selvage edges, securely whipped edges, or pinked edges.

3.5 Performance.—The varnished surface shall not stain and shall not become tacky, dull, scratched, or unduly wet when tested in accordance with paragraph 4.3.1.

3.6 Workmanship.—The dust cloths shall be free from defects which affect the appearance, or which may impair the serviceability.

4. SAMPLING, INSPECTION, AND TEST PROCEDURES

4.1 Sampling. — One dust cloth shall be taken at random from each 200 cloths or fraction thereof of each size offered for delivery except when the shipment exceeds 2000 cloths, in which case one cloth of each size shall be taken at random from each one-tenth of the shipment.

4.2 Inspection.—Final inspection shall be made at the point of delivery or at the factory at the discretion of the purchasing agency. (See 6.1.)

4.3 Tests.—Tests shall be conducted in accordance with the following methods described in Federal Specification CCC-T-191 and as hereinafter specified.

Test	Method No.
Standard conditions	Section 4
Yarns per inch	5050
Weight of cloth, small specimen method	5041
Oil content — chloroform extraction	2611.1
Width of cloth	5020
Length of cloth	5010

4.3.1 *Performance test.*—The sample dust cloths shall be rubbed 10 times, unidirectional, on a varnished wood surface, using moderate pressure, and then inspected for compliance with 3.5.

5. PREPARATION FOR DELIVERY

5.1 Packaging.—Each package shall contain 25 cloths wrapped as follows: Each cloth shall be folded and inserted in a heavy cellulosic-type bag or envelope, with the open end securely sealed or stapled to prevent the oil from seeping through.

5.2 Packing.—The subject commodity shall be prepared for shipment to permit acceptance by carrier for transportation at the lowest applicable rate, and to afford maximum protection from normal hazards of transportation.

5.3 Marking.—Shipping containers shall be marked with the name of the material, as defined by the contract or order under which shipment is made, the size, the quantity contained therein, the name of the contractor, and the number of the contract or order.

6. NOTES

6.1 Ordering data. — Purchasers should specify sizes required and should exercise any desired options offered herein (see 1.2.2, 4.2).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:34Z
Check the source to verify that this is the current version before use.

6.2 Transportation description.—Transportation description applicable to these items is:

Cloths, polishing, cotton, treated with oil.
Carload weight 20,000 pounds subject to Rule 34, Uniform Freight Classification.

Cloths, polishing, cotton, chemically treated.
Truckload weight, any quantity.

Patent notice.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

7. DEPARTMENTAL REQUIREMENTS

7.1 The following standard, of the issue in effect on date of invitation for bids and special requirements, form a part of this specification for purchases made under this specification by the respective departments.

7.2 Air Force.

7.2.1 *Applicable standards.*

Military Standard:

MIL–STD–129—Marking of Shipments.

(Copies of specifications, standards, and drawings required by the contractor in connection with specific procurement functions should be obtained from the procuring agency or as directed by the contracting officer.)

7.2.2 *Marking of shipments.*—Interior packages and exterior shipping containers shall be marked in accordance with Military Standard MIL–STD–129. The nomenclature shall be as follows:

Cloth, Dust, Oil-Treated
Size *_____
Specification DDD–C–411b

* Applicable data to be entered by the contractor.

This specification is a part of Section IV, Part 5, of the Federal Standard Stock Catalog.

★ U. S. GOVERNMENT PRINTING OFFICE: 1953

Copies of this specification may be purchased for 5 cents.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:34Z
Check the source to verify that this is the current version before use.