INTERIM AMENDMENT TO

FEDERAL SPECIFICATION

SHIRTS, MAN'S, COTTON, BROADCLOTH, MERCERIZED

This Interim Amendment was developed by the General Services Administration, Federal Supply Service, Washington, D.C. 20407. The primary purpose of the amendment is to add requirements for Type III shirt used by hospital attendants. Its use is authorized and urged by GSA for procurement purposes by all Federal agencies as a part of Federal Specification DDD-S-301b dated October 14, 1960.

Page 1, title: Delete and substitute:

SHIRT, MAN'S, AND SHIRT, BOY'S, COTTON, BROADCLOTH, MERCERIZED.

Page 1, paragraph 1.1: Delete and substitute:

1.1 Scope. This specification covers the requirements for men's and boy's dress shirts and men's short sleeve, convertible collar work shirts.

Paragraph 1.2.1: Add the following:

"Type III . - Two patch pockets without flaps, pencil compartment.
Class 3. - Regular collar, convertible."

Page 1, following title "Schedule of sizes" add the word "-Man's"; and in sleeve length column adjacent to neck size "16-1/2" delete "31" and substitute "32".

Page 1, following tabulation add:

Schedule of sizes - Boy's

Size		Sleeve length
Number	Neckband - Inches	Inches
6	11 1/2	21 1/2
8	12	23 1/2
10	12 1/2	25 1/2
12	13	27 1/2
14	13 1/2	29 1/2
16	14	31 1/2
18	14 1/2	32 1/2

Page 1: Delete FSC 8405 and substitute "FSC 84".

Page 2, paragraph 3.2.1.1: Add the following sentence to end of paragraph:

"For type III, shirts shall be the color and shade specified."

Page 2, paragraph 3.2.2: Add the following to the end of the paragraph:

"The interlining for collars for type III shirts shall be the grade buckram as required above and shall be bleached white for white or colored shirts except khaki or dark shades which shall have unbleached buckram."

Page 3, paragraph 3.2.6: Delete and substitute:

"3.2.6 Buttons. The buttons shall be type II, class D, style 24, 20 line, or type II, class K, style 25, 19 or 21 line conforming to Specification V-B-871."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:34Z
Check the source to verify that this is the current version before use.

Page 3: Following paragraph 3.2.6.1, insert the following new paragraph:

"3.2.7 Embroidery yarn. When embroidery yarn is used for applying monograms for type III shirts, unless otherwise specified, the yarn shall be of 2 ply cotton or rayon yarn of soft twist and vat dyed of the color specified. The yarn shall meet the colorfast requirements of broadcloth as contained in Specification CCC-C-437."

Page 3, paragraph 3.4: Add the following at the end of the paragraph:

"Type III shirts shall be coat style, short sleeve, with two outside patch pockets, right and left. The left pocket shall contain a pencil compartment formed by a stitching extending the full depth of the pocket and located 1 3/8 ± 1/8 inches from the edge of the right side of the pocket. The shirt fronts shall have a plain facing 2 3/4 ± 1/8 inch. Sleeves shall be full cut and shall measure 7 ± 1/8 inch in length when measured along inseam. Sleeve hems shall have a 5/8 ± 1/8 inch turn-under hem."

Page 3, following paragraph 3.4, insert new paragraph as follows:

"3.4.1 Monogram. When monograms are required, and unless otherwise specified, they shall be formed by two lines of continuous script of caps and lower case, 48 pt., but words shall not be joined by travel stitch. Each end of embroidery yarn, 3.2.7, shall be secured to the shirting cloth to prevent any loosening of the stitch. The lettering which shall be evenly balanced and spaced within the frame shall be performed by a Bonnaz embroidery machine and the wording shall be as specified in the contract or order. Unless otherwise specified the lettering shall be located over the top of the left breast pocket encased in a rectangular frame 4 1/2 ± 1/8 x 2 ± 1/8 inches formed by a single stitch of the same color yarn used for the lettering and by a Bonnaz embroidery machine. The lower segment of the frame shall be located 5/8 ± 1/16 inch above the top of the pocket."

Paragraph 3.5.1, table, under Nomenclature of parts, line 11: Delete "*Patch pocket (Type I)" and substitute *Patch pocket (Type I and III)"

Page 6, table I, item 6: Following sub-item "g", add "h. Type III collar; sew in collar stays measuring 2 1/4 ± 1/8 inch in length and 3/8 ± 1/16 inch in width."

Page 6, table I, item 7: Following "Type II, item "b" insert the following:

"Type III
c. Fold top of pocket, turn in raw edges, forming a hem 3/4 ± 1/8 inch in width. Sides of pockets shall have raw edges turned in and hem 1/16 to 1/8 inch from edge."

Page 8, table I, item 10: Following sub-item "c" add

"Type III shirt
d. Pockets shall be positioned on right and left shirt fronts parallel with front edges and set-on in accordance with good commercial practice. Pockets shall measure 5 3/4 ± 1/8 inches deep and 5 1/2 ± 1/8 inches wide."

Page 10, table I, item 18: Following "Join cuffs to sleeves" insert "(except type III)."

Page 11, table I, item 20: Following "Make buttonholes in collar stand, front and cuffs" insert "(except cuffs for type III)."

Page 13, paragraph 3.8: Delete and substitute:

"3.8 Finished measurements. The shirts shall conform to the finished measurements shown in tables IIA and IIB, except sleeve lengths for type III shirt which will conform to requirements in 3.4."

Source: https://assist.dla.mil -- Downloaded: 20260-26T12:34Z
Check the source to verify that this is the current version before use.

Page 13: Delete heading "Table II. Finished measurements" and substitute:

"Table IIA. Finished measurements for man's shirt."

Page 13: After IIA, add table IIB as follows:

TABLE IIB. Finished measurements for boy's shirt

Size (number)	1/2 Breast[1] Inches	Back length[2] Inches	Collar[3] Inches	Sleeve length[4] Inches
6	29	21	11 1/2	21 1/2
8	31	22 1/2	12	23 1/2
10	33	24	12 1/2	25 1/2
12	35	26	13	27 1/2
14	37	27 1/2	13 1/2	29 1/2
16	39	29	14	31 1/2
18	41	30	14 1/2	32 1/2
Tolerance	± 1/2	± 1/2	+ 1/4 - 0	± 1/2

[1] 1/2 Breast - Measurement taken across the buttoned-up shirt, 1 inch below the bottom of armhole.

[2] Back length - Measurement taken from the highest point of the yoke to the bottom of the shirt when the front and back lengths are even at the bottom.

[3] Collar - Measurement taken from center of button to far end of buttonhole.

[4] Sleeve length - Measurement taken from top center of yoke to bottom of cuff. Left and right sleeve lengths of the same shirt shall not deviate by more than 1/2 inch.

Page 18, paragraph 4.2.3.3, under "collar": Following item "m" insert the following:

"n. Stays omitted in type III collar (one or more)". Opposite "n" under column "Major" insert "X".

Page 19, paragraph 4.2.3.3, under "Pockets and flaps:" Delete "Type I" and substitute:

"Type I and III". Following characteristic "Depth of pocket" insert the following:

Pencil compartment:	Major
- omitted.	X
- made on right pocket.	X
- not dimensions required.	X

Page 20, paragraph 4.2.3.3: Delete "cuffs:" and substitute :

"Cuffs (except type III):"

Page 24, paragraph 6.1: Add the following at the end of paragraph:

"except type III shirt which is intended for use by hospital attendants."

Page 24: Following paragraph 6.5, add the following new paragraph:

"Supersession data. This amendment supersedes Purchase Description DDD-1-4(GSA-FSS) prepared by the General Services Administration."

MILITARY INTERESTS:

Army - MQ

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:34Z
Check the source to verify that this is the current version before use.