SS-R-501D
INTERIM AMENDMENT-2
April 23, 1971
SUPERSEDING
Interim Amendment-1
July 6, 1970

INTERIM AMENDMENT

TO

FEDERAL SPECIFICATION

ROOFING FELT, ASPHALT-PREPARED SMOOTH SURFACE

This interim amendment was developed by the General Services Administration, Federal Supply Service, Washington, D.C. 20406, based upon currently available technical information. It is recommended that Federal agencies use it in procurement and forward recommendations for changes to the preparing activity at the address shown above.

The General Services Administration has authorized Federal agencies to use this interim amendment as a valid exception to Federal Specification SS-R-501D, dated June 20, 1969.

PAGE 1

Paragraph 1.2 Classification. Delete Type I - 37 pounds, and Type II - 39 pounds, and substitute the following:

Type I - 35 pounds
Type II - 45 pounds

Paragraph 2.1: Under "Federal Specifications:" add the following:

PPP-T-45 - Tape, Gummed, Paper, Reinforced and Plain, for Sealing and Securing.
PPP-T-60 - Tape: Pressure-Sensitive Adhesive, Waterproof, for Packaging.

PAGE 2

Paragraph 2.1: Under "Military Standards:" add the following:

MIL-STD-731 - Quality of Wood Members for Containers and Pallets.

PAGE 4

Paragraph 5.1.2, 2nd line: After "grade B", delete period, and add "60 pound minimum basis weight. The wrapping shall be sealed with tape conforming to PPP-T-60 or PPP-T-45, type I or II."

PAGE 5

Paragraph 5.2.2.2: Delete the first sentence and substitute the following:

"The V boards shall be constructed of one 1 by 6 inch (nominal) and one 2 by 2 inch (nominal) lumber conforming to MIL-STD-731, class 2, group II or III."

FSC 5650

GSA DC 71-13611

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:13Z
Check the source to verify that this is the current version before use.