MIL-A-3316B
AMENDMENT - 2
30 April 1968

SUPERSEDING 1/
AMENDMENT - 1
18 January 1967

MILITARY SPECIFICATION

ADHESIVES, FIRE-RESISTANT, THERMAL INSULATION

This amendment forms a part of Military Specification MIL-A-3316B, dated 29 April 1966, and is mandatory for use by all Departments and Agencies of the Department of Defense.

Page 2, under "Specifications, Military", delete "MIL-C-768" and substitute "MIL-C-788".

Page 2, paragraph 2.2, delete:

"AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS
Threshold Limit Values (For Atmospheric Contaminants)

(Application for copies should be addressed to the American Conference of Governmental Industrial Hygienists, 1014 Broadway, Cincinnati 2, Ohio.)"

Page 2, paragraph 2.2, "OFFICIAL CLASSIFICATION COMMITTEE": Delete and substitute:

"UNIFORM CLASSIFICATION COMMITTEE
Uniform Freight Classification Rules

(Application for copies should be addressed to the Uniform Classification Committee, 202 Union Station, 516 West Jackson Boulevard, Chicago, Illinois 60606.)"

Page 3, paragraph 3.4: Delete second sentence.

1/ CHANGES FROM PREVIOUS ISSUE. THE OUTSIDE MARGINS OF THIS DOCUMENT HAVE BEEN MARKED "#" TO INDICATE WHERE CHANGES (DELETIONS, ADDITIONS, ETC.) FROM THE PREVIOUS ISSUE HAVE BEEN MADE. THIS HAS BEEN DONE AS A CONVENIENCE ONLY AND THE GOVERNMENT ASSUMES NO LIABILITY WHATSOEVER FOR ANY INACCURACIES IN THESE NOTATIONS. BIDDERS AND CONTRACTORS ARE CAUTIONED TO EVALUATE THE REQUIREMENTS OF THIS DOCUMENT BASED ON THE ENTIRE CONTENT AS WRITTEN IRRESPECTIVE OF THE MARGINAL NOTATIONS AND RELATIONSHIP TO THE LAST PREVIOUS ISSUE.

FSC 8040

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T17:29Z
Check the source to verify that this is the current version before use.

Page 3, paragraphs 3.6.1 and 3.6.2: Delete and substitute:

"3.6.1 Class 1 adhesive. The consistency of the adhesive at 80°F., after it has been stirred moderately by hand, shall be suitable for brush application to the surface of faced and unfaced fibrous glass insulation board conforming to MIL-I-742 and to the surface of cotton brattice cloth conforming to MIL-C-788 (see 4.4.5.1).

"3.6.2 Class 2 adhesive. The consistency of the adhesive shall be not less than 90 nor more than 130 Krebs units, when tested as specified in 4.4.5.1.1.

"3.6.3 Class 3 adhesive. The consistency of the adhesive shall be such as to allow a cone penetration average of not less than 25 nor more than 35mm, when tested as specified in 4.4.5.2."

Page 5, paragraph 4.2, delete "Bureau of Ships" and substitute "Naval Ship Engineering Center".

Page 6, table I, line 3: Under "Inspection procedure (paragraph), Adhesive class 2": delete "4.4.5.1" and substitute "4.4.5.1.1".

Page 8, paragraph 4.4.5.1: Delete and substitute:

"4.4.5.1 Class 1 adhesive. The adhesive, after it has been stirred moderately by hand, shall be applied with a brush to faced and unfaced fibrous glass insulation board conforming to MIL-I-742 and to the surface of cotton brattice cloth conforming to MIL-C-788.

"4.4.5.1.1 Class 2 adhesive. The consistency of the adhesive shall be determined in accordance with method 4281 or FED-STD-141."

Page 14, paragraphs 6.3 and 6.4: Delete and substitute:

"6.3 With respect to products requiring qualification, awards will be made only for products which are at the time set for opening of bids, qualified for inclusion in applicable Qualified Products List QPL 3316 whether or not such products have actually been so listed by that date. The attention of the suppliers is called to this requirement, and manufacturers are urged to arrange to have the products that they propose to offer to the Federal Government tested for qualification in order that they may be eligible to be awarded contracts or orders for the products covered by this specification. The activity responsible for the Qualified Products List is the Naval Ship Engineering Center, Department of the Navy, Washington, D. C. 20360, and information pertaining to qualification of products may be obtained from that activity. Application for Qualification tests shall be made in accordance with "Provisions Governing Qualification SD-6" (see 6.4).

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T17:29Z
Check the source to verify that this is the current version before use.

"6.4 Copies of "Provisions Governing Qualification SD-6" may be obtained upon application to Commanding Officer, Naval Supply Depot, 5801 Tabor Avenue, Philadelphia, Pennsylvania 19120."

Preparing activity:
Navy - SH
(Project 8040-0269)

Custodians:
Army - MR
Navy - SH

Review activities:
Army - MR
Navy - SH ,YD
DSAH - IS

User activities:
Army - EL, ME, AT
Navy - AS, CG, OS

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T17:29Z
Check the source to verify that this is the current version before use.