MIL-R-3308B
30 APRIL 1965
SUPERSEDING
MIL-R-3308A
30 SEPTEMBER 1963

MILITARY SPECIFICATION

RESPIRATOR, AIR FILTERING, DUST, ABC-M4

This specification is mandatory for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers a small dust respirator.

2. APPLICABLE DOCUMENTS

2.1 Government documents. The following documents of the issue in effect on date of invitation for bids, or request for proposal, form a part of this specification to the extent specified herein:

SPECIFICATIONS

FEDERAL

PPP-B-00566 — Boxes, Folding, Paperboard.

PPP-B-636 — Box, Fiberboard.

MILITARY

MIL-P-116 — Preservation, Methods of.

MIL-B-22205 — Bags, Transparent, Flexible, Heat-Sealable, for Packaging Applications.

MIL-B-43014 — Boxes: Water Resistant Paperboard; Folding, Set-Up, and Metal-Stayed.

STANDARDS

MILITARY

MIL-STD-105 — Sampling Procedures and Tables for Inspection by Attributes.

MIL-STD-129 — Marking for Shipment and Storage.

DRAWINGS

EDGEWOOD ARSENAL

DL5-46-58 — Respirator, Air Filtering, Dust, ABC-M4. (All drawings referenced in this specification are listed on Drawing DL5-46-58.)

(Copies of specifications, standards, drawings, and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

FSC 4240

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T17:28Z
Check the source to verify that this is the current version before use.

2.2 **Other publications.** The following document forms a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

UNIFORM CLASSIFICATION COMMITTEE

Uniform Freight Classification Ratings, Rules and Regulations.

(Application for copies of these freight classification rules should be addressed to the Uniform Classification Committee, 202 Union Station, Chicago 6, Ill.)

3. REQUIREMENTS

3.1 Materials and components. All materials and components cited on Drawing DL5–46–58 and subsidiary drawings shall conform to the specifications listed thereon or to the specific characteristics set forth on the drawings.

3.2 Assembly. The respirator shall be assembled to conform to Drawing D5–46–58.

3.3 Workmanship. The respirator shall be free from tears, perforations, and foreign matter (stains, dirt, oily or viscous material).

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Special provisions.

4.2.1 *Alternative inspection.* The supplier may utilize any alternative inspection procedure which will provide equal or better assurance of quality by submitting a written proposal with justification and obtaining written approval from the Government prior to instituting the procedure. In case of dispute, the procedures of this specification will govern.

4.2.2 *Objective evidence.* The supplier shall provide objective evidence acceptable to the contracting officer that the requirements of 3.1 and section 5 for which specific inspection has not been provided in this specification have been satisfied.

4.2.3 *Substation inspection.* If the supplier elects to establish inspection substations for the purpose of conducting inspection for certain listed defects, the Acceptable Quality Levels (AQL's) for each inspection substation shall be equal to the AQL which is the next numerically lower value than the AQL specified for the total listed defects. The requirements of MIL–STD–105 are applicable to each substation and to the end item.

4.3 Lotting. A lot shall consist of the respirators produced by one manufacturer, at one plant, from the same materials, under essentially the same manufacturing conditions. However, no more than one lot of cloth shall be represented in any one lot of respirators.

4.4 Sampling for examination. Sampling shall be conducted in accordance with MIL–STD–105.

4.5 Inspection provisions.

4.5.1 *For examination.* Sample respirators shall be examined in accordance with the classification of defects and MIL–STD–105.

4.5.2 *Classification of defects.*

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T17:28Z
Check the source to verify that this is the current version before use.

4.5.2.1 *Respirator, Air Filtering, Dust, ABC–M4–Assembly (Dwg D5–46–58).*

Categories	Defects
Critical:	*None defined*
Major:	*AQL 2.5 percent defective*
101	Workmanship (see 3.3)
102	Stitching missing or improper
103	Component missing, incorrect, or improperly assembled
104	Body blank profile incorrect
105	Hardware nonfunctioning
Minor:	*AQL 4.0 percent defective*
201	Marking missing, incorrect, or illegible
202	Body gather length or location incorrect

5. PREPARATION FOR DELIVERY

5.1 Packaging. Packaging shall be level A or C as specified (see 6.2).

5.1.1 *Level A.*

5.1.1.1 *Unit packaging.* Respirators shall be individually packaged is accordance with method IC–6 of MIL–P–116 except that the transparent heat-sealable bags used shall conform to type II of MIL–B–22205 in lieu of the bags specified in method IC–6.

5.1.1.2 *Intermediate packaging.* Fifty respirators, unit packaged as specified in 5.1.1.1, shall be intermediately packaged in a water-resistant full or partial telescope paperboard box conforming to MIL–B–43014 or PPP–B–00566; or in a W5c, style FTC fiberboard box conforming to PPP–B–636. All seams and joints of paperboard or fiberboard boxes shall be taped as specified for interior FTC boxes in the appendix to PPP–B–636.

5.1.2 *Level C.* Respirators shall be packaged in a manner which will afford adequate protection against deterioration and damage from the supply source to the first receiving activity for immediate use.

5.2 Packing. Packing shall be level A or C as specified (see 6.2).

5.2.1 *Level A.* Respirators packaged as specified in 5.1, shall be packed in a V3c, style RSC fiberboard box conforming to PPP–B–636. The size of the box, and the weight of box and contents shall not exceed the size and weight limitations of V3c boxes specified in PPP–P–636. The box shall be waterproofed by taping all seams, corners and the manufacturer's joint as specified in the appendix of PPP–B–636.

5.2.2 *Level C.* Respirators, packaged as specified in 5.1, shall be packed in such a manner as to insure carrier acceptance and safe delivery to first domestic destination. Containers shall comply with Uniform Freight Classification rules or regulations of other carriers applicable to the mode of transportation.

5.3 Marking. In addition to any special marking required by the contract or order, unit and intermediate packages and shipping containers shall be marked in accordance with MIL–STD–129.

6. NOTES

6.1 Intended use. The respirator is intended for use in shielding the nose and mouth from coarse dust particles and is not intended for protection against industrial dusts.

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.

(b) Selection of applicable levels of packaging and packing.

6.3 International interest. Certain provisions of this specification are the subject of international standardization agreement

Source: https://assist.dla.mil -- Downloaded: 202640-16T17:28Z
Check the source to verify that this is the current version before use.

ABC. When amendment, revision, or cancellation of this specification is proposed, the departmental custodians will inform their respective Departmental Standardization Offices so that appropriate action may be taken respecting the international agreement concerned.

Custodians:
Army—MU
Navy—MC

User activities:
Army—MO
Navy—MC
Air Force—84

Preparing activity:
Army—MU (EA)

Project No. 4240-0125

International interest (see section 6)

Source: https://assist.dla.mil -- Downloaded: 202640-16T17:28Z
Check the source to verify that this is the current version before use.