INCH-POUND

MIL-T-3338H
AMENDMENT 1
5 September 1991

MILITARY SPECIFICATION

TABLE, FOLDING LEGS

This amendment forms a part of Military Specification MIL-T-3338H, dated 26 June 1987, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1.1, under "SPECIFICATIONS, FEDERAL": Add "A-A-208 - Ink, Marking, Stencil, Opaque (Porous and Non-Porous Surfaces)"

PAGE 2

2.1.1, under "SPECIFICATIONS, FEDERAL": Add the following:

"TT-P-25 - Primer Coating, Exterior Undercoat for Wood, Ready-Mixed, White and Tints"
"TT-W-572 - Wood Preservative; Water-Repellent",

and delete:

"TT-I-1725 - Ink, Marking, Stencil, Opaque (Porous and Non-Porous Surfaces)".

under "SPECIFICATIONS, MILITARY": Delete:

"MIL-W-13518 - Wood Preservative: Tetrachlorophenol and Pentachlorophenol, Surface Sealing Compound".

PAGE 4

3.2.2.1.1, last line: Add "Sycamore", "Gum", and "Poplar".

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T17:31Z
Check the source to verify that this is the current version before use.

PAGE 5

3.2.9: Delete and substitute:

"3.2.9 Wood Preservative. The wood preservative shall conform to composition B of TT-W-572."

3.2.10, line 2: Delete "TT-I-1725", and susbtitute "A-A-208".

3.2.15, last line: Delete "Olive Drab 24037 to" and substitute "24087 conforming to".

Add the following new paragraph:

"3.2.16 Primer. The primer shall conform to TT-P-25."

PAGE 6

Add the following new paragraph:

"3.3.1.4 Hinge plates. Two hinge plates shall be attached at the base of the table top using adhesive conforming to MMM-A-188, or type I or II, class 1 of MMM-A-181 and using eight (8) each 7/8 inch L., flathead sheet metal screws. The tee nuts shall be attached to the hinge plates as shown on Drawing 5-13-10. The leg hinges will then be attached to these hinge plates.".

3.3.3: Delete sentences 2 and 3.

PAGE 7

3.4.1, line 2: Delete "IV" and substitute "II".

3.4.2.1.1, line 4: After "3.2.9" add ", followed by the primer specified in 3.2.16."

3.4.2.1.2, line 4: After "3.2.9" add ", followed by the primer specified in 3.2.16."

PAGE 8

3.4.3: Delete and substitute:

"3.4.3 Enamel. All exposed surfaces of the wood components (including the plastic wood filled counterbores of the table top) shall be given a finish coat of the enamel specified in 3.2.15, after being preserved and primed."

Source: https://assist.dla.mil -- Downloaded: 202610-16T17:31Z
Check the source to verify that this is the currentversion before use.

PAGE 11

4.4.3, TABLE II: Add the following new defects:

Examine	Defect	Major	Minor
"Hinge plates	Tee nuts not flush with surface of hinge plates		214
	Tee nuts installed at slant in counter-bored hinge plates		215"

PAGE 16

5.3, lines 1 and 2: Delete "K and L or film bonding means O or P." and substitute "C and D or film bonding means F or G.".

Custodians:

Army - GL
Air Force - 99

Review activities:

Army - ME
Air Force - 84

Civil agency coordinating activity:

GSA - FSS

Preparing activity:

Army - GL

(Project 7105-0263)

Source: https://assist.dla.mil -- Downloaded: 202610-16T17:31Z
Check the source to verify that this is the currentversion before use.