MIL-S-48756 (PA)
28 March 1975

MILITARY SPECIFICATION

SHIPPING AND STORAGE CONTAINER, WARHEAD SECTION: M544

SPARE PARTS FOR

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers the spare parts for one type of container designated as Shipping and Storage Container, Warhead Section: M544.

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-A-48078	- Ammunition, Standard Quality Assurance Provisions, General Specification For

STANDARDS

MILITARY

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes (ABC-STD-105)

FSC: 8140

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

DRAWINGS

PICATINNY ARSENAL

PRODUCT AND PACKING DRAWINGS

8808362	Packing and Marking for Storage and Shipments
8883536	Bag, Packing, for Repair Parts
9211125	Strap Assembly
9211130	Mount, Shear
9211131	Bolt
9211163	Cushion
9211163-1	Part No
9211163-2	Part No
9211180	Pin, Safety
9219220	Bar, Lifting (Forged)
9219220-1	Part No
9219220-2	Part No
9223266	Clip
9230566	Packing and Marking for Box, Fiberboard for Mount, Resilent
9295055	Packing and Marking for Box, Fiberboard, Packing, Ammunition for Cushion 9211163-1 or Cushion 9211163-2

3. REQUIREMENTS

3.1 Material.-Materials shall be in accordance with the applicable drawings and specifications.

3.2 Parts.-The parts shall comply with all requirements specified on drawings 9211130, 9211131, 9223266, 9211125, 9211163-1, 9211163-2, 9211180, 9219220-1, and 9219220-2 all associated drawings, and with all requirements specified in applicable specifications.

3.3 Workmanship.-All parts and assemblies shall be fabricated and finished in a thorough, workmanlike manner. They shall be free of burrs, chips, sharp edges, cracks, unblended radii, surface defects, dirt, grease, rust, corrosion products, and other foreign matter. The cleaning method used shall not be injurious to any parts, nor shall the parts be contaminated by the cleaning agents. All marking and stamping shall be neat and sharply defined.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

3.4 Submission of results of contractor-conducted examinations and tests.-The contractor shall forward copies of the results of any of his examinations or tests to the designated address as required by the contract. (See 6.4).

3.5 First Article Inspection.-This specification contains technical provisions for first article inspection. Requirements for the submission of first article samples by the contractor shall be as specified in the contract.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for Inspection and Standard Quality Assurance Provisions.-Unless otherwise specified herein or in the contract, the provisions of MIL-A-48078 (PA) shall apply and are hereby made a part of this detail specification.

4.2 Classification of Inspections.-The following types of inspection shall be conducted on this item:

a. First Article Inspection
b. Quality Conformance Inspection

4.3 First Article Inspection.-

4.3.1 Submission.-The contractor shall submit a first article as designated by the Contracting Officer for evaluation in accordance with the provisions of 4.3.2. The first article sample shall consist of the following items in sample quantities as indicated.

Part Description	Drawings	Quantity
Mount, Shear	9211130	1
Bolt	9211131	1
Clip	9223266	1
Strap Assembly	9211125	1
Cushion	9211163-1	1
Cushion	9211163-2	1
Strap	9211178	1
Pin, Safety	9211180	1
Plate, Backup	9211181	1
Latch Assembly	9211555	1
Bar, Lifting (Forged)	9219220-1	1
Bar, Lifting (Forged)	9219220-2	1

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

4.3.2 Inspections to be Performed.-See MIL-A-48078 (PA) and Table 1 herein.

4.3.3 Rejection.-See MIL-A-48078 (PA)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

TABLE 1 - FIRST ARTICLE INSPECTION
CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH CATEGORY	TITLE / EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	SHEET 1 OF 2 DRAWING NUMBER See Below NEXT HIGHER ASSEMBLY PARAGRAPH REFERENCE /INSPECTION METHOD
	Mount, Shear (Dwg. 9211130) Examination for Defects	1		3.2	4.4.2.1
	Bolt (Dwg. 9211131) Examination for Defects	1		3.2	4.4.2.2
	Clip (Dwg. 9223266) Examination For Defects	1		3.2	4.4.2.3
	Strap Assembly (Dwg. 9211125) Examination for Defects	1		3.2	4.4.2.4
	Cushion (Dwg. 9211163-1) Examination for Defects	1		3.2	4.4.2.5
	Cushion (Dwg. 9211163-2) Examination for Defects	1		3.2	4.4.2.6
	Strap (Dwg. 9211178) Examination for Defects	1		3.2	4.4.2.7

NOTES:

SARPA-QA FORM 2567 SEP 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

TABLE 1 - FIRST ARTICLE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS MIL-S-48756 (PA)

PARAGRAPH	TITLE		SHEET 2 OF 2		DRAWING NUMBER See Below
					NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
	Pin, Safety (Dwg. 9211180) Examination for Defects	1		3.2	4.4.2.8
	Plate, Backup (Dwg. 9211181) Examination for Defects	1		3.2	4.4.2.9
	Latch Assembly (Dwg. 9211555) Examination for Defects	1		3.2	4.4.2.10
	Bar, Lifting (forged) (Dwg. 9219220-1) Examination for Defects	1		3.2	4.4.2.11
	Bar, Lifting (forged) (Dwg. 9219220-2) Examination for Defects	1		3.2	4.4.2.12

NOTES:

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

4.4 Quality Conformance Inspection

4.4.1 Inspection Lot Formation.-Inspection lots shall comply with the lot formation provisions of MIL-A-48078 (PA).

4.4.2 Examination.-See MIL-A-48078 (PA).

a. Sampling Plans.-Unless otherwise specified in the Classification of Defects and Test Tables, sampling plans for major and minor defects shall be in accordance with MIL-STD-105, Inspection Level II.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-S-48756 (PA)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9211130
4.4.2.1	Mount, Shear				NEXT HIGHER ASSEMBLY 9211120
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major B					
101	Height		0.40%	3.2	Gage
102	Diameter of elastomer		0.40%	3.2	Gage
103	Width of plate		0.40%	3.2	Gage
104	Length of plate		0.40%	3.2	Gage
105	True position of thru holes		0.40%	3.2	Gage
106	Diameter of thru holes		0.40%	3.2	Gage
107	True position of threaded holes		0.40%	3.2	Gage
108	Pitch diameter of threaded holes		0.40%	3.2	Gage
109	Depth of threaded holes, min.		0.40%	3.2	Gage
110	Major diameter of threaded holes, max.		0.40%	3.2	Gage
Minor					
201	Evidence of poor workmanship		0.65%	3.3	Visual

NOTES:

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9211131
4.4.2.2	Bolt				NEXT HIGHER ASSEMBLY 9211120
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major B					
101	Length of head		0.40%	3.2	Gage
102	Width of head		0.40%	3.2	Gage
103	Height of head		0.40%	3.2	Gage
104	Overall length		0.40%	3.2	Gage
105	Pitch diameter		0.40%	3.2	Gage
106	Major diameter, max.		0.40%	3.2	Gage
107	Overall length		0.40%	3.2	Gage
108	Length of perfect thread, min.		0.40%	3.2	Gage
109	Width of shank at head		0.40%	3.2	Gage
110	Width of large flat head		0.40%	3.2	Gage
111	Width of small flat on head		0.40%	3.2	Gage
Minor					
201	Evidence of poor workmanship		0.65%	3.3	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-S-48756 (PA)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9223266
4.4.2.3	Clip				NEXT HIGHER ASSEMBLY 9211120
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major	None defined				
Minor 201	Evidence of poor workmanship		0.65%	3.3	Visual

NOTES:

SARPA-QA FORM 2567 FEB 74

10

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS MIL-S-48756 (PA)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9211125
4.4.2.4	Strap Assembly				NEXT HIGHER ASSEMBLY 9211120
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major B					
101	Any component missing, incomplete or broken		100%	3.2	Visual
102	Length of strap protrusion		0.40%	3.2	Gage
Minor					
201	Evidence of poor workmanship		0.65%	3.3	Visual

NOTES:

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS MIL-S-48756 (PA)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9211163-1
4.4.2.5	Cushion				NEXT HIGHER ASSEMBLY 9211125
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major B					
101	Length		0.40%	3.2	Gage
102	Width of slot		0.40%	3.2	Gage
103	Wall thickness in slot area		0.40%	3.2	Gage
104	Height of slot		0.40%	3.2	Gage
105	Height of leg		0.40%	3.2	Gage
106	Width of leg		0.40%	3.2	Gage
107	Distance from outside tapered surface to slot		0.40%	3.2	Gage
108	Height of tapered surface		0.40%	3.2	Gage
Minor					
201	Evidence of poor workmanship		0.65%	3.3	Visual

NOTES:

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.6	Cushion	1 OF 1	9211163-2
			NEXT HIGHER ASSEMBLY: 9211125

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major B					
101	Length		0.40%	3.2	Gage
102	Width of slot		0.40%	3.2	Gage
103	Wall thickness in slot area		0.40%	3.2	Gage
104	Height of slot		0.40%	3.2	Gage
105	Height of leg		0.40%	3.2	Gage
106	Width of leg		0.40%	3.2	Gage
107	Distance from outside tapered surface to slot		0.40%	3.2	Gage
108	Height of tapered surface		0.40%	3.2	Gage
109	Height of cutout		0.40%	3.2	Gage
110	Width of cutout		0.40%	3.2	Gage
Minor					
201	Evidence of poor workmanship		0.65%	3.3	Visual

NOTES:

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS MIL-S-48756 (PA)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9211178
4.4.2.7	Strap				NEXT HIGHER ASSEMBLY 9211125
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major B					
101	Welds missing or incomplete		100%	3.2	Visual
102	Length		0.40%	3.2	Gage
103	Width		0.40%	3.2	Gage
104	Thickness		0.40%	3.2	Gage
105	Diameter of holes, max.		0.40%	3.2	Gage
106	Distance from end to first row of holes		0.40%	3.2	Gage
107	Length from end of strap to end of loop		0.40%	3.2	Gage
108	Height of loop		0.40%	3.2	Gage
109	Distance from end of strap to end of material		0.40%	3.2	Gage
Minor					
201	Evidence of poor workmanship		0.65%	3.3	Visual

NOTES:

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9211180
4.4.2.8	Pin, Safety				NEXT HIGHER ASSEMBLY 9211123
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major B					
101	Length		0.40%	3.2	Gage
102	Width of open end		0.40%	3.2	Gage
Minor					
201	Evidence of poor workmanship		0.65%	3.3	Visual

NOTES:

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS MIL-S-48756 (PA)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9211181
4.4.2.9	Plate, Backup				NEXT HIGHER ASSEMBLY 9211125
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major B					
101	Width		0.40%	3.2	Gage
102	Length		0.40%	3.2	Gage
103	Distance from end to first row of holes		0.40%	3.2	Gage
104	Diameter of holes, max.		0.40%	3.2	Gage
105	Thickness		0.40%	3.2	Gage
Minor					
201	Evidence of poor workmanship		0.65%	3.3	Visual

NOTES:

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.10	Latch Assembly				9211555
					NEXT HIGHER ASSEMBLY
					9211125
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major B					
101	Any component missing, damaged or incomplete		100%	3.2	Visual
102	Length of cage		0.40%	3.2	Gage
103	Width of cage		0.40%	3.2	Gage
104	Distance from end to first row of cage holes		0.40%	3.2	Gage
105	Distance between cage holes		0.40%	3.2	Gage
106	Length of flat surface of cage		0.40%	3.2	Gage
107	Distance from end of cage to handle by pivot		0.40%	3.2	Gage
108	Distance from handle pivot to center of clevis pin		0.40%	3.2	Gage
109	Distance from handle pivot to holes in handle		0.40%	3.2	Gage
110	Length of handle		0.40%	3.2	Gage
111	Width of handle		0.40%	3.2	Gage
112	Distance from end of handle to center of handle pivot		0.40%	3.2	Gage
113	Distance from end of drawbolt to center of clevis pin		0.40%	3.2	Gage
Minor					
201	Evidence of poor workmanship		0.65%	3.3	Visual

NOTES:

DARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS MIL-S-48756 (PA)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9219220-1
4.4.2.11	Bar, Lifting (forged)				NEXT HIGHER ASSEMBLY 9211121
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major B					
101	Diameter of bar		0.40%	3.2	Gage
102	Angle of leg		0.40%	3.2	Gage
103	Distance from center of holes to bend		0.40%	3.2	Gage
104	Distance between journals		0.40%	3.2	Gage
105	Width of journals		0.40%	3.2	Gage
106	Diameter of holes		0.40%	3.2	Gage
107	Outside diameter of journals		0.40%	3.2	Gage
108	Distance from center of holes to top surface of legs		0.40%	3.2	Gage
109	Any radius missing		0.40%	3.2	Visual
Minor					
201	Evidence of poor workmanship		0.65%	3.3	Visual

NOTES:

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9219220-2
4.4.2.12	Bar, Lifting (Forged)				NEXT HIGHER ASSEMBLY 9211121
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major B					
101	Diameter of bar		0.40%	3.2	Gage
102	Angle of leg		0.40%	3.2	Gage
103	Distance from center of holes to bend		0.40%	3.2	Gage
104	Distance between journals		0.40%	3.2	Gage
105	Width of journals		0.40%	3.2	Gage
106	Diameter of holes		0.40%	3.2	Gage
107	Outside diameter of journals		0.40%	3.2	Gage
108	Distance from center of holes to top surface of legs		0.40%	3.2	Gage
109	Any radius missing		0.40%	3.2	Visual
Minor					
201	Evidence of poor workmanship		0.65%	3.3	Visual

NOTES:

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS MIL-S-48756 (PA)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9230566
4.4.2.13	Packing and Marking for Box, Fiberboard for Mount, Resilent				NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major B					
101	Wrapper missing		0.40%	3.2	Visual
102	Box damaged or improperly sealed		0.40%	3.2	Visual
103	Marking illegible missing or incorrect		0.40%	3.2	Visual
Minor	None defined				

NOTES:

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET	DRAWING NUMBER
4.4.2.14	Packing and Marking for Box, Fiberboard, Packing, Ammunition for Cushion 9211163-1 or Cushion 9211163-2		1 OF 1	9295055
				NEXT HIGHER ASSEMBLY

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major B					
101	Box damaged or improperly sealed		0.40%	3.2	Visual
102	Marking illegible, missing or incorrect		0.40%	3.2	Visual
Minor	None defined				

NOTES:

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-S-48756 (PA)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 8883536-4
4.4.2.15	Bag, Packing, For Repair Parts				NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major B					
101	Length of bag		0.40%	3.2	Gage
102	Width of bag		0.40%	3.2	Gage
103	Part improperly installed in bag		0.40%	3.2	Visual
104	Bag damaged or improperly sealed			0.40%	3.2
105	Marking illegible, missing or incorrect		0.40%	3.2	Visual
Minor	None defined				

NOTES:

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 8808362
4.4.2.16	Packing and Marking for Storage and Shipments				NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major B					
101	Bags or boxes in container loose		0.40%	3.2	Visual/Manual
102	Container damaged or improperly sealed		0.40%	3.2	Visual
103	Marking illegible, missing or incorrect		0.40%	3.2	Visual
Minor	None defined				

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

4.4.3 Testing.-Testing is described in the First Article and Quality Inspection Tables.

4.4.4 Inspection Equipment.-The inspection equipment required to perform the examinations and tests prescribed herein is described in the Paragraph Reference/Inspection Method column in the tables starting with Paragraph 4.4.2.1. The contractor shall submit for approval inspection equipment designs in accordance with the terms of the contract. See Section 6 of MIL-A-48078 and 6.3 herein.

4.5 Test methods and procedures.-Not applicable.

5. PREPARATION FOR DELIVERY

5.1 Preservation and packaging.-

5.1.1 Level A.-The shear mount shall be preserved and packaged in accordance with Dwg. 9230566. The cushions shall be preserved and packaged in accordance with Dwg. 9295055. The clip shall be preserved and packaged in accordance with Dwg. 8883536-4. The bolt, strap assembly, safety pin, and lifting bars shall be preserved and packaged in accordance with Dwg. 8808932.

5.2 Packing.-

5.2.1 Level A.-The shear mount, cushions, clip, bolt, safety pin, strap assembly, and lifting bars, preserved and packaged as specified in 5.1.1, shall be packed in accordance with Dwg. 8808362.

5.3 Marking.-Marking shall be in accordance with Dwgs. 8808362, 8808932, 8883536, 9230566, and 9295055.

5.4 Shipping.-When components from more than one lot are shipped as a carload, each lot shall be kept separate, and the division between lots clearly indicated to prevent mixing of the lots in transit.

6. NOTES

6.1 Intended use.-Spare parts for shipping and storage container, warhead section: M544.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

6.2 Ordering Data.-See MIL-A-48078 (PA).

6.3 Submission of Inspection Equipment Designs for Approval.-See MIL-A-48078 (PA). Submit equipment designs as required to Commander, Attn: SARPA-QA-T, Picatinny Arsenal, Dover, NJ 07801.

6.4 Submission of results of contractor-conducted examinations and tests.-Unless otherwise specified by the Contracting Officer, the contractor shall forward requested records of examinations or tests to Commander, Picatinny Arsenal, Attn: SARPA-QA-A-S.

6.5 Submission of test data.-In addition to the normal distribution of records, when the spare parts, for the M544 Container are procured by the U.S. Army Munitions Command, one (1) copy of ammunition data cards shall be forwarded to: Commander, Picatinny Arsenal, Attn: SARPA-QA-A-S.

Custodian:
Army-PA

Preparing Activity:
Army-PA

Project Number: 8140-A133

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

COMMANDER
Picatinny Arsenal
ATTN: SARPA-QA-A
Dover, New Jersey 07801

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.