INCH-POUND

A-A-52037
April 28, 1992

COMMERCIAL ITEM DESCRIPTION

STENCIL SET, MARKING: MANILA BOUND: CONSISTING OF LETTERS, NUMBERS, AND TRAFFIC SIGNS

The General Services Administration has authorized the use of this commercial item description in preference to Military Specification MIL-S-52821.

Salient characteristics:

Description. The stencil set shall consist of 4 sets of 36 letters and numbers, 8 sheets of stencil paper, and 8 sets of traffic signs. Each set shall be separated from the next sheet by a separator sheet. Index tabs shall be provided on the separator sheets to indicate the following stencil. The entire set of stencil letters and numbers, stencil sheets, traffic sign stencils and separator sheets shall be bound in book form. The cover shall be of manila paper. The overall size of the set shall be not less than 18.25 by 21 inches.

Material. Material shall be as specified herein. Materials not specified shall be selected by the contractor, and shall be subject to all provisions of this commercial item description.

Stencil. Stencil and blank stencil sheets shall be on stencil-board. The basic weight of the paper shall be between 35 and 41 pounds per 1000 sheets measuring 17 by 22 inches. Stencil sheets shall be 18.25 by 18.25 inches (exclusive of binding). Each sheet shall be perforated near the bound edge to permit easy removal of the sheet. Loose parts such as the center of the letter "A", "B", "D", "O", border lines, and other fragile parts shall be secured to the body of the stencil by ties in printing position. Not less than two ties, one at the top and one at the bottom, shall be used to hold the center portion of the letter, number, or traffic sign. The width of each tie shall not exceed one third of the stroke width of the letter or the number.

Beneficial comments recommendations, additions, clarifications, deletions, etc., and any data which may be of use in improving this document should be sent to: USA Belvoir Research, Development, and Engineering Center, ATTN: STRBE-TSE, Fort Belvoir, VA 22060-5606.

AMSC N/A

FSC 7520

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:05Z
Check the source to verify that this is the current version before use.

Letters and numbers. Individual letters and numbers shall be 5 inch size. Four letters or numbers shall be placed on one sheet and shall be separated into 7-inch squares by perforations. Perforations shall allow positive detachment without tearing into the body of the stencil.

Traffic Signs. Traffic signs, stencil numbers 1 through 19, shall be as shown on figure 1. Each sign shall occupy the full size of the sheet. All parts shown in black on figure 1, except the ties, shall be cut out. Sizes of letters used on the various signs shall be as follows:

Letter size	Stencil number
3-inch	7, 8, 10, 11, 12, 14, 16, 17, 18
4-inch	1, 9, 12, 13, 19
5-inch	4, 6
6-inch	5

Letter spacing shall be not less than the width of a stroke or greater than twice the stroke width.

Lettering arrangement. On stencils 1, 4, 5, and 6, the letters shall be centered diagonally so that there is an equal space at the top and bottom of each sign. On stencils 7, 10, and 11, the letters shall be arranged in 2 lines with the remaining vertical space inside the border line distributed to 3 equal spaces. On stencil 7, the letter "N" in "TON" shall be directly below the letter "E" in "BRIDGE" to permit placing a number before "TON". On stencil 8, the letters shall be arranged to provide not less than 11.25 inches of space below the word "SPEED". On stencil 9, the words shall be separated to permit placing the arrow shown on stencil 19. On stencils 13 14, 15, 16 and 17, the letters shall be arranged so that the spacing below will permit the arrow shown on stencil 19. On stencils 12 and 18, the two lines shall be separated by a dash, 0.50 inch by 8 inches, so that the space above will permit placing of a 5-inch character by the operator. On stencil 19, the arrow shall be centered on the stencil paper without a border line. All other signs, except numbers 1 and 5, shall have a 0.25-inch cutout (except the ties) with the inside area of the stencil 16 inches square. On stencil 1 for "STOP", the corners of the square shall be cut to form an octagon, with a 0.25-inch cutout border line, and a 0.25-inch border as shown. On stencil 5 for "RR", the corners shall be cut out to form a circle with a 0.24-inch border line and a 0.25-inch margin as shown.

Workmanship. The stencils shall be clean. Cut outs shall be sharp with no ragged edges or tears, and corners shall be square. Perforations shall be spaced to permit easy separation without tearing.

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T09:05Z
Check the source to verify that this is the currentversion before use.

Contractor certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of the Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Regulatory requirements. In accordance with Federal Acquisition Regulation, section 23.403, the Government's policy is to acquire items composed of the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition without adversely affecting performance requirements or exposing the suppliers employees to undue hazards from the recovered materials.

Metric product. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within specified tolerances using conversion tables contained in the latest revision of Federal Standard No. 376, and all other requirements of this Commercial Item Description are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

Preservation, packaging, packing, labeling, and marking. The preservation, packing, labeling, and marking shall be as specified in the contract or order.

CID based part identification number. The following part identification numbering procedure is for Government purposes and does not constitute a requirement for the contractor.

Part or identifying number (PIN). The part or identifying number for stencil sets acquired to this commercial item description shall be as follows:

A52037 - Y
- Y: Stencil number 1 through 19
- A52037: Document identifier

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:05Z
Check the source to verify that this is the current version before use.

Notes. The procuring agency should specify the preferred options permitted herein and include the following information in procurement documents:

1. Title, number, and date of this item description.

2. When this commercial item description is used for procurement, the commercial item certification clause must appear in the solicitation.

FED-STD-376 is available from the Naval Publishing and Printing Service Office (NPPSO), Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.

Preparing activity for this CID is: Commander, US Army Belvoir RD&E Center, ATTN: STRBE-TSE, Fort Belvoir, VA 22060-5606.

MILITARY INTERESTS:

Custodians
Army - ME
Navy - YD
Air Force - 99

Review activity
DLA-GS

User activities
Navy - MC, YD


CIVIL AGENCY COORDINATING ACTIVITIES:

GSA-FSS

Preparing activity:
Army - ME


Project 7520-0187

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:05Z
Check the source to verify that this is the current version before use.



1. STOP

2. LEFT CURVE




3. RIGHT CURVE



4. HILL



5. RAILROAD CROSSING



6. SLOW


FIGURE I. TRAFFIC SIGNS

X-2852

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T09:05Z
Check the source to verify that this is the currentversion before use.



7. BRIDGE



8. SPEED




9. ONE WAY



10. NO PARKING



11. ROAD CLOSED




12. PORT


FIGURE 1. TRAFFIC SIGNS - continued

X-2853


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:05Z
Check the source to verify that this is the current version before use.



13. GAS D P




14. RAIL ROAD




15. WATER POINT




16. RATION DUMP



17. DETOUR



18. DUMP DEPOT



19. ARROW

FIGURE 1. TRAFFIC SIGNS - continued

X-2854

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:05Z
Check the source to verify that this is the current version before use.