MILITARY STANDARD

UNIT LOAD
FOR DOMESTIC AND OVERSEAS SHIPMENT
BATTERY MK 46 IN CONTAINER DWG 5167267

MIL-STD-1322-75
(NAVY)


15 NOVEMBER 1985

UNIT LOAD DATA


NUMBER OF BATTERIES PER CONTAINER	1
NUMBER OF CONTAINERS PER UNIT LOAD	4
GROSS WEIGHT OF ONE CONTAINER	322 LBS
WEIGHT OF WOOD FRAMES	64 LBS
WEIGHT OF STEEL STRAPPING	8 LBS
WEIGHT OF PALLET	90 LBS
GROSS WEIGHT OF UNIT LOAD	1450 LBS △
CUBE	64.4 CU FT

△ DO NOT USE FOR SHIPPING WEIGHT

DO NOT STACK MORE THAN 4
UNITS HIGH IN STORAGE



CONTAINER DWG NO.
53711-5167267



NOTES:

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236(NAVY).

DISTRIBUTION STATEMENT A
Approved for public release; distribution is unlimited.

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR DEPOT HANDLING AND STORAGE AND FOR SHIPMENT BY COMMON CARRIER.

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1322.

W.S. Gray NWHC — 11/15/85
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) — DATE


J.E. Kelly — 11/15/85
SIGNATURE SEA SYSCOM — BY DIRECTION — DATE


ORIGINATOR Wilton Ashford — 11/15/85 DATE

NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY


Source: https://assist.dla.mil -- Downloaded: 2026-02-26T07:44Z
Check the source to verify that this is the current version before use.

PALLETIZING DETAILS





DETAIL A



BOTTOM FRAME ASSEMBLY

(1 REQUIRED)

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:44Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

(A) THREAD STRAPPING ITEM 2 THROUGH SLOTS IN PALLET DECK, ITEM 1 AS SHOWN IN DETAIL A.

(B) POSITION GIRTHWISE STRAPPING ITEM 4 AROUND THE PREFABRICATED BOTTOM FRAME ASSEMBLY TENSION AND DOUBLE NOTCH SEAL ITEM 5.

(C) POSITION THE BOTTOM FRAME ASSEMBLY ON THE PALLET DECK WITH EQUAL OVERHANG ON BOTH SIDES AND ENDS. POSITION THE CONTAINERS ON THE BOTTOM FRAME, AS SHOWN.

(D) PLACE THE TOP FRAME ASSEMBLY ON THE CONTAINERS. ASCERTAIN THE PRESENCE OF THE GIRTHWISE STRAPPING BEFORE POSITIONING THE TOP FRAME.


(E) POSITION STRAPPING, ITEM 2, AROUND THE UNIT LOAD, TENSION AND DOUBLE NOTCH SEAL.

(F) POSITION STRAPPING, ITEM 3, UNDER THE PALLET DECK AND AROUND THE UNIT LOAD, TENSION AND DOUBLE NOTCH SEAL.

(G) SECURE STRAPPING WITH STAPLES, ITEM 6, AS SHOWN.

MARKING

IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-1322.



TOP FRAME ASSEMBLY

(1 REQUIRED)

NOTES

1. WHEN PALLET MIL-P-15011 IS NOT AVAILABLE, WOOD PALLET NN-P-71, TYPE I, SIZE 2, GROUP III OR IV MAY BE USED.
2. UNLESS OTHERWISE SPECIFIED, ALL MATERIALS SHALL BE IN ACCORDANCE WITH MIL-STD-1322.
3. DO NOT USE TYPE I STRAPPING WITH POWER MACHINE.

DEPALLETIZING PROCEDURE

(A) REMOVE STAPLES.

(B) CUT AND REMOVE STRAPPING.

(C) REMOVE TOP FRAME.

(D) REMOVE CONTAINERS.

(E) REMOVE BOTTOM FRAME.

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
AS REQ'D	12	NAIL, STANDARD BOX	STEEL-SEE NOTE2	6d
AS REQ'D	11	NAIL, STANDARD BOX	STEEL-SEE NOTE2	4d
4	10	SPACER	WOOD-SEE NOTE 2	1 X 4 X 36
10	9	BATTEN	WOOD-SEE NOTE 2	1 X 6 X 50
4	8	END PIECE	WOOD-SEE NOTE 2	1 X 4 X 48 1/2
4	7	SIDE PIECE	WOOD-SEE NOTE 2	1 X 4 X 50
12	6	STAPLES	STEEL COM'L	3/4
6	5	SEAL	STEEL-SEE NOTE2	3/4
2	4	STRAPPING, GIRTHWISE (SEE NOTES 2 & 3)	STEEL-SEE NOTES2&3	3/4X .035X 17 FT 6
2	3	STRAPPING, (SEE NOTES 2 & 3)	STEEL-SEE NOTES2&3	3/4X .035X 14 FT 6
2	2	STRAPPING, (SEE NOTES 2 & 3)	STEEL-SEE NOTES2&3	3/4X .035X 14 FT 6
1	1	PALLET, (SEE NOTE 1)	WOOD MIL-P-15011 STYLE 1,CLASS 1	40 X 48 X 5 1/2

LIST OF MATERIALS

REVIEW ACTIVITY:
NAVY-OS

PREPARING ACTIVITY:
NAVY-OS
(PROJECT NO. 8140-N670

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:44Z
Check the source to verify that this is the current version before use.