NOT MEASUREMENT SENSITIVE

MIL-STD-965B
22 JANUARY 1993

SUPERSEDING
MIL-STD-965A
13 DECEMBER 1985

MILITARY STANDARD

PARTS CONTROL PROGRAM

AMSC NO. F6856 SDMP

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:40Z
Check the source to verify that this is the current version before use.

FOREWORD

1. This military standard is approved for use by all Departments and Agencies of the Department of Defense.

2. Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, Defense Electronics Supply Center, ATTN: DESC-EP, 1507 Wilmington Pike, Dayton, OH 45444-5270, by using the Standardization Document improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

3. This standard implements the guidelines and requirements established by DODI 5000.2, Part 6, Section R, Department of Defense Parts Control Program, and is applicable to new design and modification of existing design. In research, exploratory development, and advanced development where the design of prototype hardware is not involved, the use of standard parts is advocated, but is secondary to the prime objectives of the development. In these developments, therefore, this standard should be tailored to the level of the required development effort.

4. The DOD Parts Control Program has as its objective the achievement of design to cost and life cycle cost savings and cost avoidances. This objective is to be achieved by applying techniques that: (1) assist equipment or system managers and their contractors in the selection of parts commensurate with contractual requirements, (2) minimize the variety of parts used in new design, (3) enhance interchangeability, reliability and maintainability of military equipments and supplies, and (4) conserve resources.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:40Z
Check the source to verify that this is the current version before use.

CONTENTS

PARAGRAPH		PAGE
1.	SCOPE	1
1.1	Purpose	1
1.2	Intended use	1
1.3	Application	1
1.4	Application tailoring	1
2.	APPLICABLE DOCUMENTS	2
2.1	Government documents	2
2.1.1	Specifications, standards, and handbooks	2
2.1.2	Other Government documents, drawings, and publications	2
2.3	Order of precedence	2
3.	DEFINITIONS	3
3.1	Military Parts Control Advisory Group (MPCAG)	3
3.1.1	Modernized Parts Control Automated Support System (MPCASS)	3
3.2	Program Parts Selection List (PPSL)	3
3.2.1	General application part	3
3.2.2	Limited application part	3
3.3	Part	3
3.3.1	Standard part	3
3.3.2	Nonstandard part	3
3.4	Parts Control Board (PCB)	3
3.5	Acquisition activity	3
3.6	Off-the-shelf item	3
3.7	Government Furnished Baseline (GFB) parts list	3
3.8	Standardized Military Drawing Program (SMDP)	4
3.9	Standardized Military Drawing (SMD)	4
3.10	Data Item Description (DID), DD Form 1664	4
3.11	Diminishing Manufacturing Sources and Material Shortages (DMSMS)	4
3.12	Engineering Item Codes (EIC)	4
4.	GENERAL REQUIREMENTS	5
4.1	PCP provisions	5
4.1.1	MPCASS application	5
4.2	General requirements	5
4.3	Program Parts Selection List (PPSL)	5
4.3.1	Proposed PPSL	6
4.3.2	GFB parts list	6
4.3.3	Selection of parts	6
4.3.3.1	MPCASS aids	6
4.4	Part documentation	6
4.5	Test data	6
4.6	Off-the-shelf item (equipment)	6
4.6.1	Modified off-the-shelf item (equipment)	6
4.7	Government Furnished Equipment (GFE)	6
4.8	Peculiar parts	7
4.9	Parts not under MPCAG purview	7
5.	DETAILED REQUIREMENTS	8
5.1	Procedure I	8
5.1.1	PPSL	8
5.1.1.1	MPCASS application	8
5.1.2	Proposed additions to the PPSL	8
5.1.2.1	MPCASS submissions	8
5.1.2.2	Telephonic submissions	8
5.1.2.3	Written requests	8
5.1.2.4	MPCASS electronic mail	8
5.1.3	Meetings	8

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:40Z
Check the source to verify that this is the current version before use.

CONTENTS

PARAGRAPH		PAGE
5.2	Procedure II	9
5.2.1	Parts Control Board (PCB)	9
5.2.1.1	Membership	9
5.2.1.2	PCB chairperson	9
5.2.1.3	Meeting schedules	9
5.2.1.4	PCB responsibilities	9
5.2.2	Prime contractor	10
5.2.3	PPSL	10
5.2.4	Proposed additions to the PPSL	10
6.	NOTES	11
6.1	Intended use	11
6.2	Issue of DODISS	11
6.3	Contractual requirements	11
6.3.1	Data requirements	11
6.3.2	Engineering Item Codes (EIC)	11
6.4	MPCAG functions	11
6.4.1	Preaward support by MPCAG's	11
6.4.2	Controlled part categories and MPCAG contact points	12
6.4.2.1	Contract code assignment	13
6.4.2.2	MPCAG contact points	14
6.4.2.2.1	Mechanical parts	14
6.4.2.2.2	Electrical and electronic parts	14
6.4.3	Government Furnished Baseline (GFB)	15
6.5	Other FSC's managed by the Defense Logistics Agency (DLA)	15
6.6	General equipment specifications	15
6.7	Subject term (key word) listing	15
6.8	Changes from previous issue	15

FIGURES

1	Sample format for Program Parts Selection List (PPSL)	16
2	Example for selection of parts for PPSL	18
3	Method for obtaining approval of proposed PPSL	19
4	Method for processing MPCASS and telecon submissions for additions to system PPSL (MPCAG FSC's)	20
5	Method for processing written requests for additions to PPSL (MPCAG FSC's)	21
6	Method for processing part additions to PPSL (Non-MPCAG FSC's)	22
7	Method for processing part additions to PPSL (PCB)	23

APPENDIX A

PARAGRAPH		PAGE
10.	GENERAL	24
10.1	Scope	24
10.1.1	Tailoring Assistance	24
10.2	Application	24
20.	APPLICABLE DOCUMENTS	24
20.1	Government documents	24
20.1.1	Specifications, standards, and handbooks	24
20.1.2	Other Government documents, drawings, and publications	25
20.2	Order of precedence	25
30.	DEFINITIONS	25

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:40Z
Check the source to verify that this is the current version before use.

APPENDIX A

PARAGRAPH		PAGE
40.	GENERAL REQUIREMENTS	25
40.1	Standard parts	25
40.2	Selection of appropriate parts control procedure	25
40.3	Program Parts Selection List (PPSL)	26
40.4	Format for PPSL	26
40.4.1	Government maintained PPSL	26
40.5	Parts documentation requirements	26
40.6	Test data (DI-MISC-81058)	27
40.7	Parts control program plan (DI-MISC-80526)	27
40.8	Standardized Military Drawings (DI-ORPR-81000)	27
40.9	Timing of events	27
40.9.1	Contract code assignment	27
40.9.2	Submittal of proposed PPSL	27
40.9.3	Revision or amendment of PPSL	27
40.9.4	Acquisition activity review cycle	28
40.9.5	Technical reviews and audits	28
40.10	Parts Control Board (PCB) chairperson (procedure II only)	28
40.11	Hazardous materials application	28
40.12	Application matrix	28

TABLE

I	Application matrix	28

APPENDIX B

PARAGRAPH		PAGE
10.	GENERAL	29
10.1	Scope	29
10.2	Application of MPCASS	29
20.	APPLICABLE DOCUMENTS	29
30.	DEFINITIONS	29
30.1	I-Mail	29
30.2	Intercom	29
40.	GENERAL REQUIREMENTS	29
40.1	MPCASS access	29
40.2	MPCASS/DLANET overview	29
40.3	MPCASS applications	29
40.4	Acquisition activity capabilities	29
40.4.1	Acquisition activity contract options	29
40.4.2	MPCASS submission mode capability	32
40.4.2.1	MPCASS message mode capability	32
10.1	Scope	24
10.1.1	Tailoring Assistance	24
10.2	Application	24
20.	APPLICABLE DOCUMENTS	24
20.1	Government documents	24
20.1.1	Specifications, standards, and handbooks	24
20.1.2	Other Government documents, drawings, and publications	25
20.2	Order of precedence	25
30.	DEFINITIONS	25

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:40Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 Purpose. The purpose of this standard is to establish the guidelines and requirements for implementation of a parts control program.

1.2 Intended use. This standard is intended for new design or modification (applicable to new parts used in the modification) in the following:

a. Major weapon system.

b. End items of equipment where provisioning and follow-on logistic support will be required.

c. Any other contract or internal Government program in which life cycle benefits can be derived.

1.3 Application. This standard describes two procedures covering the submission, review, and approval of Program Parts Selection Lists (PPSL) (see 3.2) and changes thereto. Procedure I is applicable to those contracts that do not require the Parts Control Board (PCB) (see 3.4) concept. Procedure II is applicable to contracts that include a PCB. Procedure II is intended for large programs where many subcontractors are normally required, or where several prime contractors will participate in a program or where an integrating contractor has been established for the program. Both procedures contain provisions for processing of requests for approval to use parts both within, and external to, the Military Parts Control Advisory Group (MPCAG) assigned commodity classes (see 3.1, 6.4.2a, and 6.4.2b).

1.4 Application tailoring. This standard will be tailored by the acquisition activity to meet the minimum requirements of the contract or internal Government program and applies only to the extent and in the manner specified in the contract. The acquisition activity will establish, as a minimum, which of the four categories of 10.2 of appendix A, is applicable to the procurement contract. Tailoring guidance is provided by MIL-HDBK-402 and should be considered in the application guidance considerations by the acquisition activity. Additional tailoring may be recommended within the program management plan or other appropriate program plan. Appendix A to this standard provides guidance to the acquisition activity on the application and tailoring of this standard.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:40Z
Check the source to verify that this is the current version before use.

2. DOCUMENTS

2.1 Government documents.

2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation.

STANDARDS

MILITARY

MIL-STD-100 - Engineering Drawing Practices.
MIL-STD-454 - Standard General Requirements for Electronic Equipment.
DOD-STD-963 - Data Item Description (DID), Preparation of.
MIL-STD-970 - Standards and Specifications, Order of Preference for the Selection of.

HANDBOOK

MILITARY

MIL-HDBK-780 - Standardized Military Drawings.

(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

2.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues are those cited in the solicitation.

MIL-BUL-103 - Standardized Military Drawings (SMD's).
DODI 5000.2, Part 6, Section R - DoD Parts Control Program.

(Copies of MIL-BUL-103 and DODI 5000.2 are available from the Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:40Z
Check the source to verify that this is the current version before use.

3. DEFINITIONS

(These definitions have been developed for use with this standard and do not necessarily apply to other Government documents.)

3.1 Military Parts Control Advisory Group (MPCAG). A Department of Defense organization which provides advice to the military departments and military contractors on the selection of parts in assigned commodity classes, and collects data on nonstandard parts for developing or updating military specifications and standards (see 6.4).

3.1.1 Modernized Parts Control Automated Support System (MPCASS). An on-line automated data processing system for interface with the MPCAG's. This system allows for the input and inquiry of information for the DoD Parts Control Program (PCP), and is available for use by military acquisition activities, equipment contractors, and part suppliers. MPCASS is the preferred method of operation for this standard (see 4.1.1).

3.2 Program Parts Selection List (PPSL). A list of all parts approved for design selection in a specific contract. The PPSL is comprised of all contractor/subcontractor requests (submittals) for part approval and may contain both standard and nonstandard parts. The PPSL may also contain parts selected from the Government Furnished Baseline (GFB) (see 3.7). The PPSL becomes the governing document for part selection for the subject contract in order to control the scope of total part population, compress the variety of part types, and to direct contract/subcontract designers to approved parts. In addition, the PPSL can be used as an indicator of standardization activity and as an audit tool to verify compliance with contract requirements.

3.2.1 General application part. A part approved for listing on the PPSL without a restriction on its use.

3.2.2 Limited application part. A part approved for listing on the PPSL with a restriction on its use.

3.3 Part. One piece, or two or more pieces joined together which are not normally subjected to disassembly without destruction or impairment of designed use.

3.3.1 Standard part. A part listed on an applicable GFB identified for a specific program. If GFB is tailored from the acquisition, then the acquisition activity must provide a specific definition of standard part by contract definition.

3.3.2 Nonstandard part. Any part which does not meet the definition in 3.3.1.

3.4 Parts Control Board (PCB). A formal organization established by contract to assist the prime contractor and acquisition activity in controlling the selection and documentation of parts used in equipment, system, or subsystem designs.

3.5 Acquisition activity. The Government office or agency acquiring the equipment, system, or subsystem for which this standard is being contractually applied.

3.6 Off-the-shelf item. An item which has been developed and produced to military or commercial standards and specifications, is readily available for delivery from an industrial source, and may be acquired without change to satisfy a military requirement (see 4.6).

3.7 Government Furnished Baseline (GFB) parts list. A list of approved standard parts to be used as an initial source in the generation of a PPSL and for subsequent design selections in equipment, system, or subsystem designs. A GFB is considered a special list (i.e., first order of preference) as defined in MIL-STD-970, and therefore, becomes the primary source for part selection (second only to the approved PPSL) during equipment design. The parts listed in a GFB satisfy the requirements of a general equipment document (such as MIL-STD-454) and hold prior approval status by contract definition. Parts selected from a GFB for system design considerations are added to the PPSL for the specific contract without further evaluation. The goal of a GFB is to minimize the number of part submittals, reduce part procurement problems, and provide standardization guidance to acquisition offices and their contractors.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:40Z
Check the source to verify that this is the current version before use.

3.8 Standardized Military Drawing Program (SMDP). A DoD program effort directly under the auspices of the DoD PCP, DoD Instruction 5000.2, and established to preclude the creation of redundant documentation for common parts and to enhance the opportunity for competition with Standardized Military Drawings (SMD). Approved SMD's are listed in MIL-BUL-103 to provide a drawing and source reference document in addition to a DODISS reference.

3.9 Standardized Military Drawing (SMD). An acquisition document developed for the DoD PCP and placed under engineering management of an appropriate MPCAG by the cognizant military service acquisition manager initially sponsoring the document for a weapon system or equipment acquisition program (see MIL-STD-100).

3.10 Data Item Description (DID), DD Form 1664. A completed form that defines the data required of a contractor. The form specifically defines the data content, preparation instructions, format, and intended use. DID's are prepared in accordance with DOD-STD-963.

3.11 Diminishing Manufacturing Sources and Material Shortages (DMSMS). The loss or impending loss of manufacturers of items or suppliers of items or raw material. DMSMS is caused when manufacturers of items or raw material suppliers discontinue production.

3.12 Engineering Item Codes (EIC). The EIC is an identification number assigned to electrical/ electronic and mechanical component groups. This listing of codes are for the description noun field used in the parts submittal process.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:40Z
Check the source to verify that this is the current version before use.

4. GENERAL REQUIREMENTS

4.1 PCP provisions. As specified in the contract (see 6.3), the contractor shall conduct a PCP in accordance with the requirements of this standard.

4.1.1 MPCASS application. MPCASS provides for the electronic submission and evaluation turn-around by the MPCAG's. Contractor shall use MPCASS electronic submission as the preferred method of input and response for operation of PCP's under this standard.

4.2 General requirements. The following items are a list of major events and actions necessary for the contractor to establish and maintain an effective PCP.

a. Request a contract code assignment from DESC within 30 days of contract award (see 40.9.1). This number is unique to each contract and identifies the contract in the parts control data system.

b. Acquire access to the DLA network and individual DLA center mainframes when MPCASS procedure option is selected. Hardware and software acquisition is the responsibility of the contractor. (See 40.1, 40.2, and 40.3 of appendix B.)

c. Notify DESC of their participation in the SMD program when a contract code is assigned.

d. Coordinate the identification and approval of part candidates proposed for the PPSL (see figure 1 for example).

e. Ensure compliance with the requirements of this standard to the extent specified or as otherwise invoked by the contract. The standard requirements are subject to tailoring and all requirements may not be applicable under a specific contract or workorder.

f. Ensure that only those parts approved for listing on the PPSL are used in design and production.

g. Ensure that the PPSL information is provided to the contractors and each subcontractor's design groups.

h. Identify to the MPCAG or the acquisition activity those changes required in parts specifications to meet the equipment, system, or subsystem requirements.

i. When contractually required, prepare part documentation in accordance with 4.4.

j. When contractually required, prepare a PCP plan.

k. Identify to the acquisition activity when a part will have severe impact on the existing equipments or systems schedule, safety to personnel, or involve high technical risk.

l. Implement the MPCAG recommendations unless written disposition is obtained from the acquisition activity (see 5.1.1, 5.1.2 and 5.2.3).

4.3 Program Parts Selection List (PPSL). The PPSL shall consist of all parts approved for use on the program whether selected from the GFB, or selected and approved for use through the applicable procedures of this standard (see 4.3.1). The PPSL shall be maintained throughout the life of the contract. The last approved PPSL, and all duly authorized design changes for an equipment system, set, or model, shall be the basis for any follow-on phases or acquisitions for the equipment, when prescribed by contract. At the request of the contractor, parts control board, or the acquisition activity "MPCAG's" may be requested to update the PPSL and to identify obsolete and DMSMS parts in the initial system PPSL prior to a contract award. This would normally occur where an extended time period has elapsed between system acquisition stages. When MPCASS submission is not the mode of submitting GFB additions, the format for the identification of GFB parts selected for the system PPSL shall be mutually agreed upon between the acquisition activity and the prime contractor.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:40Z
Check the source to verify that this is the current version before use.

4.3.1 Proposed PPSL. The contractor shall develop a proposed PPSL. The number of different part types shall be held to a minimum, and the use of standard parts shall be maximized. The GFB shall be used to select approved parts for the proposed PPSL. The GFB can be obtained from the MPCAG's (see 6.4.3) as a hard copy, magnetic tape, or microfiche. A total mass transfer of a GFB to a proposed PPSL is not acceptable. When an existing contract does not specify a GFB and the contractor elects to use one, the MPCAG will recommend a GFB for the systems application following acquisition activity approval.

4.3.2 GFB parts list. The GFB parts list shall continue to be applied throughout the life of the contract. The contractor shall use this GFB parts list to select new program parts whenever the PPSL does not contain an existing part adequate for the intended application.

4.3.3 Selection of parts. In determining candidates for the PPSL, the contractor and subcontractors shall select standard parts. The GFB applicable to the contract shall be the initial primary selection source for parts to be applied in the system design. When standard parts cannot be selected, nonstandard parts shall be selected from documents in accordance with the order of preference of MIL-STD-970. Figure 2 gives an example of this selection process. The contractor and subcontractors may informally request information from the MPCAG's pertaining to the identification of parts to meet specific functional requirements of the item in which the parts are to be used. Informal requests for part information may be made by telephone, electrical dispatch, or other communication device.

4.3.3.1 MPCASS aids. MPCASS provides assistance in part selection by presenting part data and information in the query mode to authorized users. Part data includes GIDEP and DMSMS case information. Information on parts which have been disapproved, approved, and are considered problem parts, is included. This data is presented to provide guidance and assist the contractor in the part selection process (see appendix B).

4.4 Part documentation. A draft of a military specification, a military specification exception, control drawing, or a SMD shall be prepared only when contractually required and/or requested by the acquisition activity. The acquisition activity shall assure compliance by the contractor with the SMD preparation instruction resulting from the MPCAG 5962 evaluation, see 3.9. Part documentation, when required, should not be prepared until the part is approved for use. The SMD's for FSC 5962 (see 6.4.2b) shall be prepared for all generic device types as recommended by the MPCAG evaluations following part submittal for review. Detail requirements for the SMDP are specified in MIL-HDBK-780.

4.5 Test data. When contractually required, evidence that the part complies with the requirements of the applicable part documentation shall be submitted when requested by the acquisition activity. Existing test data (such as supplier originated objective evidence of compliance, or Government/Industry Data Exchange Program (GIDEP) reports) shall be used to the maximum extent practicable.

4.6 Off-the-shelf item (equipment). Parts contained in off-the-shelf equipment used in the end item of the contract shall not be subjected to parts control procedures nor listed on the PPSL. Systems, subsystems, or assemblies to be used under the contract shall be identified as off-the-shelf in response to RFP/RFQ by the contractor. All subsequent parts proposed as off-the-shelf items shall be identified for submission requirement by the acquisition activity or by the designated MPCAG.

4.6.1 Modified off-the-shelf item (equipment). When off-the-shelf equipment requires modification to meet a military requirement, it no longer meets the definitions of an off-the-shelf item (see 3.6), and the parts proposed for modification of the equipment shall be subject to the parts selection and approval procedures described herein. If the modification consists entirely of subassemblies which were previously developed under a MIL-STD-965 PCP and which are themselves complete and unmodified, then the new system's parts control program does not apply.

4.7 Government Furnished Equipment (GFE). Parts contained in unmodified GFE used in the end item of the contract shall not be subjected to parts control procedures and listed on the PPSL. The contractor shall implement the parts selection and approval provisions described herein for parts to be used for modification of any portion of GFE intended for use in the end item of the contract.

Source: https://assist.dla.mil -- Downloaded: 202640-26T07:40Z
Check the source to verify that this is the current version before use.

4.8 Peculiar parts. Parts fabricated for a particular application not adaptable to other equipments and not covered by the applicable FSC categories are not subjected to parts control procedures. Unless otherwise specified, this provision does not apply to custom microcircuit devices (including hybrids), machined bearings, or similar application unique items which are covered by a controlled FSC. Parts manufactured or altered by the contractor (as opposed to an outside vendor) are not excluded from parts control. The identity of the part manufacturer or the applicability of the term "purchased part" does not govern its applicability to the parts control program. (See 6.4.2 for controlled part categories and MPCAG contact points.)

4.9 Parts not under MPCAG purview. When contractually required the contractor shall submit part requests on parts not under MPCAG purview to the acquisition activity or designated review activity.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:40Z
Check the source to verify that this is the current version before use.

5. DETAILED REQUIREMENTS

5.1 Procedure I. When required to comply with procedure I, the contractor shall meet all of the requirements of this standard except 5.2 through 5.2.4.2 (see 4.2).

5.1.1 PPSL. The prime contractor shall submit a proposed PPSL for acquisition activity approval in accordance with figure 3. Magnetic tape or floppy disc in the acceptable MPCASS format may be submitted to the MPCAG's (see appendix B, 40.4.2) or to all CDRL addresses when approved by the acquisition activity. The time period for approval of the PPSL shall be in accordance with the terms of the contract (see 6.3). The contractually assigned GFB shall be identified and used in the initial development of the PPSL and for all subsequent selection of parts for the design.

5.1.1.1 MPCASS application. When authorized, the PPSL may be submitted via MPCASS (dial-in, floppy disc, or magnetic tape media).

5.1.2 Proposed additions to the PPSL. All parts proposed for addition to the PPSL require acquisition activity approval with the exception of parts selected from the GFB and where MPCAG recommendations are considered by contract to be the Government direction. For parts in federal supply classes (FSC) which require MPCAG review (see 6.4), the parts approval request may be submitted via MPCASS (see 4.1 and appendix B), telephonic (see 5.1.2.2 and figure 4) or written (see 5.1.2.3 and figure 5). The MPCAG's shall list the identified GFB selections on the applicable PPSL. When contractually required, part approval requests for other FSC parts (not listed in 6.4.2) shall be submitted in accordance with 5.1.2.2 or 5.1.2.3 and figure 6 to the acquisition activity or its designated representative. The time period for approval of proposed additions to the PPSL shall be in accordance with the terms of the contract, or purchase order.

5.1.2.1 MPCASS submissions. The prime contractor shall furnish the same part information as required in 5.1.2 and appendix B. MPCASS transactions provide for the submission and status query of part candidates together with open query access to significant part data files (see 4.1.1 and appendix B). MPCASS is the preferred method of submission. Submissions to all MPCAG's may be initiated at any MPCAG center under MPCASS.

5.1.2.2 Telephonic submissions. The prime contractor shall furnish the same part information as required in 5.1.2. The use of the telephonic request shall be limited to the minimum extent practicable and shall not be used for more than ten parts with each submittal. Reasons shall generally be limited to prevention of schedule impairment, parts requirements for production line repairs, or substitutes for parts unavailable by deadlines. MPCAG reviewers will accept data by telephone unless otherwise negotiated with the acquisition activity, contractor, and MPCAG. The MPCAG will confirm the evaluation by placing recommendations on file for query by the prime contractor and concurrence or override of the MPCAG evaluation by the acquisition activity. Also the MPCAG's will confirm these recommendations to the prime contractor and the acquisition activity by forwarding a copy of the appropriate form (see figure 4).

5.1.2.3 Written requests. The prime contractor shall furnish the information in accordance with the data item description requirement specified in the Contract Data Requirements List (CDRL).

5.1.2.4 MPCASS electronic mail. All users of the MPCASS system have the capability to generate and receive electronic, "registered" mail with all other registered users (see appendix B). The system known as "I Mail" will allow for added comments or establishment of agenda items for meetings. I-Mail is intended as a communication procedure rather than a submission process.

5.1.3 Meetings. Unless otherwise specified in the contract, a postaward PCP organization meeting shall be convened by the contractor within 60 days after contract award to establish working relationships, responsibilities, and procedures for implementation of the PCP. Attendance of the local Government quality assurance representative at these meetings can be requested by the acquisition activity and/or prime contractor. The contractor shall coordinate the date and location of the meeting with the acquisition activity, and its designated representatives, including the MPCAG's. This meeting may be held in conjunction with other scheduled contract review meetings. Subsequent meetings may be called by the acquisition activity or contractor to resolve problems that cannot be resolved by telephone or mail, or to perform a PCP technical review. The meeting shall be chaired by the acquisition activity unless otherwise delegated by the acquisition activity.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:40Z
Check the source to verify that this is the currentversion before use.

5.2 Procedure II. When required to comply with procedure II, the contractor shall meet all of the requirements of this standard except 5.1 through 5.1.3 (see 4.2).

5.2.1 Parts Control Board (PCB). The contractor shall establish a PCB. The membership and responsibilities of the PCB are as follows:

5.2.1.1 Membership. The PCB membership shall include one member from the prime contractor and each subcontractor as designated by the PCB chairperson. Each member shall be supported in the following technical disciplines as required:

a. Program product effectiveness (e.g., quality assurance, reliability, and standardization).

b. Parts application and technology.

c. Materials and processes technology.

d. Program systems engineering.

Each member shall have the authority to commit the member's company to all PCB decisions and actions within the scope of the applicable contract. Other technical support representatives from the contractors may attend as consultants when required. In addition, the Government has the right of PCB membership, including the MPCAG's and any other Government representatives as designated by the acquisition activity. Attendance of the local Government quality assurance representative at these meetings can be requested by the acquisition activity and/or prime contractor.

5.2.1.2 PCB chairperson. Unless otherwise specified by the acquisition activity, the chairperson of the PCB shall be a representative of the prime contractor. If more than one prime contractor is involved with a system acquisition, the acquisition activity will designate the chairperson.

5.2.1.3 Meeting schedules. Meetings shall be held as follows:

a. A postaward PCP organizational meeting shall be convened by the contractor within 60 days after contract award to establish working relationships, responsibilities, and procedures for implementation of the PCP. The contractor shall coordinate the date and location of the meeting with the acquisition activity and its designated representatives, including the MPCAG's. This meeting may be held in conjunction with other scheduled contract review meetings.

b. The first PCB meeting shall be held as agreed at the postaward organizational meeting. Subsequent PCB meetings will be scheduled as dictated by parts control activity and will normally be held more frequently during the peak design phase and less frequently thereafter.

c. Special PCB meetings may be called by the PCB chairperson or acquisition activity as required with adequate notification provided to the PCB members and representatives.

5.2.1.4 PCB responsibilities. The PCB is responsible for ensuring efficient part control operations:

a. Ensure maximum use of standard parts.

b. Minimize the number of different types and styles of parts used in the equipment or system.

c. Evaluate and recommend approval or disapproval of parts proposed for listing on the PPSL.

d. Specify requirements for part candidates.

e. Ensure timely implementation of parts decisions.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:40Z
Check the source to verify that this is the current version before use.

5.2.2 Prime contractor. The prime contractor shall:

a. Provide PCB chairman.

b. Prepare PCB meeting agenda, distribute meeting notices and agenda at least 14 calendar days prior to the PCB meeting. The MPCASS I-Mail system may be used as a vehicle for notification. The agenda shall include a list (including justification) of part candidates for the PPSL which has been reviewed by MPCAG and the acquisition activity, but requires further consideration (see figure 7).

c. Provide PCB secretariat, and prepare and distribute meeting minutes.

d. Identify common families for parts, compare product assurance requirements, and coordinate the applicable information.

e. Ensure that subcontractor PCB members support the PCB as follows:

(1) Prepare justification for need of a nonstandard part candidate and make it available to the PCB.

(2) Accomplish required supplier surveys and make available part test data when required.

(3) Any critical process or limit on the use of the part which will affect the quality or reliability of the equipment/system shall be identified.

(4) When contractually required, prepare parts documentation on approved parts. See 4.4 for the 5962 SMD documentation requirements. Selected document preparation tasks may be assigned by the PCB chairman.

5.2.3 PPSL. The prime contractor shall submit a proposed PPSL for acquisition activity approval in accordance with figure 3. Magnetic tape or floppy disc in the acceptable MPCASS format may be submitted to the MPCAG's (see appendix B, 40.4.2) or all CDRL addresses when approved by the acquisition activity. The time period for approval of the PPSL shall be in accordance with the terms of the contract (see 6.3). The contractually assigned GFB shall be identified and used in the initial development of the PPSL and for all subsequent additions of selection of parts for the design.

5.2.4 Proposed additions to the PPSL. All parts proposed for addition to the PPSL requires acquisition activity approval with the exception of parts selected from the GFB. (GFB parts hold prior approval and the MPCAG's shall list the identified GFB selections in the PPSL.) The preferred method of submitting parts is via the MPCASS process (see 4.1.1 and appendix B). The prime contractor shall submit parts, proposed for addition to the system PPSL, to all PCB members and representatives for review at least 14 calendar days prior to a PCB meeting (see figure 7). The chairperson of the PCB has the responsibility for approving additions to the PPSL. However, the acquisition activity shall retain the right of disapproval of the PCB chairperson's decisions. If the right is not exercised within 15 working days after the receipt of the PCB meeting minutes, the PCB chairperson's decisions are automatically approved.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:40Z
Check the source to verify that this is the current version before use.

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Intended use. The requirements of this standard do not relieve the contractor of the responsibility for complying with all performance requirements specified in the applicable equipment, system, or subsystem contract. Approval for use of parts listed on the PPSL is contingent on subsequent satisfactory performance during qualification, preproduction, and quality conformance tests, and other required equipment, system, or subsystem tests.

6.2 Issue of DODISS. When this standard is used in acquisition, the applicable issue of the DODISS must be cited in the solicitation (see 2.1.1, and 2.2).

6.3 Contractual requirements. To ensure correct application, appendix A should be reviewed to determine the essential elements that should be considered for applying this standard to the specific nature of an acquisition.

6.3.1 Data requirements. The following Data Item Descriptions (DID's) must be listed, as applicable, on the Contract Data Requirements List (CDRL) (DD Form 1423) when this standard is applied on a contract, in order to obtain the data, except where DOD FAR Supplement 227.475-1 exempts the requirement for a DD Form 1423.

	DID Number	DID Title
	DI-MISC-80526	Parts Control Program Plan
	DI-MISC-81058	Nonstandard Parts Test Data Report
	DI-DRPR-81000	Drawings, Engineering and Associated Lists
*	DI-MISC-80071	Part Approval Requests
	DI-MISC-80072	Program Parts Selection List (PPSL)
	DI-SDMP-80584	Military Specification Sheet

The above DID's were those cleared as of the date of this standard. The current issue of DOD 5010.12-L, Acquisition Management Systems and Data Requirements Control List (AMSDL), must be researched to ensure that only current, cleared DID's are cited on the DD Form 1423. (NOTE: The MPCAG's should be listed on the CDRL distribution list.)

* The CDRL should always list DI-MISC-80071 when Parts Control is applied in the contract.

6.3.2 Engineering Item Codes (EIC). This listing of codes are for the description noun field used on DD Forms 2052 and 2053 and for MPCASS submissions. The EIC provides a basic component description and may be enhanced by an additional alternate description.

6.4 MPCAG functions. The function of the MPCAG is to act as an advisor in its assigned commodity classes, to the acquisition activities and contractors. The MPCAG will recommend standard parts or inventory parts that meet the design requirements of the equipment or system in which the part is to be used. Moreover, the MPCAG will accept technical information about specification changes necessary to make a specification usable, and request action with the military activity responsible for that specification to expedite appropriate changes. SMD's may be recommended for nonstandard microcircuit parts through an evaluation response to the acquisition activity. The procedures for the generation of an SMD will be in accordance with MIL-HDBK-780.

6.4.1 Preaward support by MPCAG's. The MPCAG's will provide support to the acquisition activity in tailoring MIL-STD-965 (see 10.1.1 of appendix A), drafting Statements of Work, and preparing CDRL's. This support and assistance in system or equipment specification preparation and source selection evaluation boards is available upon request.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:40Z
Check the source to verify that this is the current version before use.

6.4.2 Controlled part categories and MPCAG contact points. Unless otherwise specified in the contract or the approved parts control program plan (DI-MISC-80526) the following part categories shall be controlled. MPCAG contact points shall be as specified in 6.4.2.2.

a. Mechanical parts.

FSC	PART CATEGORY NAME	RESPONSIBLE MPCAG
3110	Bearings, antifriction, unmounted	DISC
3120	Bearings, plain, unmounted	DISC
3130	Bearings, mounted	DISC
4030	Cable fittings, etc.	DISC
4210	Firefighting equipment (extinguishers), fire hoses, fire nozzles, etc.	DCSC
4710	Pipe and tube	DCSC
4720	Hose and tubing	DCSC
4730	Tube fittings, hose clamps	DCSC
4820	Valves, nonpowered	DCSC
5305	Screws	DISC
5306	Bolts	DISC
5307	Studs	DISC
5310	Nuts and washers	DISC
5315	Pins	DISC
5320	Rivets	DISC
5325	Fastening devices	DISC
5330	Seals and packing	DISC
5340	Miscellaneous hardware limited to: Bolts (barrel, chain, flush, and strap); brackets; caps, protective; casters; clips; handles; hinges; latches; locks; mount, resilient; padlock; pad, stock mount; rod ends; slide section, drawer; straps; turn-buckles; and wire fabric.	DISC
5360	Springs, coil, flat and wire	DISC
5365	Rings, shims, and spacers	DISC

b. Electrical and electronic parts.

FSC	PART CATEGORY NAME	RESPONSIBLE MPCAG
4140	Miniature blowers (for cooling electronic equipment)	DGSC
5355	Knobs and pointers	DGSC
5905	Resistors	DESC
5910	Capacitors	DESC
5915	Filters and networks	DESC
5920	Fuses and lightning arresters	DESC
5925	Circuit breakers	DESC
5930	Switches	DESC
5935	Connectors, electrical, and associated handtools under FSC's 5120, 5130, 5180, and 5220	DESC
5940	Lugs, terminals, and terminal strips	DGSC
5945	Relays, contactors, and solenoids	DESC
5950	Coils and transformers	DESC
5955	Crystals	DESC
5961	Semiconductor devices and associated hardware	DESC
* 5962	Microelectronic circuit devices (including hybrids)	DESC
5965	Headsets, handsets, microphones, and speakers	DESC
5970	Electrical insulators, insulating materials, insulating varnish	DGSC
5975	Electrical hardware and supplies limited to: Cable ties and clamps; electronic equipment cabinets; conduit tubing; rigid and flexible metal conduit fittings; conduit outlet boxes; junction boxes, extensions, and covers; stuffing tubes; wall plates	DGSC
5980	Optoelectronic, LED's and displays	DESC
5985	Waveguides and RF switches (antennas are excluded)	DESC

* Only the FSC 5962 is eligible for the SMDP (see 4.4).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:40Z
Check the source to verify that this is the current version before use.

FSC	PART CATEGORY NAME	RESPONSIBLE MPCAG
5995	Cable, cord and wire assemblies	DESC
5998	Electrical and electronic assemblies limited to: Boards, cards, and associated hardware	DESC
5999	Miscellaneous electrical and electronic components limited to: Mounting pad; EMI gasketing material; delay lines; heat sink; and wire mesh	DESC
6004	Fiber optic rotary joints	DESC
6005	Fiber optic couplers, splitters, mixers	DESC
6006	Fiber optic attenuators	DESC
6007	Fiber optic filters	DESC
6008	Fiber optic multiplexers/demultiplexers	DESC
6010	Fiber optic conductors	DESC
6015	Fiber optic cables	DESC
6020	Fiber optic cable assemblies and harnesses	DESC
6021	Fiber optic switches	DESC
6025/6026	Fiber optic transmitters/receivers	DESC
6029	Fiber optic repeaters	DESC
6030	Fiber optic devices	DESC
6031	Fiber optic integrated optical circuits	DESC
6032/6033	Fiber optic sources and detectors	DESC
6034	Fiber optic modulators	DESC
6035	Fiber optic illuminators	DESC
6036	Fiber optic image transfer devices	DESC
6040	Fiber optic sensors	DESC
6050	Fiber optic passive devices	DESC
6060	Fiber optic interconnection	DESC
6070	Fiber optic accessories and supplies	DESC
6080	Fiber optic kits and sets	DESC
6099	Fiber optics miscellaneous	DESC
6135	Batteries, primary (nonrechargeable)	DGSC
6140	Batteries, secondary (rechargeable)	DGSC
6145	Wire and cable, electrical	DESC
6150	Electrical power cords and grounding straps	DGSC
6210	Lighting devices	DGSC
6240	Electric lamps	DGSC
6350	Horns, bells, buzzers, and sirens	DGSC
6625	Meters, electrical indicating	DESC
6645	Time totalizing meters	DGSC
6680	Mechanical fluid flow and quantity measuring devices	DGSC
6685	Pressure, temperature, humidity measuring, and controlling devices	DGSC
9150	Oils and greases, cutting, lobe, hydraulic including synthetics	DGSC
9320	Rubber fabricated materials	DGSC
9330	Plastic fabricated materials	DGSC

6.4.2.1 Contract code assignment.

a. Primary method of contract code assignment. Contract codes for contracts under this standard should be assigned via the MPCASS system. When the submitter selects option A "MPCASS input and tutorial" menu selection, at the DESC mainframe, the MPCASS system will assign a sequential contract code upon input of mandatory data elements and subsequent release by the DESC MPCAG, (see appendix A, 40.9.1.).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:40Z
Check the source to verify that this is the current version before use.

b. Written or telecon requests for code assignment.

(1) Primary:

Commander
Defense Electronics Supply Center
ATTN: DESC-EPS
Dayton, OH 45444-5270

Telephone: (513) 296-5431/5445
Autovon: 986-5431/5445

(2) Secondary:

Commander
Defense Electronics Supply Center
ATTN: DESC-EPE
Dayton, OH 45444-5270

Telephone: (513) 296-8047/6330
Autovon: 986-8047/6330

6.4.2.2 MPCAG contact points.

6.4.2.2.1 Mechanical parts.

Commander
Defense Industrial Supply Center
ATTN: DISC-ESM
Philadelphia, PA 19111-5000
Telephone: (215) 697-4395/3007
Autovon: 442-4395/3007

Defense Construction Supply Center
ATTN: DCSC-SS(P/C)
Columbus, OH 43216-5000
Telephone: (614) 692-4144
Autovon: 850-4144

6.4.2.2.2 Electrical and electronic parts.

Commander
Defense Electronics Supply Center
ATTN: DESC-EP
Dayton, OH 45444-5289
Telephone: (513) 296-5116
Autovon: 986-5116

Commander
Defense General Supply Center
ATTN: DGSC-SSC
Richmond, VA 23297-5000
Telephone: (804) 279-4957/3868
Autovon: 695-4957/3868

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:40Z
Check the source to verify that this is the current version before use.

6.4.3 Government Furnished Baseline (GFB).

a. Mechanical GFB.

Commander
Defense Industrial Supply Center
ATTN: DISC-ESM
Philadelphia, PA 19111-5000

Telephone: (215) 697-4395/3007
Autovon: 442-4395/3007

b. Electrical and electronic GFB.

Commander
Defense Electronics Supply Center
ATTN: DESC-EPE
Dayton, OH 45444-5270

Telephone: (513) 296-8047/6330
Autovon: 986-8047/6330

c. Electronic bulletin board (DESC-E only).

Telephone: (513) 296-6046 (2400 baud)
(513) 296-8875 (9600 baud)
Assistance: (513) 296-6879/6347

6.5 Other FSC's managed by the Defense Logistics Agency (DLA). For all other FSC's managed by DLA, part information may be requested from the appropriate Defense Supply Center.

6.6 General equipment specifications. Examples of general equipment specifications which directly or indirectly reference standard parts are: MIL-STD-454, MIL-STD-1515, MIL-STD-2036, MIL-E-4158, MIL-E-5400, DOD-E-8983, MIL-T-21200, MIL-I-983, MIL-P-11268, MIL-E-11991, MIL-F-18870, MIL-T-28800, FAA-G-2100, MIL-E-5007, MIL-E-87231, MIL-E-8593.

6.7 Subject term (key word) listing.

Acquisition
Architecture
Contact Points
Contract Code
Control Board
Definition
Documentation
Electrical
Forms
Government Furnished Baseline (GFB)
Mechanical
MPCAG
MPCASS
Plan
Prime Contractor
Program Parts Selection List (PPSL)
Tailoring

6.8 Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extensiveness of the changes.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:40Z
Check the source to verify that this is the current version before use.

Section I - General Application Parts
Subsection A - Mechanical
Contract No. F12345-84-C-1234 FSC 6789

(Verbal description of items covered in this section)

Index no. (see note)	Description	(D) Document/ (P) Part number	CAGE	Remarks
AA0001B	al al, .250 fem pipe thd to .250 male fld	2A156 2A156-4-4 62742-12	 99999 12346	
0002	Adptr, tube to hose, lp nose, part of AN6270 1/2 tube size	MIL-A-38726 MS27404-8D	 96906	Critical part, long lead time

Section I - General Application Parts
Subsection B - Electrical and electronic
FSC 5910

Index no. (see note)	Description	(D) Document/ (P) Part number	CAGE	Remarks
Capacitor, fixed, ceramic (general purpose)				00007-01
7736	Cap. FR = S	(D) MIL-C-39014/2 (P) M39014/02-135B	81349 81349	QPL available
Capacitor, fixed, ceramic (temperature compensating)				00007-02
4751A		(D) MIL-C-20/35 (P) CCR05CK2R7CR	81349 81349	QPL available
Capacitor, fixed, ceramic (feed thru)				00007-04
4371		(D) 88010-006	14933	Sub., dwg can be ordered from DESC See disapproval list index no. 4371 QPL not applicable

See note at end of figure 1.

FIGURE 1. Sample format for Program Parts Selection List (PPSL).

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:40Z
Check the source to verify that this is the current version before use.

Section II - Limited Application Parts
Subsection A - Mechanical
Contract No. F12345-84-C-1234 FSC 1234

(Description of items covered in this section; Example - bearing, ball end)

Index no. (see note)	Description	(D) Document/ (P) Part number	CAGE	Remarks
AA0101	Bearing, ball end, prcn, self-align, .250 bore	XYZM140 XYZM140-1	98765	Use restricted to XYZ Co. only
B0102	Bearing, ball end, prcn, .50 bore	XYZM240 XYZM240-1	98765	This application only
B0103	Bearing, ball end, prcn, .575 bore	XYZM240 XYZM240-2	98765	Restricted to this application only; see same index no. in section I for standard part.


Section II - Limited Application Parts
Subsection B - Electrical and electronic
Contract No. F12345-84-C-1234 FSC 5935

Index no. (see note)	Description	(D) Document/ (P) Part number	CAGE	Remarks
Connector, electric, flat cable				1120283503
6109		(D) 1A00681	90940	Approved for use with latch to be submitted.
		(P) 1A00681G01	90940	To mate with existing equipment requiring a longer grip range. Document adequate.
Connector, electric, flat cable, solder type				1120583503
6203		(D) 645A21	90940	Approved for mating on existing backplane assy.
		(P) 645A21501	90940	
		(P) 246259-1	00229	Document adequate.

NOTE: Alpha prefix may be used to denote subcontractor, subsystem, board, etc. The GFB will have a special prefix character. Alpha suffix shall be used to denote resubmissions for reconsideration, document changes, etc.

FIGURE 1. Sample format for Program Parts Selection List (PPSL) - Continued.


Source: https://assist.dla.mil -- Downloaded: 202640-26T07:40Z
Check the source to verify that this is the current version before use.



(1) Identified GFB parts to be listed on PPSL.

FIGURE 2. Example for selection of parts for PPSL.


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:40Z
Check the source to verify that this is the current version before use.



1. Use GFB as primary source for part selection.
2. The MPCAG's will provide the recommendation in an automated format.
3. The decision may be by letter or determined by query via MPCASS.
4. Approved parts added to system PPSL.
5. MPCAG enters decisions via MPCASS to the approved PPSL.

FIGURE 3. Method for obtaining approval of proposed PPSL.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:40Z
Check the source to verify that this is the current version before use.



(1) Part submission via MPCASS or telecon.

(2) The MPCAG's will provide the recommendation in an automated format.

(3) The decision may be by letter or determined by query via MPCASS.


(4) Approved parts added to system PPSL.

(5) The acquisition activity has the option to respond and establish part status electronically. Contracts with exception feedback do not require concurrence notification.

(6) The contractor may determine evaluation status by query of MPCAG contract data base.

FIGURE 4. Method of processing MPCASS and telecon submissions for additions to system PPSL (MPCAG FSC's).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:40Z
Check the source to verify that this is the current version before use.



(1) Use GFB as primary source for part selection.

(2) The MPCAG will prepare the appropriate response form.

(3) The decision may be by letter or determined by query via MPCASS.


(4) Approved parts added to the contractor's maintained PPSL.

(5) Approved parts added to a MPCAG maintained PPSL.

(6) Contracts with exception feedback to not require concurrence notification.

FIGURE 5. Method of processing written requests for additions to PPSL (MPCAG FSC's).


Source: https://assist.dla.mil -- Downloaded: 202640-26T07:40Z
Check the source to verify that this is the current version before use.



1. Decision on use of part.
2. Part approval requests for non-MPCAG FSC's.
3. Approved parts added to PPSL.

FIGURE 6. Method for processing part additions to PPSL (non-MPCAG FSC's).

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:40Z
Check the source to verify that this is the current version before use.



1. Part candidates to MPCAG for evaluation.
2. Recommendations include SMD's, see 4.4.
3. Copy of recommendations includes SMD's, see 4.4.
4. Agenda to PCB members and representatives.
5. Candidate parts reviewed.
6. Decisions on parts and SMD's.
7. Approved parts added to PPSL.

FIGURE 7. Method for processing part additions to PPSL (PCB).

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:40Z
Check the source to verify that this is the current version before use.

APPENDIX A

GUIDELINES FOR THE SELECTIVE APPLICATION OF REQUIREMENTS

10. GENERAL

10.1 Scope. The appendix identifies the elements that should be considered for applying MIL-STD-965 to the specific nature of an acquisition. Additionally, it provides information for determining the acquisition categories to which this standard should be applied. This appendix contains information of a general or explanatory nature. No requirements appear herein. This appendix is provided for the guidance of the acquisition activity in applying MIL-STD-965 to a specific acquisition. This appendix is not a mandatory part of the standard.

10.1.1 Tailoring assistance. Prior to release of an acquisition request for proposals, tailoring assistance and questions relating to MIL-STD-965 and MPCASS will be provided by the MPCAG's upon request. This MPCAG assistance will lead to the most efficient and effective functional parts control procedure, when the MPCAG operation experience across a variety of contracts and service requirements are factored into such considerations as PPSL maintenance, FSC class applications, GFB applications, etc. (see 40.2).

10.2 Application. For the purpose of this appendix, the following contract categories are established to aid in determining when to contractually apply MIL-STD-965.

Category A. Demonstration and validation phases. Parts control may not be effective on contracts which are fundamentally for investigation or study. Application of the standard should be considered in the fabrication of bread-board models or rough experimental prototypes when follow-on contract development phases are anticipated.

Category B. Engineering and manufacturing development. This standard should always be applied to contracts for the design and fabrication of a system or equipment to meet the performance requirements of a specification or to establish technical requirements leading to a production baseline model.

Category C. Production and deployment. Contracts for production quantities where a baseline design is already established. This category applies to the case where a change (engineering change proposals (ECP's)) or modification occurs during the course of a contract but was not anticipated prior to contract award; it applies also to modification contracts where an existing design is modified to satisfy an operational need or to improve performance. Parts control should be applied in both cases. In such efforts, the existing design package usually serves as the baseline PPSL and only parts proposed for use in the modification are subject to parts selection and approval procedures.

Category D. Other. Parts control should be specified in any acquisition where the selection and use of parts must be controlled to achieve effective life cycle benefits and follow-on logistic support is anticipated.

20. APPLICABLE DOCUMENTS

20.1 Government documents.

20.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation.

STANDARDS

MILITARY

MIL-STD-680 - Contractor Standardization Program Requirements.
MIL-STD-1521 - Technical Reviews and Audits for Systems, Equipment, and Computer Programs.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:40Z
Check the source to verify that this is the current version before use.

HANDBOOK

MILITARY

MIL-HDBK-402 - Guidelines for the Implementation of the DOD Parts Control

20.1.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this appendix to the extent specified herein.

DOD Directive 4210.5 - Hazardous Materials Life Cycles.

United States Environmental Protection Agency

EPA 560/4-90-001 - Consolidated List of Chemicals Subject to Reporting Under the Emergency Planning and Community Right-To-Know Act (Title III Of The Superfund Amendments and Reauthorization Act of 1986)

(For copies of this publication, send requests to:

Section 313, Document Distribution Center
P.O. Box 12505
Cincinnati, OH 45212

FORMS

DD Form 1423 - Contract Data Requirements List.
DD Form 1664 - Data Item Description.
DD Form 2052 - Nonstandard Part Approval Request.
DD Form 2053 - Program Parts Selection List (PPSL) Worksheet.

(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

20.2 Order of precedence. In the event of a conflict between the text of this appendix and the references cited herein, the text of this appendix shall take precedence.

30. DEFINITIONS

This section is not applicable to this standard.

40. GENERAL REQUIREMENTS

40.1 Standard parts. The type, grade, FSC, or classification of parts, lists, and documents that are the baseline for the selection of standard parts must be specified in the solicitation and tailored to the mission essential needs of the acquisition.

40.2 Selection of appropriate parts control procedure. Selection of the most effective parts control method should be based upon such factors as: Reliability requirements; complexity of the configuration items; magnitude of the total parts count; number of contractors and subcontractors to be involved; nature of the configuration item application; life cycle cost considerations, and the total scope of the acquisition. Procedure I is applicable to the majority of contracts. Procedure II should be considered when there is an aggregation of contractor/subcontractors. MIL-HDBK-402 provides selection guidelines and tailoring information for use by an acquisition activity in defining the parts control requirement.

Source: https://assist.dla.mil -- Downloaded: 202640-26T07:40Z
Check the source to verify that this is the current version before use.

40.3 Program Parts Selection List (PPSL). The intent of a PPSL is to obtain maximum standardization during design by tailoring and minimizing the variety of different types, grades, FSC's, or classification of parts to be applied in an acquisition. The PPSL is fluid and can be frequently adjusted during the various design phases as problems are resolved and technology progression dictates. A PPSL should be used (see DI-MISC-80072) when both standard and nonstandard parts are to be controlled in the parts selection process. If a Government Furnished Baseline parts list (GFB) is specified as part of the contract, the GFB is used to develop the PPSL and 10.1 of DI-MISC-80072 does not apply. DI-MISC-80071 must be used to add parts to a PPSL. In unusual situations when only nonstandard parts are to be controlled, procedure I may be applied without a PPSL by applying 5.1.2 of this standard and 10.1 of DI-MISC-80071.

40.4 Format for PPSL. The format for a PPSL is illustrated on figure 1 of this standard. Suggested options are:

a. Government format and Government maintained from contractor inputs (DI-MISC-80071).

b. Government format and contractor maintained (DI-MISC-80072).

c. Contractor format and contractor maintained. (Exceptions to DI-MISC-80072 would be required. The format as a minimum must contain the elements in DI-MISC-80072. This option should be limited to existing contracts which are going to change acquisition phases.)

d. The detail format for the PPSL is available from DESC-EPE, (513) 296-8047.

40.4.1 Government maintained PPSL. If option 40.4a is selected, the Government will maintain the PPSL throughout the life of the contract. The PPSL will be updated as required by the contract. The Government maintained PPSL provides the following indexes and sections:

a. Five indexes:

(1) Index number sequence.
(2) FSC in index number sequence.
(3) Part number sequence.
(4) Document number sequence.
(5) Noun name in alpha sequence.

b. Three sections:

(1) Section I: Items which have been approved for use throughout the equipment/system.

(2) Section II: Items which have limited application approval.

(3) Appendix: Disapproved submittals and open items.

40.5 Parts documentation requirements. If documentation development is considered necessary, the type of documentation should be cited in the statement of work (SOW) and the applicable DD Form 1423, Contract Data Requirements List (CDRL) using the appropriate Data Item Description (DI-SDMP-80584, or DI-DRPR-81000). The time period for submission of parts documentation should also be cited in the CDRL. (NOTE: Requirements for parts documentation are often specified in other disciplines such as reliability, configuration control, and logistic support. These requirements for documentation should be considered to avoid duplication.) When documentation is required by the CDRL, submission to the applicable MPCAG is required with a document submission or part and document submission. Where parts control documentation is required by contract, and documentation requirements are specified in other disciplines, then the contract should state where the parts control requirement for parts documentation is located and identified. CDRL tailoring must indicate specific exception to the above requirements for documentation submission to the MPCAG's. If parts documentation is not otherwise required by the contract, specific reference should be included in the solicitation as to the acceptability of using published vendor data for satisfying the requirement to identify configuration/performance characteristics of nonstandard parts proposed for use in the design.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:40Z
Check the source to verify that this is the current version before use.

40.6 Test data (DI-MISC-81058). Requirements for submittal of test data should be tailored to reflect realistic requirements commensurate with program scope and phase. Sample sizes should also be reviewed. Scope, level, and format of data, as well as types and quantities of parts to be subjected to evaluation, if any, should be addressed. Solicitations should call out DI-MISC-81058. Various options regarding the use of test data are provided in DI-MISC-81058. Caution must be exercised that testing for part evaluation not be required prior to establishing a firm requirement for an item. MIL-HDBK-402 provides guidance to acquisition activities and contractors with respect to the acquisition of test data.

40.7 Parts control program plan (DI-MISC-80526). A parts control program plan should be considered when procedure II is applied. DI-MISC-80526 is not used when a contractor standardization plan is required by MIL-STD-680. Normally, a plan is not needed when procedure I is used.

40.8 Standardized military drawings (DI-DRPR-81000). Requirements for the preparation of standardized military drawings (see 3.8) should be in accordance with MIL-STD-100 and MIL-HDBK-780. The drawing format is described in DOD-STD-100 and the procedural flow for the drawing from initiation through coordination is described in MIL-HDBK-780.

40.9 Timing of events.

40.9.1 Contract code assignment. When the requirements of this standard are specified in the contract, the prime contractor who is requesting the contract code shall furnish the following information (see 4.2.a):

** a. Contract number and equipment or system name (nomenclature).

** b. Program identification (short description).

c. Environment code for the equipment or system as designated in MIL-HDBK-217.

** d. Acquisition activity address including office symbol, name of contact for parts control and telephone number.

** e. Contractor's CAGE code, address, point of contact and telephone number.

f. Contract requirements (reliability, general equipment specification, GFE, SMD participation etc).

g. Parts control requirements (procedure I or II and specific data items, see 6.3.1).

** h. Contract category (new development, FSD, or modification, see 10.2).

i. MPCAG support for electrical, electronics and/or mechanical (see Contract Data Requirements List, DD Form 1423).

The preferred method for requesting a contract code is via the MPCASS system (see appendix B).

** Mandatory element for code assignment.

40.9.2 Submittal of proposed PPSL. The submittal schedule should be specified on the CDRL. The time period should take into account the proposed PPSL format selected and the estimated lead time to prepare commensurate with the equipment program schedule.

40.9.3 Revision or amendment of PPSL. The time period or frequency criteria for contractor publication of a revision or amendment to the PPSL should be considered when preparing the CDRL.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:40Z
Check the source to verify that this is the current version before use.

40.9.4 Acquisition activity review cycle. The time period for acquisition activity formal response to the proposed PPSL, additions to the PPSL, part approval requests, new documentation, and test data evaluations should be specified. The time period will normally be 30 calendar days, although a different time period may be specified to suit a contract application. It should be noted that the CDRL may specify that if the time period expires, the MPCAG recommendations shall be considered approved (see 4.3.3). Turn around time should be based on the estimated volume of parts to be processed; the format, as it impacts the Government review time; and the parts acquisition delivery schedule.

40.9.5 Technical reviews and audits. MIL-STD-1521 provides requirements for verifying parts control compliance is accomplished as specified in the contract. Specific tailored objectives should be included in the agenda of "Preliminary Design Reviews", "Critical Design Reviews" and "Physical Configuration Audits".

40.10 Parts Control Board (PCB) chairperson (procedure II only). When a PCB is used, the responsibility for chairing PCB meetings should be defined. See options and conditions in 5.2.1.2.

40.11 Hazardous materials application. The application of hazardous material or potentially hazardous is to be avoided in the application of parts in system design (see DoD Directive 4210.5, and EPA 560/4-90-011).

40.12 Application matrix. Table I provides a matrix summarizing application.

TABLE I. Application matrix.

Requirement	Appendix paragraph	Comments
Tailoring assistance	10.1.1	Assistance relating to MPCASS access will be provided by the MPCAG's.
Application to contracts	10.2	Tailor requirements to appropriate category of contract.
Standard parts	40.1	Specify on all contracts using parts control procedures.
Parts control procedure	40.2	Select procedure I or II.
Program Parts Selection List (PPSL)	40.3	Tailorable, MPCAG maintenance preferred.
FSC	40.3	Identify classes subject to parts control.
Nonstandard part approval requests and additions to PPSL.	40.3	Always specify DI-MISC-80071.
Format for PPSL	40.4	See DI-MISC-80072 and figure 1 of MIL-STD-965.
Parts documentation	40.5	Define kind of documentation and options, check other design requirements for documentation (reliability provisioning). See DI-SDMP-80584 and DI-DRPR-81000.
Test data	40.6	Reflect realistic requirements and specify sample sizes. See DI-MISC-81058.
Parts control program plan	40.7	Use with procedure II. See DI-MISC-80526 (not applicable if MIL-STD-680 applied).
Standardized military drawing	40.8	Preparation of SMD to minimize the use of contractor's SCD's.
Timing of events	40.9	Tailor submission schedules and acquisition activity approval cycle to appropriate needs of the contract. Include in CDRL.
Contract code assignment	40.9.1	Information required of the contractor.
PCB chairperson	40.10	Define and assign responsibility for PCB chairperson when procedure II is used.
Hazardous material	40.11	Information concerning hazardous material.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:40Z
Check the source to verify that this is the current version before use.

APPENDIX B

MODERNIZED PARTS CONTROL AUTOMATED SUPPORT SYSTEM (MPCASS)

10. GENERAL.

10.1 Scope. This appendix provides guidance and application information that should be considered by both acquisition activities and contractors in defining MIL-STD-965 contract requirements for the application of the MPCASS under this standard.

10.2 Application of MPCASS. MPCASS is the preferred method of processing part submissions for both the DoD and industrial components of system acquisitions due to the inherent advantages of electronic submission and obtaining part evaluations. MPCASS is not a mandatory process unless otherwise specified by contract requirement.

20. APPLICABLE DOCUMENTS.

This section is not applicable to this standard.

30. DEFINITIONS.

30.1 I-Mail. An on-line telecommunications mail system which operates in the intercom teleprocessing monitor environment and includes the security services of intercom extended security system (ESS). It provides on-line mail service between users identified as authorized system participants.

30.2 Intercom. A telecommunication operating system being used for MPCAG mainframe computers.

40. GENERAL REQUIREMENTS.

40.1 MPCASS access. All users of the MPCASS system will require DLANET access. A DLANET application for access will require approximately six weeks to process, therefore, it is suggested that the application for access be initiated in conjunction with the request for contract code assignment (see 4.2a).

40.2 MPCASS/DLANET overview. The MPCASS/DLA Network System is shown on figures 8 and 9. There are two levels of access and clearance required for use. Upon clearance to the DLANET, the user may then contact DESC or any MPCAG center and request access to the MPCAG computer system. The reviewing MPCAG will provide access to valid requests and will notify the remaining MPCAG's of the access being granted. Note: The granting of DLANET and center access does not authorize the transmission of classified data in the MPCASS system. Detailed functional requirements for MPCASS are available from: Defense Electronics Supply Center, ATTN: DESC-EPE, 1507 Wilsington Pike, Dayton, OH 45444-5270, (513)296-8047 or AUTOVON 986-8047.

40.3 MPCASS applications. MPCASS provides for electronic requests for contract code assignments, part submission, query of submitted part status following submission, and status of any part or contract number submitted under contract codes for which the contractor or program office is authorized.

40.4 Acquisition activity capabilities. In addition to those elective capabilities provided to the contractor, the acquisition activity also is provided management reports and program evaluation override capabilities. These management reports which are available through MPCASS menus cover contract data, submission dates, contractors withdrawals, basic package control records of evaluations, and override capabilities.

40.4.1 Acquisition activity contract options. The acquisition activity may select to operate the parts control process in a total electronic environment with respect to program office response. The acquisition activity may define the placement on the MPCAG computer of the part and document evaluation as the program office position. The posted date of the evaluation will be the effective date of the response. This procedure will replace the acquisition activity's written responses. The present MPCASS system will provide for evaluation query by the users but will rely on contract response via hard copy to the contractor and acquisition activity, unless contractual direction provides for the above process. Subsequent enhancements to MPCASS will provide for a total electronic process.

Source: https://assist.dla.mil -- Downloaded: 202640-26T07:40Z
Check the source to verify that this is the current version before use.




FIGURE 8. MPCASS overview.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:40Z
Check the source to verify that this is the current version before use.




FIGURE 9. MPCASS system architecture.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:40Z
Check the source to verify that this is the current version before use.

40.4.2 MPCASS submission mode capability. In addition to the submission of parts via the electronic network, MPCASS can accept data in magnetic tape format (see 10.2 of DI-MISC-80072) and floppy disc. For contractors without ADP capability, the DoD Form 2052 and 2053 will remain as an alternative. Details of tape and data submission may be obtained from DESC-EPE, (513)296-8047.

40.4.2.1 MPCASS response mode capability. The MPCASS system provides for electronic status query of parts submissions for the authorized contract code. When requested, magnetic tape or floppy disc responses of PPSL's and GFB's are available.

40.5 I-Mail access. I-Mail can be used to send, read, save and track mail among industry, military services and the MPCAG's using MPCASS. To use I-Mail, both sender and receiver must be identified as Intercom users as well as I-Mail System users at the site sending or receiving mail. To send mail to another site or to read mail left for you at another site, you must sign-on to Intercom at that site.

CONCLUDING MATERIAL

Custodians:
Army - MI
Navy - AS
Air Force - 10
DLA - DH

Review activities:
Army - AL, AM, AR, AT, AV, CR, ER, GL, HD, ME, MR
Navy - EC, MC, OS, SA, SH, TD
Air Force - 11, 13, 14, 15, 17, 18, 19, 26
DLA - CS, ES, GS, IS

Preparing activity:
Air Force - 10

Agent:
DLA - ES

(Project SDMP-0012)

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:40Z
Check the source to verify that this is the current version before use.