INCH-POUND

MIL-M-38510/753A
AMENDMENT 2
5 August 2002
SUPERSEDING
AMENDMENT 1
23 November 1994

MILITARY SPECIFICATION

MICROCIRCUITS, DIGITAL, ADVANCED CMOS,
FLIP-FLOPS, MONOLITHIC SILICON, POSITIVE LOGIC

This amendment forms a part of MIL-M-38510/753A, dated 27 May 1994, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

*1.2.3, delete and substitute:

"1.2.3 Case outlines. The case outlines are as designated in MIL-STD-1835 and as follows:

Outline letter	Descriptive designator	Terminals	Package style
C	GDIP1-T14 or CDIP2-T14	14	Dual-in-line
D	GDFP1-F14 or CDFP2-F14	14	Flat pack
E	GDIP1-T16 or CDIP2-T16	16	Dual-in-line
F	GDFP2-F16 or CDFP3-F16	16	Flat pack
Z	GDFP1-G16	16	Flat pack with gull wing
Y	GDFP1-G14	14	Flat pack with gull wing
2	CQCC1-N20	20	Square leadless chip carrier"

PAGE 4

Table I, high level output voltage, V_{OH3}, device type column: Add "04" after "02, 07" for RHA levels of M, D, and R.
Table I, high level output voltage, V_{OH5}, device type column: Add "04" after "02, 07" for RHA levels of M, D, and R.

PAGE 5

Table I, high level output voltage, V_{OH7}, device type column: Add "04" after "02, 07" for RHA levels of M, D, and R.
Table I, low level output voltage, V_{OL3}, device type column: Add "04" after "02, 07" for RHA levels of M, D, and R.
Table I, low level output voltage, V_{OL5}, device type column: Add "04" after "02, 07" for RHA levels of M, D, and R.

FSC 5962

AMSC N/A
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:02Z
Check the source to verify that this is the current version before use.

PAGE 6

Table I, low level output voltage, V_{OL7}, device type column: Add “04” after “02, 07” for RHA levels of M, D, and R.
Table I, positive input clamp voltage, V_{IC+}, device type column: Add “04” after “02, 07” for RHA levels of M, D, and R.
Table I, negative input clamp voltage, V_{IC-}, device type column: Add “04” after “02, 07” for RHA levels of M, D, and R.
Table I, input current high, I_{IH}, device type column: Add “04” after “02, 07” for RHA levels of M, D, and R.
Table I, input current low, I_{IL}, device type column: Add “04” after “02, 07” for RHA levels of M, D, and R.

PAGE 7

TABLE I, quiescent supply current output high, I_{CCH}, device type column: Add “04” after “02, 07” for RHA levels of M, D, and R.
TABLE I, quiescent supply current output low, I_{CCL}, device type column: Add “04” after “02, 07” for RHA levels of M, D, and R.

PAGE 8

TABLE I, truth table test output voltage, device type column: Add “04” after “02, 07” for RHA levels of M, D, and R.

PAGE 9

TABLE I, propagation delay time, clock to Q or $\overline{Q}$, t_{PHL}, t_{PLH}, device type column: Add “04” after “02” for RHA levels of M, D, and R (six places).

PAGE 10

TABLE I, propagation delay time, $\overline{SD}$ or $\overline{CD}$ to Q or $\overline{Q}$, t_{PHL}, t_{PLH}, device type column: Add “04” after “02” for RHA levels of M, D, and R (six places).

PAGE 12

*FIGURE 1; add case outline “Y” under device type “02” next to case outlines “C, D”.
*FIGURE 1; add case outline “Z” under device type “04, 05” next to case outlines “E, F”.
*FIGURE 1; add case outline “Z” under device type “07” next to case outlines “E, F”.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:02Z
Check the source to verify that this is the current version before use.

The margins of this amendment are marked with an asterisk to indicate where changes from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

CONCLUDING MATERIAL

Custodians:
Army - CR
Navy - EC
Air Force - 11
NASA - NA
DLA - CC

Preparing activity:
DLA - CC

Review activities:

Army - AR, MI, SM
Navy - AS, CG, MC, OS, SH
Air Force - 19, 99

(Project 5962-1926)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:02Z
Check the source to verify that this is the current version before use.