INCH-POUND

A-A-50014A
May 16, 1990
SUPERSEDING
A-A-50014
November 21, 1981

COMMERCIAL ITEM DESCRIPTION

WADDING, COTTON, (SHEET FORM)

The General Services Administration has authorized the use of this commercial item description.

1. CLASSIFICATION

1.1 Classification. This commercial item description covers cotton wadding in the following sizes (see table I and 5.2):

Sizes	
1	43.5 - 45.0 inches wide
2	59.5 - 61.0 inches wide

2. SALIENT CHARACTERISTICS

2.1 Description. The wadding sheets shall consist of 100 percent cotton fiber, natural color, unbonded, clean and free of excessive foreign matter.

2.2 Physical requirements. The cotton wadding sheets shall be in two sizes and shall conform to the physical requirements listed in table I, when tested as specified in 3.2.2 and 3.2.3.

TABLE I. Physical requirements

Characteristic	Requirements	
	Size 1	Size 2
Length, inches	81 - 83	81 - 83
Width, inches	43.5 - 45.0	59.5 - 61.0

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any other data which may improve this document should be sent by letter to: Commander, U.S. Army Natick Research, Development, and Engineering Center, ATTN: STRNC-ES, Natick, MA 01760-5014.

AMSC N/A

FSC 8320

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:37Z
Check the source to verify that this is the current version before use.

TABLE I. Physical requirements (cont'd)

Characteristic	Requirements	
	Size 1	Size 2
Thickness, inches (at 0.002 psi)	1.0 - 1.5	1.0 - 1.5
Weight, pounds (per finished sheet)	6.5 - 7.0	7.5 - 8.0

2.3 Flame retardant. The cotton wadding shall be given a flame retardant finish to meet the flammability requirements of the Consumer Product Safety Commission's Mattress Flammability Standard FF-4-72.

3. QUALITY ASSURANCE

3.1 Certification. The contractor shall certify, and maintain substantiating evidence, that the product offered meets the salient characteristics and requirements of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

3.2 End item examination.

3.2.1 Visual examination. Lots of sheet wadding shall be inspected in accordance with MIL-STD-105. The lot size shall be expressed in units of finished sheets of wadding. The sample unit shall be one finished sheet of wadding. The inspection level shall be II and the acceptable quality level (AQL), expressed in terms of defects per hundred units, shall be 6.5. The sheet wadding shall be examined for the following defects: defects in material, color other than natural, construction, workmanship; poor cohesion (pulls apart in spite of careful handling); any size hole, cut, or tear; local accumulations of foreign matter (seed coat fragments, trash), any spot or stain clearly noticeable.

3.2.2 Dimensional examination. The finished end items shall be examined without damaging or disassembling the end items for measurement for the length and width dimensions specified in table I. Any dimension (measured without tension) not within the specified ranges shall be classified as a defect. The lot size shall be expressed in units of finished sheets of wadding. The sample unit shall be one finished sheet of wadding. The inspection level shall be S-3 and the AQL, expressed in terms of defects per hundred units, shall be 2.5.

3.2.3 End item testing. The methods of testing specified in FED-STD-191, wherever applicable, and as listed in table II shall be followed. The lot size shall be expressed in units of finished sheets of wadding. The sample unit

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:37Z
Check the source to verify that this is the current version before use.

shall be one finished sheet of wadding. The lot shall be unacceptable if one or more sample units fail to meet the weight or thickness requirements specified. The sample size shall be in accordance with the following:

Lot size (sheets)	Sample size (sample units)
0 - 10,000	3
10,001 and up	5

TABLE II. Test methods

Characteristic	Requirement paragraph	Test method
Thickness	2.2	5030
Weight, pounds	2.2	5040

4. PACKAGING

4.1 Packaging. The sheets of cotton wadding shall be folded in three folds and packaged in bales weighing 125 to 140 pounds. The bales shall be formed so that one sheet can be removed at a time without delaminating the other sheets.

4.2 Packing. Each bale shall be packed in a plastic bag conforming to A-A-1668. The plastic bag shall have a nominal thickness of 0.005 inch.

4.3 Palletization. When specified (see 5.2), wadding packed as specified in 4.2, shall be palletized in accordance with load type II of MIL-STD-147. Pallet type shall be type I (4-way entry), type IV or type V in accordance with MIL-STD-147. Pallets shall be fabricated from wood groups I, II, III or IV of MIL-STD-731. Each prepared load shall be bonded with primary and secondary straps in accordance with bonding means C and D or film bonding means F or G.

4.4 Marking. In addition to any special marking required by the contract or purchase order, bales and palletized unit loads shall be marked in accordance with MIL-STD-129.

5. NOTES

5.1 Intended use. The cotton wadding, in sheet form, is intended for use in mattress repair.

5.2 Ordering data.

a. Title, number and date of this document.
b. Size required (see 1.1).
c. When palletization is required (see 3.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:37Z
Check the source to verify that this is the current version before use.

5.3 Sources of documents.

5.3.1 Sources of government documents. Copies of Military and Federal documents are available from:

Standardization Documents Order Desk
Building 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

5.3.2 Sources of nongovernment association documents.

FF-4-72 - Mattress Flammability Standard, is available from:

Consumer Product Safety Commision
5401 Westbard Avenue
Room 512
Bethesda, MD 20816

MILITARY INTERESTS:

Custodians

Army - GL
Navy - NU
Air Force - 99

Review Activities

Army - MD
Navy - MC
Air Force - 82
DLA - CT

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FSS

PREPARING ACTIVITY:

Army - GL

Project 8320-0096

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:37Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER	2. DOCUMENT DATE (YYMMDD)

3. DOCUMENT TITLE

4. NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (if applicable)	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a. NAME	b. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON
c. ADDRESS (Include Zip Code)	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340

DD Form 1426, OCT 89 Previous editions are obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-02-26T08:37Z
Check the source to verify that this is the current version before use.