MIL-C-48423A (AR)
AMENDMENT 2
30 October 1987
SUPERSEDING
AMENDMENT 1
29 November 1984

MILITARY SPECIFICATION

CASE, CARTRIDGE, 105MM, M14B4

This Amendment forms a part of Military Specification MIL-C-48423A (AR) dated 29 May 1979 and is approved for use within the US Army Armament Munitions and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1 Under Specifications, Military add the following specification:

"MIL-A-2550 - Ammunition, General Specification For"

Under Standards, Military, add the following:

"MIL-STD-105 - Sampling Procedures and Tables For Inspection by Attributes"

Boxed in area at bottom of page, delete:

"Commander, US Army Armament Research and Development Command, ATTN: DRDAR-QA, Dover, New Jersey 07801" and substitute:

"Commander, US Army Armament Munitions and Chemical Command, ATTN: AMSMC-QA, Dover, New Jersey 07801-5001".

PAGE 2

2.1 Under Drawings

Delete: "US Army Armament Research and Development Command (ARRADCOM)" and substitute the following:

"US Army Armament Research, Development and Engineering Center (ARDEC)".

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.
Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:26Z
Check the source to verify that this is the current version before use.

Delete: "8647259 - Chamber Gage" and substitute the following two drawings:

"8647258 - Chamber Gage
8647259 - Acceptance Check Gage"

Add new paragraph 2.3 as follows:

"2.3 Order of precedence. In the event of a conflict between the text of this specification and the reference cited herein, the text of this specification shall take precedence."

PAGE 3

* 3.7, Line 5, Delete the following:

"Excess, Excess Pressure Phase (For Information Only)".

PAGE 5

4.3.2 Add "(see MIL-A-48078)" to the end of the paragraph.

PAGE 6

* Table I - First article inspection, under examination or test column Line 6, Delete the following in its entirety:

"a. Excess, Excess Pressure (Information Only), 100, 3.7, 4.5.4."

Line 7, b. Excess Pressure, Delete: NO OF SAMPLE UNITS "100" and substitute "200".

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:26Z
Check the source to verify that this is the current version before use.

4.4.3 Delete in its entirety and substitute the following:

"4.4.3 Tool control dimensions.

a. Dimensions marked tool control shall be gaged at the beginning or end of each working day (24 hrs.), during First Article Inspection and for the first component after each tooling change, adjustment or repair. Where destruction of the component is necessary to gage such dimensions, measurements of the tool may be substituted providing the contractor has established correlation between the tool dimensions and the component dimensions prior to the start of production.

b. When the contractor has satisfied (a) above, visual inspection of the tool control dimension(s) will be permitted. Visual inspection shall be performed every two (2) hours for each machine in operation. If any tool control dimension(s) is in doubt during visual inspection, the dimension(s) shall be immediately gaged to determine acceptability. Corrective action will immediately be instituted by the contractor whenever a defective tool control dimension is found."

PAGE 16

4.4.4.3 Add Major defect category: "Major 112", EXAMINATION OR TEST "salt spray" No. of Sample Units "(b)", REQUIREMENT PARAGRAPH "3.1", PARAGRAPH REFERENCE/INSPECTION METHOD "4.5.3.1".

Under Notes: Add "(b) sample selection and acceptance criteria for salt spray shall be in accordance with MIL-C-46487."

PAGE 21

4.5.2 Line 3, delete "drawing 8647259" and substitute "drawing 8647258".

4.5.3.1 Line 2, delete "20 percent" and substitute "5 percent".

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:26Z
Check the source to verify that this is the current version before use.

PAGE 22

* 4.5.4, 4.5.4.1, 4.5.4.1.1, 4.5.4.1.2, 4.5.4.1.3, 4.5.4.2, 4.5.4.2.1, and 4.5.4.2.2, and 4.5.4.2.3, Delete in their entirety and substitute the following:

"4.5.4 Functional proving ground. (see paragraph 6.9).

4.5.4.1 Excess pressure phase. These tests shall be conducted at a government proving ground in accordance with applicable acceptance test procedure. The cartridge case shall be assembled into a complete round in the same manner as required for service firing. The inert loaded dummy fuzed projectile as fired weight shall be 33 ± 0.2 pounds. The sample cartridges shall be fired from an M119 Howitzer, using the PXR200-1 propelling charge. The complete round will be temperature conditioned at plus 70°F ± 2.5° for a minimum of twenty-four hours prior to testing. The weapon will be operated in the service manner.

4.5.4.2 Cold temperature phase. The cartridge case shall be assembled into a complete round in the same manner as required for service firing. The inert loaded, dummy fuzed projectile as fired weight shall be 33 ± 0.2 pounds. The complete round will be temperature conditioned at minus 35°F to minus 45°F for a minimum of twenty-four hours prior to testing and fired in the M119 Howitzer, using the PXR200-1 propelling charge. The weapon will be operated in the service manner."

PAGE 24

6.6 Delete: "US Army Armament Research and Development Command, ATTN: DRDAR-QAR-I, Dover, New Jersey 07801" and substitute the following:

"US Army Armament Research, Development and Engineering Center, ATTN: AMSMC-QAR-I (D), Dover, New Jersey 07801-5001".

6.7 Delete in its entirety and substitute the following:

"6.7 Drawings. Drawings listed in Section 2 of this specification under the heading US Army Armament Research, Development and Engineering Center (ARDEC) may also include drawings prepared by and identified as Edgewood Arsenal, Frankford Arsenal, Rock Island Arsenal, Picatinny Arsenal, US Army Research and Development Command (ARRADCOM) or US Army Armament Research and Development Center (ARDC) drawings. Technical data orginially prepared by these activities is now under the cognizance of ARDEC."

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:26Z
Check the source to verify that this is the current version before use.

6.8 Delete in its entirety and substitute the following:

"6.8 Submission of test data and ammunition data cards. In addition to the normal distribution of records when the cartridge case is procured by the Army Armament Munitions and Chemical Command, one copy of all ballistic test data and ammunition data cards shall be forwarded to each of the following: Commander, ARDEC, ATTN: SMCAR-CCH-P and AMSMC-QAR-Q, Dover, NJ 07801-5001 and Commander, ARRCOM, ATTN: AMSMC-QAD, Rock Island, IL 61299-6000."

PAGE 25

* 6.9 Delete in its entirety and substitute the following:

"6.9 M14B4 cartridge case. The M14B4 cartridge case has been designed, tested and type classified to operate at the pressure levels of paragraph 4.5.4.1. These presure levels are required for use with extended range, high pressure gun systems, i.e., M119, which are currently available."

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only, and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army - AR

Preparing activity:
Army - AR

(Project 1315-A763)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:26Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

COMMANDER
US ARMY ARMAMENT RESEARCH & DEVELOPMENT COMMAND
ATTN: DRDAR-QAR
DOVER, NJ 07801

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:26Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.
NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-C-48423A Case, Cartridge, 105MM, M14B4

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1 OCT 76 1426 EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:26Z
Check the source to verify that this is the current version before use.