INCH-POUND

MIL-T-48643A (AR)
AMENDMENT 3
03 APRIL 1989
SUPERSEDING
AMENDMENT 2
19 February 1988

MILITARY SPECIFICATION

TILE, ARMOR: XM1 AND XM2, PARTS FOR

This Amendment forms a part of Military Specification MIL-T-48643A (AR), dated 6 August 1987, and is approved for use within the U.S. Army Armament, Munitions and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1.1 Under STANDARDS, MILITARY add: "MIL-STD-1949 Inspection, Magnetic Particle"

2.1.2, Under XM1 and XM2 parts:

Delete: 9392241 - Washer, Seal
9392244 - Grommet

Add: 12549027 - Spacer, spool
12549028 - Spacer, step
12549029 - Top Cover Assembly
12549038 - Top Cover Assembly, Large

PAGE 3

3.3.1 Add "or MIL-STD-1949" at end of sentence.

3.2 Delete: 9392241 and 9392244
Add: 12549027, 12549028, 12549029 and 12549038

AMSC N/A FSC 2350

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:35Z
Check the source to verify that this is the current version before use.

PAGE 5

4.3.1, Under XM1 and XM2 Parts:

Delete:	Washer, Seal - 9392241	3	(2 places)
	Grommet - 9392244	3	(2 places)
Add:	Spacer, spool - 12549027	3	(2 places)
	Spacer, step - 12549028	3	(2 places)
Top Cover Assembly - 12549029		6	
Top Cover Assembly, Large 12549038		6	

PAGE 7

TABLE 1, First article inspection

Delete:	Washer, Seal (Dwg. 9392241) Examination for Defects	3	3.2	4.4.2.8
	Grommet (Dwg. 9392244) Examination for Defects	3	3.2	4.4.2.10
ADD:	Spacer, Spool (Dwg. 12539027) Examination for Defects	3	3.2	4.4.2.8
	Spacer, Step (Dwg. 12549028) Examination for Defects	3	3.2	4.4.2.10
	Top Cover Assembly or Top Cover Assembly, Large (Dwg. 12549029) or (Dwg. 125459038) as applicable Examination for Defects	6	3.2	4.4.2.11

PAGE 9

* 4.4.2.1 Delete in its entirety and substitute 4.4.2.1 as included.

PAGE 12

4.4.2.4, Minor 202 change "2 places" to "4 places"

Source: https://assist.dla.mil -- Downloaded: 202610-22T19:35Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-48643A (AR)
Amendment 3

PARAGRAPH	TITLE	SHEET 1 OF 1	DRAWING NUMBER
4.4.2.1	Fastener		9392228
			NEXT HIGHER ASSEMBLY

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
CRITICAL	None defined				
MAJOR					
101	Body length		0.40%	3.2	Gage
102	Small outside diameter		0.40%	3.2	Gage
103	Distance to slots		0.40%	3.2	Gage
104	Straightness of body		0.40%	3.2	Gage
105	Material and heat treatment		0.40%	3.2	Certification of Conformance per ASTM 519 and 9392228
MINOR					
201	Large outside diameter		0.65%	3.2	Gage
202	Flange thickness, min.		0.65%	3.2	Gage
203	Width of slots (8 places)		0.65%	3.2	Gage
204	Radius at flange		0.65%	3.2	Gage
205	Tube I.D.		0.65%	3.2	Gage
206	Evidence of poor workmanship		1.00%	3.7	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-02-22T19:35Z
Check the source to verify that this is the current version before use.

4.4.2.4 Major 101, change "datum B" to "datums A & B (2 places)"

Major 103, change "datum A" to "datums A & C (2 places)"

Delete Major 111 in its entirety.

Delete Minor 203 in its entirety.

Change Minor 204 to 203

PAGE 15

4.4.2.7 Major 101 change "datum B" to "datums A & C (2 places)"

Major 103 change "datum A" to "datum C (2 places)"

Add major 107 as follows:

"107 Weld beads not free of voids"

* 4.4.2.7 Delete in its entirety and substitute 4.4.2.7 as included.

PAGE 16

4.4.2.8 Delete in its entirety and substitute 4.4.2.8 as included.

PAGE 18

4.4.2.10 Delete in its entirety and substitute 4.4.2.10 as included.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:35Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-48643A (AR)
Amendment 3

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.7	Cover, Bottom, Sealed or Cover, Bottom, Large (as applicable)				9392237 or 9392258 as applicable
					NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
CRITICAL	None defined				
MAJOR					
101	Perpendicularity of side to datums A & C (2) places		0.40%	3.2	Gage
102	Perpendicularity of side to datum C (2) places		0.40%	3.2	Gage
103	Outside dimension (2 places)		0.40%	3.2	Gage
104	Diameter of hole (4 places)		0.40%	3.2	Gage
105	True position of holes		0.40%	3.2	Gage
106	Weld beads not free of voids		0.40%	3.2	Visual
MINOR					
201	Stock thickness		0.65%	3.2	Gage
202	Radius of inside corner (4 places)		0.65%	3.2	Gage
203	Outside length of sidewall (4 places)		0.65%	3.2	Gage
204	Protective finish, not as specified, missing, damaged, incomplete in indicated area		0.65%	3.4	Visual
205	Joint sealant not applied to inside and outside surfaces		0.65%	3.4	Visual
206	Marking not located properly, missing, incomplete or illegible		0.65%	3.2	Visual
207	Evidence of poor workmanship		0.65%	3.7	Visual

NOTES:

Source: https://assist.dla.mil - (DLA) loaded: 2026-02-22T19:35Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-48643A (AR)
Amendment 3

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 12549027
4.4.2.8	Spacer, Spool				NEXT HIGHER ASSEMBLY 9392264
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
CRITICAL	None defined				
MAJOR					
101	Height		0.40%	3.2	Gage
MINOR					
201	Inside diameter		0.65%	3.2	Gage
202	Large outside diameter		0.65%	3.2	Gage
203	Width of flange (2) places		0.65%	3.2	Gage
204	Small outside diameter		0.65%	3.2	Gage
205	Radius, max. (2) places		0.65%	3.2	Gage
206	Burrs and sharp edges not removed		0.65%	3.2	Gage
207	Protective finish not as specified, missing, damaged or incomplete		0.65%	3.4	Visual
208	Evidence of poor workmanship		1.00%	3.7	Visual

NOTES:

Source: https://assist.dla.mil - Downloaded: 2026-02-22T19:35Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 12549028
4.4.2.10	Spacer, Step				NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
CRITICAL	None defined				
MAJOR					
101	Thickness		0.40%	3.2	Gage
102	Height of step		0.40%	3.2	Gage
103	Outside diameter		0.40%	3.2	Gage
MINOR					
201	Inside diameter		0.65%	3.2	Gage
202	Radius, max.		0.65%	3.2	Gage
203	Burrs and sharp edges not removed		0.65%	3.2	Visual
204	Chamfer missing		0.65%	3.2	Visual
205	Protective finish not as specified, missing, damaged or incomplete		0.65%	3.4	Visual
206	Evidence of poor workmanship		1.00%	3.7	Visual

NOTES:

Source: https://assist.dla.mil - Downloaded: 2026-02-22T19:35Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-T-48643A (AR)
Amendment 3

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 12549029 or 12549038 as applicable
4.4.2.11	Top Cover Assembly or Top Cover Assembly Large				NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
CRITICAL	None defined				
MAJOR					
101	Weld beads not free of voids and not sealed all around flange		0.40%	3.2	Visual
102	True position of (4) holes to datums A, B and C		0.40%	3.2	Gage
MINOR					
201	Protective finish not as specified, missing, incomplete in indicated areas or improper color		0.65%	3.4	Visual
202	Evidence of poor workmanship		1.00%	3.7	Visual

NOTES:

Source: https://assist.dla.mil (DoD) Uploaded: 20240-22T19:35Z
Check the source to verify that this is the current version before use.

NOTE: The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 2350-A410)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:35Z
Check the source to verify that this is the current version before use.