RR-B-600E
AMENDMENT-1
February 24, 1977

FEDERAL SPECIFICATION

BOTTLES, VACUUM

This amendment, which forms part of Federal Specification RR-B-600E, dated February 1, 1971, was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

PAGE 2

2.1 Title of L-P-390: Delete and substitute "Plastic, Molding and Extrusion Materials, Polyethylene and Copolymers (Low, Medium and High Density)".

PPP-B-636. Delete "Box, Fiberboard" and substitute "Boxes, Shipping, Fiberboard".

PPP-B-843. Delete "PPP-B-843" and substitute "PPP-C-843".

PAGE 3

MIL-P-22748: Delete in its entirety.

2.2, under "American Society for Testing and Materials": Add "A412 Stainless and Heat-Resisting Chromium-Nickel-Manganese Steel Plate, Sheet and Strip, Spec. for." Delete "A 167-63" and substitute "A 167".

2.2, under "Uniform Classification Committee": Delete "Room 202 Union Station, 516 W. Jackson Blvd." and substitute "Room 1106, 222 South Riverside Plaza".

2.2, last 3 lines: Delete "National Motor Freight Traffic Ass. Inc., Agent" and substitute "American Trucking Association, Inc., Traffic Department".

PAGE 4

3.3.2: Delete entirely and substitute: "Steel, stainless, sheet and strip. At the option of the contractor, stainless steel sheet and strip shall conform to (1) type 302, 304 or 305 of ASTM A167, or (2) type 201 or 202 of ASTM A412."

FSC 7330

Source: https://assist.dla.mil -- Downloaded: 202640-26T12:10Z
Check the source to verify that this is the current version before use.

PAGE 4 (cont'd)

3.3.5.3: Delete entirely and substitute: "3.3.5.3 Plastic. Plastic shall conform to type I, either class L or M, grade 2 or class H, grade 1 of L-P-390 as applicable.

3.3.5.4: Delete in its entirety.

PAGE 6

3.4.1.3: Insert "class L or M, grade 2 of" before "3.3.5.3".

3.4.1.7: Delete "3.3.5.4" and substitute "class H, grade 1 of 3.3.5.3".

PAGE 7

3.4.2.5.1 and 3.4.2.5.2: Insert "class L or M, grade 2 of" before "3.3.5.3".

PAGE 8

3.4.2.6(d): Delete "3.3.5.4" and substitute "class H, grade 1 of 3.3.5.3".

PAGE 13

4.3.5, line 4, after "delivery": Insert "except it need not be closed".

PAGE 16

5.1.2, last sentence: Delete and substitute "The package and the quantity per package shall be the same as that normally used by the contractor for retail distribution".

5.2.1, first sentence: Add "grade" before "V2s".

Second sentence: Delete and substitute "Each fiberboard container shall be closed in accordance with method III, waterproofed in accordance with method V and reinforced as specified in the appendix of PPP-B-636".

5.2.2.1: Delete in its entirety and substitute: "5.2.2.1 Weather-resistant fiberboard container. When specified (see 6.2), the shipping container shall be a grade V3c, V3s or V4s fiberboard box fabricated in accordance with PPP-B-636 and closed in accordance with method III as specified in the appendix of PPP-B-636."



Source: https://assist.dla.mil -- Downloaded: 202610-26T12:10Z
Check the source to verify that this is the current version before use.

PAGE 16 (cont'd)

5.2.3, after first sentence: Insert "The quantity per shipping container shall be the same as that normally used by the contractor for retail distribution".

5.3, first line: Delete "Unless otherwise" and substitute "When".

second line: After "bottles" insert "of one description only".

After first sentence: Insert "Each prepared load shall be bonded with primary and secondary straps in accordance with bonding means K and L. Pallet patterns shall be in accordance with the appendix of MIL-STD-147."

5.4 Add "Marking shall be in accordance with 5.4.1 and 5.4.2 as specified (see 6.2)."

PAGE 17

6.2(f). Delete "not".

6.2 Add "(g) Marking required (see 5.4.1 and 5.4.2)."

6.3: Delete entirely.

Custodians:

Army - GL
Navy - SA
Air Force - 99

Review activities:

Army - MD

User activities:

Navy - MS, MC

Preparing activity:

Army - GL

Civil Agency Coordinating Activities:

GSA - FSS
VA - DMS
HEW - NIH

Project No. 7330-0431



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:10Z
Check the source to verify that this is the current version before use.