FEDERAL SPECIFICATION

HOLDER, CARD-LABEL: POST OFFICE MAILBAG RACK

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE

1.1 This specification covers one size and type of sheet metal card-label holder for mailbag racks made of steel pipe.

2. APPLICABLE SPECIFICATIONS AND STANDARDS

2.1 The following specifications and standards, of the issues in effect on date of invitation for bids, form a part of this specification:

Federal Specifications:

PPP–B–601—Boxes, Wood, Cleated-Plywood.

PPP–B–621—Boxes, Wood, Nailed and Lock-Corner.

PPP–B–636—Boxes, Fiber.

Federal Standards:

Fed. Std. No. 102—Preservation, Packaging, and Packing Levels.

(Activities outside the Federal Government may obtain copies of Federal Specifications and Standards as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C.

(Single copies of this specification and other product specifications required by activities outside the Federal Government for bidding purposes are available without charge at the General Services Administration Regional Offices in Boston, New York, Atlanta, Chicago, Kansas City, Mo., Dallas, Denver, San Francisco, Los Angeles, Seattle, and Washington, D. C.

(Federal Government activities may obtain copies of Federal Specifications and Standards and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Specifications:

JAN–P–100 — Packaging and Packing for Overseas Shipment—General Specification.

MIL–P–116—Preservation, Methods of.

Military Standards:

MIL–STD–105 — Sampling Procedures and Tables for Inspection by Attributes.

MIL–STD–129—Marking for Shipment and Storage.

MIL–STD–130 — Identification Marking for U. S. Military Property.

(Copies of Military Specifications and Standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Material.—The holder shall be made of sheet metal with a nominal thickness of 0.0625 inch. The screws shall be self-tapping type with slotted tapered head, made of steel, hardened and cadmium plated. Two screws shall be furnished with each label holder.

FSC 9905

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:10Z
Check the source to verify that this is the current version before use.




FIGURE 1.—Card-label holder for Post Office mailbag rack.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:10Z
Check the source to verify that this is the current version before use.

3.2 Construction.—The card-label holder shall conform substantially to the dimensions and type as shown in figure 1. Holes for screws shall be countersunk to bring the screw head flush with the surface plane of the holder. The lower edges of the countersunk holes and end flanges shall be of such dimensions that when assembled they will make 4 points of contact with surface of the pipe. Longitudinal edges shall be bent back to provide positive retention of label. Each end shall be flanged 90° and have a radius to suit a ¾-inch pipe surface.

3.3 Finish.—Sheet steel shall be given a protective coating of zinc or cadmium after fabrication. Aluminum or other corrosion-resisting metal shall have natural finish. Surfaces of the holders shall be clean and smooth with no burrs or rough spots. All edges and corners shall be beveled smooth.

3.4 Identification marking.—Holder shall be marked for identification in accordance with Military Standard MIL–STD–130.

3.5 Workmanship.—Workmanship shall be of the highest grade throughout and in accordance with good commercial practice for this type of product.

4. SAMPLING, INSPECTION, AND TEST PROCEDURES

4.1 General. — Label holder during and after manufacture, shall be subject to inspection by Government inspectors. The contractor shall provide the necessary facilities and supplies for all inspection made prior to final acceptance.

4.2 Inspection lot.—All label holders submitted for Government inspection at one time shall be considered a lot for the purposes of inspection.

4.3 Sampling for inspection.—From each lot a random sample of the quantity specified in Military Standard MIL–STD–105 shall be selected for inspection. The acceptable quality level shall be 2.5 percent defective.

4.4 Inspection.—The label holders shall be inspected to determine compliance with this specification. The defects shall be classified in accordance with table I. The Government reserves the right to require examination for any defects not listed herein and to classify such defects in accordance with definitions contained in Military Standard MIL–STD–105.

TABLE I.—*List of defects*

Countersinking not as specified.
Screws not hardened, not self tapping, not coated, not of specified size and type.
Presence of sharp edges, burrs or roughness.
Coating uneven or bare spots.
Holders not clean.
Dimensions not as specified.
Irregularities in bending effecting serviceability.

4.5 Inspection and tests of preparation for delivery requirements. — The preservation, packaging, packing, and marking of the equipment shall be subject to inspection and tests by the Government inspector to determine compliance with the requirements of section 5 of this specification. The contractor shall provide the necessary facilities and supplies for inspection and tests made prior to final acceptance.

5. PREPARATION FOR DELIVERY

(The levels of preservation, packaging, and packing used are defined in Federal Standard No. 102.)

5.1 Preservation and packaging.

5.1.1 *Level A.*—The label holders shall be preserved and packaged in sets of five each by method Ic in accordance with Military Specification MIL–P–116.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:10Z
Check the source to verify that this is the current version before use.

5.1.2 *Level C.*—The label holders shall be preserved and packaged in accordance with the supplier's commercial practice.

5.2 Packing.

5.2.1 *Level A.*—The label holders shall be packed in nailed wood boxes conforming to Federal Specification PPP–B–621 (class 2), or fiberboard boxes conforming to Federal Specification PPP–B–636 (class 2 or 3). Content of boxes shall be cushioned and braced in accordance with Military Specification JAN–P–100. The gross weight of wood boxes shall not exceed approximately 200 pounds; of fiberboard boxes 70 pounds.

5.2.2 *Level B.*—The label holders shall be packed in nailed wood boxes conforming to Military Specification PPP–B–621 (class 1), or fiberboard boxes conforming to Military Specification PPP–B–636 (class 1). Contents of boxes shall be cushioned and braced to prevent movement within the boxes. The gross weight of boxes shall not exceed the weight limitations of the applicable box specification.

5.2.3 *Level C.*—The label holders shall be packed in fiberboard containers in a manner which will insure safe transportation at lowest rates to the point of delivery. Each container shall meet the Consolidated Freight Classification Rules or regulations of other carriers as applicable to the mode of transportation.

5.3 Marking.

5.3.1 *Nonmilitary agencies.*—To be supplied.

5.3.2 *Military agencies.*—Interior packages and shipping containers shall be marked in accordance with Military Standard MIL–STD–129.

6. NOTES

6.1 **Ordering data.** — Procurement documents should specify the following:

(a) Title, number, and date of this specification.

(b) Level of preservation and packaging, and level of packing required (see 5.1 and 5.2).

(c) Marking required (see 5.3).

6.2 This specification includes the requirements of MIL–H–19749 (DOCKS)

Notice. — When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

MILITARY INTERESTS:
Navy—Y
Air Force.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:10Z
Check the source to verify that this is the current version before use.