MILITARY SPECIFICATION SHEET

FILTER, FLUID, PRESSURE, HYDRAULIC, 5000 PSI, 3 MICRON ABSOLUTE, STYLE C, GAUGE INDICATOR

The complete requirements for procuring the filter assembly described herein shall consist of this document and the issue in effect of MIL-F-81836(AS).


Notes:

1. Material: See procurement specification.
2. Surface texture: All over 100 in accordance with ASA B46.1 1962 (ANSI).
3. Dimensions in inches unless otherwise specified.
   Tolerances: Decimals ±.010, angles ±1°.
4. Direction of flow and port markings shall be clearly and permanently marked on each side.
5. All joints shall be lockwired.
6. Filter includes filter element M81836/4.
7. Element to be retained in bowl for installation and removal.
8. W diameter may be broken by inlet port provided unbroken solid shoulder extends for at least 270° of circumference.

Preparing activity:
Navy - AS
(Project No. 4920-N288)

FSC 4920

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:15Z
Check the source to verify that this is the current version before use.



ASSEMBLY PART NUMBER	PORT SIZE	FLOW RATE (gpm)	A MAX	B ±.030	C DIA MAX	D ±.005 DIA	E		F MAX	G		H MAX	J +.005 -.000 DIA	K
MS1836/3-6	-6	3	5.875	2.750	1.700	.786	2.375	±.005	1.188	.562	±.005	10.625	1.158	2.750
MS1836/3-8	-8	6	6.312	4.000	2.562	.286	3.125		1.250	1.000		10.875	1.783	3.000
MS1836/3-10	-10	10	8.812	4.250	2.625	.286	3.375		1.250	1.000		15.500	2.002	3.750
MS1836/3-12	-12	20	11.750	5.000	4.656	.391	4.375	—	2.125	1.375	—	20.750	2.821	5.000
MS1836/3-16	-16	30	16.062	5.000	4.530	.391	4.375		2.125	1.375		29.375	2.707	5.000
MS1836/3-24	-24	60	21.625	6.000	5.780	.531	5.125		2.625	1.812		38.188	3.727	6.000

ASSEMBLY PART NUMBER	PORT SIZE	L		M +.000 -.002 DIA	N DIA	P +.000 -.015	R	S	T DIA	W DIA MIN	Z	
MS1836/3-6	-6	4.705	±.015	.625	.500	1.125	.750	.375	1.783	.938	1.125	±.005
MS1836/3-8	-8	4.515		1.000	.875	1.125	.812	.438	1.806	1.344	2.000	
MS1836/3-10	-10	8.912	±.030	1.000	.875	1.125	1.000	.500	2.073	1.344	2.000	
MS1836/3-12	-12	8.680		1.125	-	1.375	-	.600	2.943	1.469	3.562	
MS1836/3-16	-16	13.000		1.248	-	1.375	-	.600	2.834	1.594	3.562	
MS1836/3-24	-24	16.100		1.625	-	1.625	-	.800	3.900	2.000	4.500	

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:15Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY
Naval Air Systems Command
Washington, D.C. 20360

POSTAGE AND FEES PAID
NAVY DEPARTMENT

OFFICIAL BUSINESS

NAVAL AIR SYSTEMS COMMAND (AIR-52021)
DEPARTMENT OF THE NAVY
WASHINGTON, D. C. 20360

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:15Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 119-R004

INSTRUCTIONS

This sheet is to be filled out by personnel either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity *(as indicated on reverse hereof)*.

SPECIFICATION

MIL-F-81836/3(AS) FILTER, FLUID, PRESSURE, HYDRAULIC, 5000PSI, 3 MICRON ABSOLUTE,

ORGANIZATION *(Of submitter)* STYLE C. GAUGE INDICATOR	CITY AND STATE

CONTRACT NO.	QUANTITY OF ITEMS PROCURED	DOLLAR AMOUNT
		$

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES.

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO IF "YES", IN WHAT WAY?

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity)*	DATE

DD FORM 1 APR 63 1426

C-0879

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:15Z
Check the source to verify that this is the current version before use.