MILITARY SPECIFICATION SHEET

FILTER ELEMENT, DISPOSABLE, FLUID, PRESSURE, HYDRAULIC, 3 MICRON ABSOLUTE

The complete requirements for procuring the filter element described herein shall consist of this document and the issue in effect of MIL-F-81836(AS).


Notes:

1. Material: See procurement specification.
2. Surface texture: All over 100 in accordance with ASA B46.1 1962 (ANSI).
3. Element for use in M81836/1, M81836/2 or M81836/3 filter assembly.
4. Dimensions in inches unless otherwise specified.
   Tolerances: Decimals ±.010, angles ±1°.

Preparing activity:
Navy - AS
(Project No. 4920-N288)

FSC 4920

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:15Z
Check the source to verify that this is the current version before use.



ELEMENT PART NUMBER	FLOW RATE (gpm)	A		B ±.004 DIA	C ±.001 DIA	D ±.001 DIA	E MAX	F	G DIA	H DIA MIN	J MIN	K +.000 -.010 DIA	L MAX	M (REF) DASH NO. FOR "O" RING AND BACK-UP RING
M81836/4-6	3	4.656	±.031	1.156	.628	.802	.265	.185	1.000	.515	.450			-114
M81836/4-8	6	4.469		1.781	1.003	1.242	.290	.240	1.435	.890	.512			-214
M81836/4-10	10	6.820	±.062	2.000	1.003	1.242	.290	.240	1.435	.890	.512			-214
M81836/4-12	20	8.580		2.819	1.126	1.367	.295				.610	2.906	.500	-216
M81836/4-16	30	12.900		2.705	1.251	1.492	.295				.610	2.812	.500	-218
M81836/4-24	60	16.000		3.725	1.628	1.869	.295				.610	3.875	.500	-223

☆ U. S. GOVERNMENT PRINTING OFFICE: 1974 -603-109/ 1504

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:15Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 119-R004

INSTRUCTIONS

This sheet is to be filled out by personnel either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity *(as indicated on reverse hereof)*.

SPECIFICATION

MIL-F-81836(4(AS) FILTER ELEMENT, DISPOSABLE, FLUID, PRESSURE, HYDRAULIC, 3 MICRON

ORGANIZATION *(of submitter)* ABSOLUTE	CITY AND STATE
CONTRACT NO.	QUANTITY OF ITEMS PROCURED
DOLLAR AMOUNT $	

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES.

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO IF "YES", IN WHAT WAY?

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity)*	DATE

DD FORM 1 APR 63 1426

C-8270

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:15Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY
Naval Air Systems Command
Washington, D.C. 20360

POSTAGE AND FEES PAID
NAVY DEPARTMENT

OFFICIAL BUSINESS

NAVAL AIR SYSTEMS COMMAND (AIR-52021)
DEPARTMENT OF THE NAVY
WASHINGTON, D. C. 20360

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:15Z
Check the source to verify that this is the current version before use.