A-A-50312
28 August 1992

COMMERCIAL ITEM DESCRIPTION

SHEARING MACHINE, THROATLESS, HAND LEVER

The General Services Administration has authorized the use of this Commercial Item Description (CID) as a replacement for Military Specification MIL-S-45571B(AL).

Abstract. This description covers a bench type, hand operated shearing machine capable of slitting, shearing inside and outside nibbling of 0.187 inch mild steel stock, trimming of 0.25 inch mild steel bar stock, and rod cutting of 0.187 through 0.375 inch diameter.

Salient characteristics.

1. Base. The base shall be constructed as an integral part of the shearing machine, and shall provide a solid support for all cutting operations. The base shall be provided with at least three mounting holes or slots of not less than 0.4375 inch diameter or width.

2. Table. The table shall be constructed as an integral part of the shearing machine. The table shall be of size and shape that shall assure a working area and facilities for the cutting operations specified herein.

3. Handle. The handle (lever) shall be fabricated of tubing or bar stock. The length of the handle shall be commensurate with the force required for each shear application.

4. Blades and rod dies. The blades and rod dies shall be of hardened tool steel of hardness of not less than 45 to 60 on the Rockwell C scale. Blades shall be provided with adjustments for wear. The blades and rod dies shall be designed to be interchanged. The length of the blade shall be not less than 3.5 inches.

Beneficial comments, recommendations, clarifications, additions, deletions, etc. and any data which may improve this document should be sent: Commander, US Army Armament Research, Development and Engineering Center, ATTN: SMCAR-EST-P, Rock Island, IL 61299-7300

AMSC N/A FSC 3445

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:41Z
Check the source to verify that this is the current version before use.

5. Holddown. The shearing machine shall be provided with a holddown, or a similar device, for holding the metal securely during the cutting operation. The holddown shall operate smoothly and shall be adjustable for all sizes of metal within the capacity of the machine.

6. Actuating mechanism. The actuating mechanism shall be of a mechanical design that shall provide for sufficient transfer of power from the handle to the cutter.

7. Dimensions. The overall dimensions of the shearing machine shall not exceed 16 inches in height (without handle), 11 inches in width, and 13 inches in depth.

8. Weight. The total weight of the shearing machine shall not exceed 60 pounds.

Contractor certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.

Packaging. The preservation, packaging, packing, and marking shall be as specified in the contract or order.

Note.

Ordering data. Acquisition documents should specify the following:

a. Title, CID number, and date of this document.

As a result of a market acceptability survey, the following companies have shown to be manufacturers of an acceptable product described within this Commercial Item Description. This list does not limit or exclude the selection of other manufacturers who have an acceptable product provided that they meet the market acceptability survey criteria, as verified by the CID developer, that has been established for the CID. Other manufacturers' products will be considered for a current procurement if the following market acceptability criteria can be met before the specified date of contract award.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:41Z
Check the source to verify that this is the current version before use.

Market acceptability criteria

1. Must have a commercial distribution system.

2. Must have repair support(spare parts) systems.

3. Must produce and sell at least 50 shearing machines per year to commercial customers.

4. Must have a in business producing commercial shearing machines for no less than one year.

Roper Whitney Inc.
2883 Huffman Blvd.
Rockford, IL 61101
Model 38

Peddinghaus Corp.
300 N. Washington Ave.
Bradley, IL 60915
Model 1BR/5

Beverly Shear Mfg. Corp.
3004 West 111th St.
Chicago, IL 60655
Model B3

MILITARY INTERESTS:

Military Coordinating Activity

Custodian

Army - AL

Review Activity

DLA - GS

User Activity

Army - ME

CIVIL AGENCY COORDINATING ACTIVITIES:

GSA - FSS

PREPARING ACTIVITY:

Army - AL

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:41Z
Check the source to verify that this is the current version before use.