MILITARY SPECIFICATION

DRAFTING EQUIPMENT SET, TOPOGRAPHIC BATTALION, HEADQUARTERS AND SERVICE COMPANY: PACKAGING OF

This specification is approved for use by the US Army Mobility Equipment Research and Development Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers the requirements for the preservation, packing, and marking of Drafting Equipment Set, Topographic Battalion, Headquarters and Service Company, SC 6675-97-CL-E03 (NSN 6675-00-641-3615).

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specification herein:

SPECIFICATIONS

FEDERAL

AA-F-359	- Filing Cabinet, Steel, Legal and Letter Size, Vertical.
GG-D-635	- Drawing Boards or Drawing Boards and Trestles.

FSC 6675

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: US Army Mobility Equipment Research and Development Command, ATTN: DRDME-DS, Fort Belvoir, VA 22060 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 202610-17T15:59Z
Check the source to verify that this is the current version before use.

GG-T-35	- Tables; Drawing, Tracing, and Scribing.
PPP-B-585	- Boxes, Wood, Wirebound.
PPP-B-591	- Boxes, Shipping, Fiberboard, Wood-Cleated.
PPP-B-601	- Boxes, Wood, Cleated-Plywood.
PPP-B-621	- Boxes, Wood, Nailed and Lock-Corner.
PPP-B-636	- Boxes, Shipping, Fiberboard.
PPP-P-40	- Packaging and Packing of Hand Tools.
PPP-T-60	- Tape: Packaging, Waterproof.

MILITARY

MIL-C-104	- Crates, Wood; Lumber and Plywood Sheathed, Nailed and Bolted.
MIL-P-116	- Preservation-Packaging, Methods of.

STANDARDS

MILITARY

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.
MIL-STD-1186	- Cushioning, Anchoring, Bracing, Blocking and Waterproofing; With Appropriate Test Methods.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

UNIFORM CLASSIFICATION COMMITTEE, AGENT

Uniform Freight Classification.

(Application for copies should be addressed to the Uniform Classification Committee, ATTN: Tariff Publishing Officer, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:59Z
Check the source to verify that this is the current version before use.

NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION, INC., AGENT

National Motor Freight Classification.

(Application for copies should be addressed to the American Trucking Associations, Inc., ATTN: Traffic Department, 1616 P Street, NW, Washington, DC 20036.)

3. REQUIREMENTS

3.1 Preproduction pack. The contractor shall furnish a preproduction pack for examination within the time frame specified (see 6.2), to prove prior to starting production packaging that the applied preservation, packing, and marking comply with the requirements of this specification. Examination shall be as specified in Section 4 and shall be subject to surveillance and approval by the Government (see 6.3).

3.2 Material. Material shall be as specified herein and in applicable specifications. Materials not specified shall be selected by the contractor and shall be subject to all provisions of this specification.

3.3 Preservation. Preservation shall be Level A or Commercial as specified (see 6.2).

3.3.1 Level A.

3.3.1.1 Methods of preservation. Methods of preservation specified herein shall conform to the requirements of MIL-P-116.

3.3.1.2 Altimeter-barometer, compass bars, beam compass, twine, magnetic compass, electric eraser, magnifiers, map measurer, planimeter, flat drafting scale, plotting scales, pencil sharpener, slide rule, sharpening stone, stereoscopes, 42-inch straightedge, 60-inch straightedge, shears, maptacks, penpoints, powder, drafting instrument sets, and lettering set. Each item, box or set as applicable shall be individually preserved Method IC-1.

3.3.1.3 Pivot compasses, dividers, paper pads, steel erasers, rubber erasers, line guides, pencil pointers, penholders, triangular drafting scales, 30-inch straightedges, triangles, paperweights, blades, pencils, erasing shields, needles, thumbtacks, pen sets, cleaning kits, lead and lead repointers. Items of like description shall be preserved together Method IC-1 in quantities specified for each set.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:59Z
Check the source to verify that this is the current version before use.

3.3.1.4 Kraft paper, drawing paper, graph paper, tracing paper, and plastic sheet. The 10-yard length of drawing paper and the kraft paper, shall be rolled. Each roll of cloth, paper or plastic sheet shall be individually preserved Method IC-1. The 22 x 30 inch plastic sheet in the commercial carton shall be preserved Method IC-2.

3.3.1.5 Filing cabinets, filing cabinet bases, and filing cabinet tops. Filing cabinets shall be preserved in accordance with the requirements of AA-F-359, Level A. Each top and base for the map and plan size cabinets shall be individually preserved in a close-fitting box conforming to PPP-B-636, W6c, W5c, or V3c as applicable, style optional. Box closure shall be in accordance with the appendix to the box specification, Method V.

3.3.1.6 Folding chairs, revolving stools, folding leg tables, fluorescent lamps, desk lights, and toolboxes. Chairs shall be folded to the minimum. Stool seats shall be lowered to the minimum height. Table legs shall be folded and secured. Each chair, stool, table, lamp, light, and toolbox containing the consolidated items (see 3.3.1.12.3), shall be individually preserved in a close-fitting box conforming to PPP-B-636, W6c, W5c or V3c as applicable, style optional. Box closure shall be in accordance with the appendix to the box specification, Method IV.

3.3.1.7 Drawing boards and trestles. The drawing boards and trestles shall be preserved in accordance with the requirements of GG-D-635, Level A.

3.3.1.8 Incandescent lamp. The incandescent lamp shall be wrapped with single-face corrugated fiberboard and the wrap secured with tape conforming to PPP-T-60, Type .

3.3.1.9 Tracing table. The table shall be preserved in accordance with the requirements of GG-T-35, Level A.

3.3.1.10 Craftsmen's knives and machinists' rules. These items shall be preserved in accordance with the requirements of PPP-P-40, Level A.

3.3.1.11 Microscopes. Each microscope contained in the carrying case shall be preserved Method IIb. The carrying case shall be the inner container. The outer container shall conform to PPP-B-636, W5c, style optional. Closure of the outer container shall be in accordance with the appendix to the box specification, Method V.

Source: https://assist.dla.mil -- Downloaded: 20261O-17T15:59Z
Check the source to verify that this is the current version before use.

3.3.1.12 Erasing fluid. Erasing fluid shall not require preservation.

3.3.1.13 Unit packing and consolidation.

3.3.1.13.1 Tracing table. The tracing table shall be unit packed in a close-fitting box conforming to PPP-B-621, Class 1, style optional or PPP-B-601, Domestic Type, style optional. Blocking and anchoring shall be provided to prevent movement within the box. Strapping shall not be required.

3.3.1.13.2 Filing cabinets. Each filing cabinet shall be unit packed in a close-fitting box conforming to PPP-B-621, Class 1, style optional, PPP-B-601, Domestic Type, style optional, PPP-B-591, Class 1, style optional, or PPP-B-585, Class 1, style optional. Strapping shall not be required.

3.3.1.13.3 Other component items. The incandescent lamp and other small components shall be placed in the toolboxes, as space permits. The remaining components, including the toolboxes, shall be consolidated in close-fitting boxes conforming to PPP-B-601, Domestic Type, style optional or PPP-B-621, Class 1, style optional. Cushioning shall be provided to prevent abrasive action between components within the box. Strapping shall not be required.

3.3.2 Commercial. The components of each complete drafting equipment set shall be preserved to afford adequate protection against deterioration and damage during shipment from the contractor to the initial destination.

3.4 Packing. Packing shall be Level A or Commercial as specified (see 6.2).

3.4.1 Level A. The components of each complete drafting equipment set preserved as specified in 3.3 shall be packed in a crate conforming to MIL-C-104, Type I, Class 1 or 2, Style a. Blocking, bracing, and anchoring shall be in accordance with the appendix to the crate specification and in accordance with MIL-STD-1186. Boxes shall be arranged to provide a crate of minimum cube.

3.4.2 Commercial. Each complete drafting equipment set shall be packed to assure carrier acceptance and safe delivery to destination at lowest ratings in containers complying with Uniform Freight Classification rules or National Motor Freight Classification rules.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:59Z
Check the source to verify that this is the current version before use.

3.5 Marking.

3.5.1 Military packaging. Marking shall be in accordance with MIL-STD-129.

3.5.2 Commercial packaging. Marking shall reflect as a minimum, the item name, National Stock Number, quantity, contract number, and appropriate address markings. The marking shall be applied with a waterproof material, be legible and shall provide a definite contrast.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Material inspection. The contractor is responsible for insuring that supplies and materials used are manufactured, examined, and tested in accordance with referenced specifications and standards.

4.2 Classification of inspections. The inspection requirements specified herein are classified as follows:

(a) Preproduction pack inspection (see 4.3).
(b) Quality conformance inspection (see 4.4).

4.3 Preproduction pack inspection.

4.3.1 Examination. The preproduction pack shall be examined for the defects specified in 4.5.1. Presence of one or more defects shall be cause for rejection.

4.4 Quality conformance inspection.

4.4.1 Inspection stages. Inspection shall be in two stages as follows:

(a) The first stage shall include inspection of materials, methods, containers, and markings inside the shipping container.
(b) The second stage shall include inspection of materials and markings after closing the container.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:59Z
Check the source to verify that this is the current version before use.

4.4.2 Unit of product. For the purpose of inspection, a completed pack prepared for shipment shall be considered a unit of product.

4.4.3 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.4.4 Examination. Sample packs selected in accordance with 4.4.3 shall be examined for the defects specified in 4.5.1. Acceptable Quality Level (AQL) shall be 2.5 percent defective.

4.5 Inspection procedure.

4.5.1 Examination. Preproduction packs (see 4.3.1) or sample packs (see 4.4.4) shall be examined for the following defects:

101. Materials, methods, or containers not as specified. Each incorrect material, method, or container shall constitute one defect.
102. Containers not closed Method V as specified.
103. Unit packing or consolidation not as specified.
104. Cushioning, blocking, bracing, or anchoring not provided as specified.
105. Boxes not arranged to provide a crate of minimum cube.
106. Marking illegible, incomplete, incorrect, or missing.

5. PACKAGING

(Not applicable to this specification)

6. NOTES

6.1 Intended use. This specification is intended to be used for direct reference in contracts for the preservation, packing, and marking of Drafting Equipment Set, SC 6675-97-CL-E03 (NSN 6675-00-641-3615).

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Time frame required for submission of the preproduction pack (see 3.1).
(c) Degree of preservation and degree of packing required (see 3.3 and 3.4).

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:59Z
Check the source to verify that this is the current version before use.

6.3 Preproduction pack. Any changes or deviations of production packs from the approved preproduction pack will be subject to the approval of the contracting officer. Approval of the preproduction pack will not relieve the contractor of his obligation to preserve, pack, and mark the drafting equipment sets in accordance with this specification.

Custodian:
Army - ME

Preparing activity:
Army - ME

Review activities:
Army - SM
DLA - GS

Project 6675-A207

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:59Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE MIL-D-11381E(ME) Drafting Equipment Set, Topographic Battalion, Headquarters & Service Company, Packaging Of

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:59Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD—314

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
US Army Mobility Equipment Research
and Development Command
ATTN: DRDME-DS
Ft. Belvoir, VA 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:59Z
Check the source to verify that this is the current version before use.