MILITARY SPECIFICATION

HOOD, WINTER, KNIT, WOOL

This amendment forms a part of Military Specification MIL-H-25754B(USAF) dated 12 August 1976, and is approved for use within the Department of Air Force and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Add to bottom of Page 1:

"Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: the Engineering Division, San Antonio ALC/MMEDO, Kelly AFB, TX 78241 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

1.1, delete in its entirety and substitute the following:

"1.1 Scope. This specification covers the requirements for a hood, winter, knit wool."

2.1, delete in its entirety and substitute "2.1 Government documents."

Add the following new paragraph 2.1.1:

"2.1.1 Specifications and standards. The following specifications and standards form a part of this specification to the extent specified herein. Unless otherwise specified, the issues of these documents shall be those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation."

Under SPECIFICATIONS, Federal, add: "PPP-B-601 - Box, Wood, Cleated-Plywood."

Under SPECIFICATIONS, Federal, delete the following:

"L-P-378	Plastic Sheet and Strip, Thin Gage, Polyolefin.
PPP-B-566	Box, Folding, Paperboard.
PPP-B-665	Boxes, Paperboard, Metal Edged and Components.
PPP-B-676	Boxes, Set-Up.
PPP-T-60	Tape, Packaging, Waterproof."

AMSC N/A FSC 8415

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T07:14Z
Check the source to verify that this is the current version before use.

PAGE 2

Under STANDARDS, Military, add the following:

"MIL-STD-147 Palletized Unit Loads.
MIL-STD-794 Parts and Equipment Procedures for Packaging of."

Delete parenthetical source paragraph and substitute the following:

"(Copies of specifications, standards, and other Government documents required by contractors in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)"

2.2, delete line 1 and 2, and substitute the following:

"2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise specified, the issues of the documents which are DOD adopted shall be those listed in the issue of the DODISS specified in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS shall be the issue of the nongovernment documents which is current on the date of the solicitation."

Add the following industry document and parenthetical source statement:

"AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

ASTM D 3951 Packaging, Commercial

(Application for copies of ASTM publications should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)"

Add the following new paragraph 2.3.

"2.3 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein, (except for associated detail specifications, specification sheets or MS standards) the text of this specification shall take precedence. Nothing in this specification, however, shall supersede applicable laws and regulations unless a specific exemption has been obtained."

PAGE 7

3.11.1, line 2, delete "Type 1" and substitute "Type V."

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T07:14Z
Check the source to verify that this is the current version before use.

PAGE 8

4.1, delete in its entirety and substitute the following:

"4.1 Responsibility for inspection. Unless otherwise specified in the contract, or purchase order the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the manufacturer may use his own or any other facilities suitable for the performance of the inspection requirements specified herein with approval by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

Add the following new paragraph 4.1.1:

"4.1.1 Responsibility for compliance. All items must meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of assuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling in quality conformance does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to acceptance of defective material."

PAGE 12

5.1, delete and substitute the following:

"5.1 Packaging. Packaging shall be Level A, C or Commercial as specified (see 6.2)."

5.1.1, delete in its entirety and substitute the following:

"5.1.1 Level A. Each hood shall be folded in half and placed in a heat-sealed bag (see 5.3.1) that is made of a minimum of .0015-inch thick polyethylene. Prior to or during the heat-sealing operation, excess air shall be expelled from the bag to the extent necessary to permit packaging in the intermediate container."

5.1.1.1, delete in its entirety and substitute the following:

"5.1.1.1 Intermediate packaging. Ten hoods of one size only and individually packaged as specified shall be placed in a box conforming to PPP-B-636, Style RSC, Type CF and SF, class domestic, Variety SW, Grade 275. The inside dimensions of the box shall be approximately 9 inches in length, 9 inches in width, and 5 inches in depth. The box shall be secured with gummed tape."

5.1.2, delete and substitute:

"5.1.2 Level C. Hoods shall be packaged to the MIL-STD-794 requirements for this level."

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T07:14Z
Check the source to verify that this is the current version before use.

Add the following new paragraph 5.1.3:

"5.1.3 Commercial. Hoods shall be packaged in accordance with the applicable requirements of ASTM D 3951."

Delete paragraphs 5.2, 5.2.1, 5.2.2, 5.2.3 and substitute the following:

"5.2 Packing. Packing shall be Level A, B, C or Commercial as specified (see 6.2).

5.2.1 Level A. Twelve boxes, containing 120 hoods (ten hoods in each box) of the same size and packaged as specified, shall be packed in a box conforming to overseas type, Style A, Grade A, Type 1, of PPP-B-601. The inside dimensions of the box shall be approximately 19 inches in length, 19 inches in width, and 15½ inches in depth. Each shipping container shall be closed and reinforced in accordance with the appendix of the container specification. Toward the end of the contract or when the quantity of hoods of the same size is less than the quantity required per shipping container, mixed sizes may be packed in the same shipping container.

5.2.2 Level B. Twelve boxes, containing 120 hoods (ten hoods in each box) of the same size and packaged as specified, shall be packed in a box conforming to Class 2, compliance symbol V3c or V3s, Style RSC of PPP-B-636. The inside dimensions of the box shall be approximately 19 inches in length, 19 inches in width, and 15½ inches in depth. Each shipping container shall be closed and reinforced in accordance with the appendix of the container specification. Toward the end of the contract or when the quantity of the hoods of the same size is less than the quantity required per shipping container, mixed sizes may be packed in the same shipping container.

5.2.3 Level C. Hoods, packaged as specified in 5.1, shall be packed to the MIL-STD-794 requirements for this level."

Add the following new paragraph 5.2.4:

"5.2.4 Commercial. Hoods, packaged as specified in 5.1, shall be packed in accordance with the applicable requirements of ASTM D 3951."

5.3 Line 2, after MIL-STD-129, add "or ASTM D-3951."

Add the following new paragraph 5.4 as follows:

"5.4 Palletization. Unitized loads, commensurate with the level of packing specified in the contract or order, shall be palletized in accordance with MIL-STD-147. Palletized loads shall be uniform in size and quantities to the greatest extent possible. If the container is of a size which does not conform to any of the pallet patterns specified in MIL-STD-147, the pallet pattern used shall first be approved by the contracting officer."

6.1, line 2, delete "survival kits."

6.2, add the following subparagraph (e):

"(e) When palletization is required (see 5.4)."

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T07:14Z
Check the source to verify that this is the current version before use.

Custodian
Air Force - 99

Review Activity:
DLA - CT

User Activity:
Air Force - 45

Preparing Activity
Air Force - 82

Project No. 8415-F491

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T07:14Z
Check the source to verify that this is the current version before use.