MIL-P-60412B(PA)
20 December, 1976
SUPERSEDING
MIL-P-60412A(MU)
4 August 1972

MILITARY SPECIFICATION

PACKAGING, PACKING AND MARKING FOR SHIPMENT OF ARTILLERY TYPE AND ROCKET FUZES: GENERAL SPECIFICATION FOR

This specification has been approved for use by Picatinny Arsenal, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers general packaging, packing and marking instructions for shipment of artillery type and rocket fuzes (see 6.1).

1.2 Classification. The packaging, packing, marking and palletizing shall be of the following levels: (See 6.2).

Level A:

Packaging
Packing
Marking
Palletization

Level B:

Packaging
Packing
Marking

Level C:

Packaging
Packing
Marking
Palletization

FSC: 8140

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, Picatinny Arsenal, Dover, New Jersey 07801 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

2. APPLICABLE DOCUMENTS

2.1 Issue of Documents. The following documents of the issue in effect on date of invitation for bids, or request for proposal, form a part of this specification to the exteht specified herein.

SPECIFICATIONS

FEDERAL

NN-P-71	- Pallet, Material, Handling, Wood, Stringer Construction, 2-way and 4-way (partial)
QQ-S-781	- Strapping, Steel and Seals
PPP-B-587	- Boxes, Wood, Wirebound Pallet Type

MILITARY

MIL-P-3938	- Pallet, Material, Handling, Hard-wood, Stringer Construction, 4-way (partial)
MIL-P-15011	- Pallet, Material, Handling, Wood, Post Construction, 4-way Entry

STANDARDS

MILITARY

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-1169	- Packaging, Packing and Marking for Shipment of Inert Ammunition Components

DRAWINGS

PICATINNY ARSENAL

8861213	- Box, Wirebound, Packing Ammunition for Artillery or Rocket Fuzes.
8864492	- Box, Ammo, Metal, For Artillery Type and Rocket Fuzes.
8886458	- Box, Pallet Type, Wirebound, Packing, Ammunition for Artillery Type and Rocket Fuzes (within M2A1 Box)
9214704	- Box, Wirebound, Packing for Artillery Type or Rocket Fuzes.
9214705	- Carton, Packing, Ammunition, for Artillery Type and Rocket Fuzes.
9215019	- Box, Wirebound, Packing Ammunition for Fuze Rocket, M423 and M427.
9215020	- Carton, Packing, Ammunition for Fuze, Rocket, M423 and M427.
9216394	- Box, Ammo, Metal, for Fuze, CP, M78A1 and Booster, M25.
9246386	- Inspection Equipment for Measuring Leakage of Metal Ammunition Containers
9247276	- Box, Wirebound, Packing, Ammunition for Fuze, PD, M567.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

9247277 - Carton, Packing, Ammunition, for Fuze, PD, M567.
9259253 - Box, Ammunition, Metal, for Proximity Fuze, M732.
9272193 - Packing and Marking for Box, Fiberboard, Inner, for Fuze, PD, XM935
9272194 - Packing and Marking for Box, Fiberboard, Outer, for Fuze, PD, XM935

(Copies of specifications, standards, drawings and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer).

3. REQUIREMENTS

3.1 Material. Materials and parts shall be in accordance with applicable drawings and specifications.

3.2 Packaging, packing and marking. The lot of fuzes shall meet the packaging, packing and marking requirements of the level specified in Table I (found at the end of this document).

3.3 Palletization

3.3.1 Level A. Shipping containers shall be palletized in accordance with the instructions of the ordering activity.

3.3.2 Level B. Not applicable

3.3.3 Level C. Shipping containers may be palletized at the contractor's option, unless otherwise directed. Pallets, if used, shall be standard 40 by 48 inch warehouse pallets or pallets in accordance with MIL-P-3938, MIL-P-15011 or NN-P-71. Gross weight shall not exceed 2000 pounds and the pallet load shall be able to withstand stacking without damage to the contents to a minimum height of ten feet. Strapping shall be used, either vertically or horizontally, as necessary to secure all containers in the load. Wood strips, 1" by 4", shall be used on top of carton loads under the strapping; 1" by 4" strips shall also be used on the sides and ends as required for fillers under the strapping. Strapping shall comply with QQ-S-781, Heavy Duty, Finish A or B, and shall be not less than 3/4 by .035. When two-way pallets are utilized, straps placed crosswise to the runners shall be placed between the load and the pallet.

3.4 Workmanship. All packaging, packing and marking operations shall be performed in a thorough, workmanlike manner. All required markings shall be neat and sharply defined.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection and standard quality assurance provisions. Unless otherwise specified herein or in the contract, the provisions of MIL-A-48078 shall apply and are hereby made a part of this detail specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

4.2 Classification of inspections. Quality conformance inspection shall be conducted on this item.

4.3 Quality conformance inspection.

4.3.1 Inspection lot formation. Inspection lots shall comply with the lot formation provisions of MIL-A-48078.

4.3.2 Examination. Unless otherwise specified in the Classification of Defects and test tables, sampling plans for major and minor defects shall be in accordance with MIL-STD-105. Inspection Level II (see MIL-A-48078).

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS MIL-P-60412B (PA)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 8864492,9216394 or 9259253, as applicable
4.3.2.1	Box, Packing (prior to closing)				NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical:	None defined.				
Major:					
101.	Support missing or incorrect		0.40%	3.1	Visual
102.	Incorrect number of assemblies		0.40%	3.1	Visual
103.	Desiccant bag missing or torn (if applicable)		0.40%	3.1	Visual
104.	Wrench missing (when required)		0.40%	3.1	Visual
Minor:					
201.	Desiccant holder missing		0.65%	3.1	Visual

NOTES:

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS MIL-P-60412B (PA)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 8864492, 9216394 or 9259253 as applicable
4.3.2.2	Box, Packing (closed)				NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical:	None defined				
Major:					
101.	Hardware improperly engaged		0.40%	3.1	Visual
102.	Box dented or deformed		0.40%	3.1	Visual
103.	Box punctured		0.40%	3.1	Visual
104.	Marking missing, illegibe or incorrect		0.40%	3.1	Visual
105.	Contents move when box is tilted.		0.40%	3.1	Manual
Minor:					
201.	Bare spot on exterior		0.65%	3.1	Visual

NOTES:

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS MIL-P-60412B (PA)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 8861213, 9214704, 9215019 or 9247276 as applicable
4.3.2.3	Box, Wirebound, Packing				NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHO
Critical:	None defined				
Special					
a.	DOT marking missing, incorrect or illegible (when applicable).		0.040%	3.1	Visual
Major:					
101.	Contents loose when box is tilted		0.40%	3.1	Manual
102.	Wire missing, broken or loose		0.40%	3.1	Visual/Manual
103.	Wire improperly secured		0.40%	3.1	Visual
104.	Board broken or split		0.40%	3.1	Visual
Minor:					
201.	Marking (other than DOT marking) misleading or unidentifiable		0.65%	3.1	Visual
202.	Car seal missing, unsealed or improperly positioned (when required)		0.65%	3.1	Visual

NOTES:

SARPA QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

MIL-P-60412B (PA)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 8886458
4.3.2.4	Box, Pallet Type, Wirebound				NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METH
Critical:	None defined				
Special:					
a.	DOT marking missing, incorrect or illegible (when applicable).		0.040%	3.1	Visual
Major:					
101.	Skids missing, broken or loose		0.40%	3.1	Visual/Manual
102.	Strapping, missing, loose, engaged improperly or mislocated		0.40%	3.1	Visual/Manual
103.	Wires damaged, staples missing or loose		0.40%	3.1	Visual/Manual
104.	Boards broken or split full length		0.40%	3.1	Visual
105.	Closing loops not fastened		0.40%	3.1	Visual
106.	Number of containers incorrect		0.40%	3.1	Visual
Minor:					
201.	Skids partially split		0.65%	3.1	Visual
202.	Boards partially split		0.65%	3.1	Visual
203.	Binding wires loose		0.65%	3.1	Visual
204.	Closing loops loose or improperly engaged		0.65%	3.1	Visual/Manual
205.	Marking (other than DOT marking) misleading or unidentifiable		0.65%	3.1	Visual

NOTES:

SARPA QA FORM 2567 FEB 74

CLASSIFICATION OF DEFECTS & TESTS MIL-P-60412B (PA)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9214705,9215020,9247277 9272193 or 9272194 as
4.3.2.5	Carton, Packing (prior to sealing)				NEXT HIGHER ASSEMBLY applicable
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METH
Critical:	None defined				
Major:					
101.	Separator of filler missing (as applicable)		0.40%	3.1	Visual
102.	Incorrect number of components		0.40%	3.1	Visual
103.	Components packed incorrectly		0.40%	3.1	Visual
104.	Carton interior contaminated with dirt, line or other foreign matter.		0.40%	3.1	Visual
Minor:	None defined				

NOTES.

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE				DRAWING NUMBER
4.3.2.6	Carton, Packing (after sealing)		SHEET 1 OF 1		9214705, 9215020, 9247277, 9272193 or 9272194 as
					NEXT HIGHER ASSEMBLY applicable
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical:	None defined				
Major:					
101.	Contents loose when carton is tilted		0.40%	3.1	Manual
102.	Carton damaged exposing contents		0.40%	3.1	Visual
103.	Carton improperly closed or sealed		0.40%	3.1	Visual
Minor:					
201.	Marking missing, incorrect or illegible		0.65%	3.1	Visual

NOTES:

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

4.3.3 Testing.

4.3.3.1 Air leakage test. (See dwg 8864492, 9216394 or 9259253, as applicable) Major defect - The sampling plan for this test shall be in accordance with MIL-STD-105, Code Letter G and an AQL of 0.40 percent, The test shall be performed as specified in 4.4.1 using equipment in accordance with 4.3.3.2.

4.3.3.2 Inspection equipment. The inspection equipment required to perform the inspection is identified in the test method (4.4) paragraph herein. The government reserves the right to inspect the contractor's equipment and determine that he has available and utilizes correctly, measuring and test equipment of the required accuracy and precision and that the instruments are of the proper type and range to make measurements of the required accuracy. Commercial inspection equipment shall be employed where applicable for all tests and examinations specified in 4.5. The contractor is responsible for assuring that proper calibration procedures are followed. Government approval of all inspection equipment is required prior to its use for acceptance purposes (see 6.3).

4.4 Test methods and procedures. (see 6.4)

4.4.1 Air leakage test. The boxes shall be tested using the procedure and test equipment as specified in drawing (dwg) 9246386. Under no circumstances shall water be employed as a test media.

5. PREPARATION FOR DELIVERY

5.1 Not applicable.

6. NOTES

6.1 Intended use. This specification is intended for use to cover general packaging, packing and marking instructions for shipment of loaded fuzes, partially loaded fuzes and assembled metal parts. The requirements in this specification are intended to clarify and to state the specific packaging requirements necessary to cover shipment of fuzes during manufacture, loading and assembly.

6.2 Ordering data. See MIL-A-48078

6.3 Submission of inspection equipment designs for approval See MIL-A-48078. Submit equipment designs, as required, to Commander, Picatinny Arsenal, ATTN: SARPA-QA-T, Dover, New Jersey 07801.

6.4 Test methods or equipment Prior approval of the Contracting Officer is required for use of equivalent test methods or equipment. A description of the proposed method or equipment should be submitted through the Contracting Officer to: Commander, ATTN: SARPA-QA-A-P, Picatinny Arsenal, Dover, New Jersey 07801. This description should include but not be limited to the procedures used, the accuracy and precision of the method or equipment, test data to demonstrate the accuracy and precision and drawings of any special equipment required.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

6.5 Packaging and packing definitions.

6.5.1 Level A. Packaging and packing at Level A will be utilized when:

a. overseas shipment

b. fuzes are fully assembled by a fuze manufacturer or a government installation and shipped directly overseas.

6.5.2 Level B. Packaging and packing at Level B will be utilized for shipment:

a. of fuzes from a fuze manufacturer to a loading plant within the continental United States (CONUS) when it is apparent that the fuzes are destined to be shipped overseas separately. (The metal box and inner supports utilized in the CONUS shipment, if in satisfactory condition, will be reused for the overseas shipment).

b. when long term storage is anticipated.

6.5.3 Level C. Packaging and packing at Level C will be utilized for:

a. shipment from a fuze manufacturer to a loading plant within CONUS when it is apparent that the fuzes will not be shipped overseas separately.

b. shipment from one loading facility to another loading facility (within CONUS) for additional work or assembly to end item. (Applicable except when "use Level B" appears in Level C column of Table I).

6.5.4 General packaging and packing notes.

a. Packaging and packing may be reused between manufacturers and loading facilities if in satisfactory condition.

b. Fiber containers, if available, may be reused for Level B and C shipments. New containers will not, however, be procured. When the existing supply of fiber containers has been depleted, the specified packaging and packing will be utilized with the exception of the M275 Fiber Container, Dwg. 7548122, and Box, Wooden, Dwg. 7548123, which may be used for Level C shipment of Fuze, PD, M524 Series and Fuze, PD, M519.

Custodian:

ARMY - PA

Preparing Activity:

ARMY - PA

Project Number: 8140-A408

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

TABLE I

FUZE DESIGNATION	Level A (Overseas Shipment) PACKAGING DRAWING NUMBER	Level A (Overseas Shipment) PACKING DRAWING NUMBER	Level B (Long Term Shipment) PACKAGING DRAWING NUMBER	Level B (Long Term Shipment) PACKING DRAWING NUMBER	Level C (Interplant Shipment) PACKAGING DRAWING NO. SPEC. NO.	Level C (Interplant Shipment) PACKING DRAWING NO. SPEC. NO
Fuze, PD, M48A3	F8864492 sheets 1,2&3	C8861213 sheets 1&2	F8864492 sheets 1,2&3	C8886458 sheets 1&2	C9214705	C9214704
Fuze, PD, M51A5	"	"	"	"	"	"
Fuze, PD, M81A1	"	"	"	"	"	"
Fuze, PD, T212E6	"	"	"	"	"	"
Fuze, PD, M508A1	"	"	"	"	"	"
Fuze, PD, M519	"	"	"	"	Use Level B	Use Level B
Fuze, PD, M524 M524A5 M524A6	"	"	"	"	C9214705	C9214704
Fuze, PD, M526 M526A1 M526A2E1	"	"	"	"	"	"
Fuze, PD, M535	"	"	"	"	"	"
Fuze, PD, M557	"	"	Use Level A	Use Level A	Use Level A	Use Level A

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

TABLE I (cont'd)

FUZE DESIGNATION	Level A (Overseas Shipment) PACKAGING DRAWING NUMBER	Level A (Overseas Shipment) PACKING DRAWING NUMBER	Level B (Long Term Shipment) PACKAGING DRAWING NUMBER	Level B (Long Term Shipment) PACKING DRAWING NUMBER	Level C (Interplant Shipment) PACKAGING DRAWING NO. SPEC. NO.	Level C (Interplant Shipment) PACKING DRAWING NO. SPEC. NO.
Fuze, PD, M567	N/A	N/A	N/A	N/A	C9247277	C9247276
Fuze, PD, XM935	"	"	"	"	C9272193	C9272194
Fuze, PD, M572	F8864492 sheets 1,2&3	C8861213 sheets 1&2	Use Level A	Use Level A	Use Level A	Use Level A
Fuze, PD, XM716	"	"	F8864492 sheets 1,2&3	C8886458 sheets 1&2	Use Level B	Use Level B
Fuze, PD, M739	"	"	Use Level A	Use Level A	Use Level A	Use Level A
Fuze, MTSQ M500A1	"	"	F8864492 sheets 1,2&3	C8886458 sheets 1&2	C9214705	C9214704
Fuze, MTSQ, M502A1	"	"	"	"	"	"
Fuze, MTSQ, M518	"	"	"	"	"	"
Fuze, MTSQ, M520	"	"	"	"	"	"
Fuze, MTSQ, M548	"	"	"	"	Use Level B	Use Level B

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

TABLE I (cont'd)

FUZE DESIGNATION	Level A (Overseas Shipment) PACKAGING DRAWING NUMBER	Level A (Overseas Shipment) PACKING DRAWING NUMBER	Level B (Long Term Shipment) PACKAGING DRAWING NUMBER	Level B (Long Term Shipment) PACKING DRAWING NUMBER	Level C (Interplant Shipment) PACKAGING DRAWING NO. SPEC. NO.	Level C (Interplant Shipment) PACKING DRAWING NO. SPEC. NO.
Fuze, PD, M739 Fuze Body Assembly	N/A	N/A	N/A	N/A	F8864492 sheets 1,2&3	C8886458 sheets 1&2
Fuze, MTSQ, M564	F8864492 sheets 1,2&3	C8861213 sheets 1&2	F8864492 sheets 1,2&3	C8886458 sheets 1&2	C9214705	C9214704
Fuze, Proximity, M517	"	"	"	"	"	"
Fuze, Proximity, M532	"	"	"	"	"	"
Fuze, Proximity, M732	F9259253	"	N/A	N/A	N/A	N/A
Fuze, MT, T369	F8864492 sheets 1,2&3	"	F8864492 sheets 1,2&3	C8886458 sheets 1&2	C9214705	C9214704
Fuze, MT, XM558	"	"	"	"	Use Level B	Use Level B
Fuze, MT, M562	"	"	"	"	C9214705	C9214704
Fuze, MT, M563	"	"	"	"	"	"
Fuze, MT, M565	"	"	"	"	"	"
Fuze, MT, M571	F8866492 sheets 1,2&3	C8861213 sheets 1&2	F8864492 sheets 1,2&3	C8886458 sheets 1&2	C9214705	C9214704

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

TABLE I (cont'd)

FUZE DESIGNATION	Level A (Overseas Shipment) PACKAGING DRAWING NUMBER	Level A (Overseas Shipment) PACKING DRAWING NUMBER	Level B (Long Term Shipment) PACKAGING DRAWING NUMBER	Level B (Long Term Shipment) PACKING DRAWING NUMBER	Level C (Interplant Shipment) PACKING DRAWING NO. SPEC. NO.	Level C (Interplant Shipment) PACKING DRAWING NO. SPEC. NO.
Fuze, MT, M577	"	"	"	"	N/A	N/A
Fuze, MT, M582	"	"	"	"	Use Level A or B as applicable	Use Level A or B as applicable
Fuze, MT, M592	"	"	"	"	C9214705	C9214704
Fuze, MT, M711	N/A	N/A	N/A	N/A	"	"
Fuze, Rocket, M423	F8864492 sheets 1,2&3	C8861213 sheets 1&2	F8864492 sheets 1,2&3	C8886458 sheets 1&2	C9215020	C9215019
Fuze, Rocket, M427	"	"	"	"	"	"
Fuze, Rocket, M429	"	"	"	"	Use Level B	Use Level B
Fuze, Rocket, XM432E1	"	"	"	"	"	"
Fuze, Rocket, M433	"	"	"	C8861213	F8864492 sheets 1,2&3	C8861213 sheets 1&2
Fuze, CP, M78A1 (with Booster M25)	F9216394	C8861213 sheets 1&2	N/A	N/A	MIL-STD-1169	MIL-STD-1169
Fuze, Time, XM561E1	N/A	N/A	F8864492 sheets 1,2&3	C8886458 sheets 1&2	N/A	N/A

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Armement Research and Development Command
ATTN: DRDAR-TST-S
Dover, NJ 07801

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*:
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:35Z
Check the source to verify that this is the current version before use.