METRIC


DOD-M-24672/10(SH)
27 October 1986
SUPERSEDING
NAVSHIPS DRAWING
815-1197333
(REV A)
14 April 1964

MILITARY SPECIFICATION SHEET

MOLD - SPLIT CAVITY FOR MOLDING 90-DEGREE PLUGS
SYMBOL 1224 USED WITH RESISTANCE TEMPERATURE DETECTORS (METRIC)

This specification is approved for use within the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the mold described herein shall consist of this specification and the latest issue of DOD-M-24672.




SH 131675

FIGURE 1. Mold assembly, typical. (01)

NOTES:
1. All dimensions in inches.
2. Unless otherwise specified herein, tolerances shall be plus or minus 0.02 for two-place decimals, plus or minus 0.005 for three-place decimals, and plus or minus 0 degree 15 minutes for angular dimensions.


AMSC N/A FSC 5935
DISTRIBUTION STATEMENT A Approved for public release, distribution unlimited

Source: https://assist.dla.mil -- Downloaded: 202610-20T00:54Z
Check the source to verify that this is the current version before use.



SH 131676


FIGURE 2. Mold, top section. (02)



SH 131677


FIGURE 3. Mold, bottom section. (03)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T00:54Z
Check the source to verify that this is the current version before use.




SH 131678

FIGURE 4. Clamp, cable. (04)




SH 131679

FIGURE 5. Pin, guide. (05)



SH 131680


FIGURE 6. Spacer. (06)



SH 131681

FIGURE 7. Plug, spacer. (07)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T00:54Z
Check the source to verify that this is the current version before use.



SH 131682

FIGURE 8. Support, cable. (08)

Source: https://assist.dla.mil -- Downloaded: 202610-20T00:54Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

The mold shall be used for molding a 90-degree plug which is to be used with a resistance temperature detector. For molding procedures, see NAVSHIPS drawing 815-1197332.

DESIGN:

Dimensions and configuration: See figures 1 through 8.
Material: As specified in table II.
Surface finish: Surface finish shall be roughness average 63, except as specified herein and shall be in accordance with ANSI B46.1.
Parts list: The parts shown in table II shall be used in the construction of the mold assembly shown herein.

GENERAL INFORMATION:

Military part number is shown in table I.

TABLE I. Military part number and general information.

Part number	Description
D24672/10-001	Mold assembly for 90 degree plug to be used with resistance temperature detector.

TABLE II. Parts list.

Item no 1/	Description	Quantity per assembly, D24672/10-001	Material specification	Remarks
01	Mold assembly	---	-----	Figure 1
02	Mold, top section	1	AL Alloy #6061(T6) ASTM B 211	Figure 2
03	Mold, bottom section	1	AL Alloy #6061(T6) ASTM B 211	Figure 3
04	Clamp, cable	1	AL Alloy #6061(T6) ASTM B 211	Figure 4
05	Pin, guide	4	Steel, MIL-S-8559	Figure 5
06	Spacer	1	AL Alloy #6061(T6) ASTM B 211	Figure 6
07	Plug, spacer	1	AL Alloy #6061(T6) ASTM B 211	Figure 7
08	Support cable	1	AL Alloy #6061(T6) ASTM B 211	Figure 8

See footnotes at end of table

Source: https://assist.dla.mil -- Downloaded: 202640-20T00:54Z
Check the source to verify that this is the current version before use.

TABLE II. Parts list. - Continued

Item no 1/	Description	Quantity per assembly, D24672/10-001	Material specification	Remarks
09	Screw, cap, socket hd 0.190-24 UNC-2A x 0.50 L	2	Steel, Commercial (Coml)	----
10	Screw, cap, socket hd 0.25-20 UNC-2A x 1 L	4	Steel, Coml	---- 2/
11	Insert, heli-coil	6	MS122081	----

1/ Item numbers are the same as numbers shown in circles on figures.
2/ Item 10 may be used for separating the mold halves after molding.

Preparing activity:
Navy - SH
(Project 5935-N263-10)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T00:54Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS In a continuing effort to make our standardization documents better, the DoD provides this form for use in bmitting comments and suggestions for improvements All users of military standardization documents are invited to provide ggestions This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems Enter in block 6 any remarks not related to a specific paragraph of the document If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered

NOTE This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

COMMANDER
NAVAL SEA SYSTEMS COMMAND (SEA 5523)
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20362 -5101

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDER
NAVAL SEA SYSTEMS COMMAND (SEA 5523)
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20362-5101

Source: https://assist.dla.mil -- Downloaded: 202610-20T00:54Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions Reverse Side)

1 DOCUMENT NUMBER	2 DOCUMENT TITLE
DOD-M24672/10(SH)	MOLD, SPLIT CAVITY FOR MOLDING 90-DEGREE PLUGS SYMBOL 1224 USED WITH RESISTANCE TEMPERATURE DETECTORS (METRIC)

3a. NAME OF SUBMITTING ORGANIZATION	4 TYPE OF ORGANIZATION (Mark one)
	☐ VENDOR
b. ADDRESS (Street City State ZIP Code)	☐ USER
	☐ MANUFACTURER
	☐ OTHER (Specify) _____

5 PROBLEM AREAS

a. Paragraph Number and Wording

b. Recommended Wording

c. Reason/Rationale for Recommendation

6 REMARKS

7a. NAME OF SUBMITTER (Last First MI) – Optional	b. WORK TELEPHONE NUMBER (Include Area Code) – Optional
c. MAILING ADDRESS (Street City State ZIP Code) – Optional	8. DATE OF SUBMISSION (YYMMDD)

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 202640-20T00:54Z
Check the source to verify that this is the current version before use.