
METRIC
DOD-M-24672/7(SH)
27 October 1986
SUPERSEDING
NAVSHIPS DRAWING
815-1197334
(REV A)
14 April 1964

MILITARY SPECIFICATION SHEET

MOLD - SPLIT CAVITY - FOR UNGROUNDED RG-17A/U HULL
FITTING PLUG - SYMBOL 1225 (METRIC)

This specification is approved for use within the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the mold described herein shall consist of this specification and the latest issue of DOD-M-24672.




SH 131645

FIGURE 1. Mold assembly, typical. (01)

NOTES:
1. All dimensions in inches.
2. Unless otherwise specified herein, tolerances shall be plus or minus 0.02 for two-place decimals, plus or minus 0.005 for three-place decimals, and plus or minus 0 degree 15 minutes for angular dimensions.

AMSC N/A FSC 5935
DISTRIBUTION STATEMENT A Approved for public release; distribution unlimited

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T00:54Z
Check the source to verify that this is the current version before use.




SECTION A-A

SH 131646


FIGURE 2. Mold, top section. (02)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T00:54Z
Check the source to verify that this is the current version before use.




SH 131647

FIGURE 3. Mold, bottom section. (03)



SH 131648


FIGURE 4. Pin, guide. (04)



SH 131649

FIGURE 5. Pin, guide. (05)


Source: https://assist.dla.mil -- Downloaded: 2026-10-20T00:54Z
Check the source to verify that this is the current version before use.



SH 131650

FIGURE 6. Insert, top. (06)


Source: https://assist.dla.mil -- Downloaded: 2026-10-20T00:54Z
Check the source to verify that this is the current version before use.



SH 131651


FIGURE 7. Insert, bottom. (07)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T00:54Z
Check the source to verify that this is the current version before use.




SH 131652

FIGURE 8. Clamp, plug. (08)



SH 131653

FIGURE 9. Retainer, plug. (09)



SH 131654

FIGURE 10. Clamp, cable. (10)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T00:54Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

The mold shall be used for molding symbol 1225. Molding procedures shall be in accordance with NAVSHIPS drawing 815-1197335.

DESIGN:

Dimensions and configuration: See figures 1 through 10.
Material: As specified in table II.
Surface finish: Surface finish shall be roughness average 63, except as specified herein and shall be in accordance with ANSI B46.1.
Parts list: The parts shown in table II shall be used in the construction of the mold assembly shown herein.

GENERAL INFORMATION:

Military part number is shown in table I.

TABLE I. Military part number.

Part number	Item name
D24672/7-001	Mold assembly for hull fitting plug (symbol 1225) using RG-17A/U cable

TABLE II. Parts list.

Item no 1/	Description	Quantity per assembly, D24672/7-001	Material specification	Remarks
01	Mold assembly	——	——	Figure 1
02	Mold, top section	1	AL Alloy #6061(T6) ASTM B 211	Figure 2
03	Mold, bottom section	1	AL Alloy #6061(T6) ASTM B 211	Figure 3
04	Pin, guide	2	Steel, MIL-S-8559	Figure 4
05	Pin, guide	4	Steel, MIL-S-8559	Figure 5
06	Insert, top	1	AL Alloy #6061(T6) ASTM B 211	Figure 6
07	Insert, bottom	1	AL Alloy #6061(T6) ASTM B 211	Figure 7
08	Clamp, plug	1	AL Alloy #6061(T6) ASTM B 211	Figure 8
09	Retainer, plug	1	AL Alloy #6061(T6) ASTM B 211	Figure 9
10	Clamp, cable	1	AL Alloy #6061(T6) ASTM B 211	Figure 10
11	Screw, cap, socket hd 0.312-18 UNC-2A x 0.43 L	4	Steel, Commercial (Coml)	——
12	Screw, cap, socket hd 0.312-18 UNC-2A x 1.75 L	4	Steel, Coml	—— 2/
13	Screw, cap, socket hd 0.312-18 UNC-2A x 2.5 L	6	Steel, Coml	——
14	Insert, heli-coil	12	MS122082	——

See footnotes at top of next page.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T00:54Z
Check the source to verify that this is the current version before use.

1/ Item numbers are the same as numbers shown in circles on figures.
2/ Screws, item 12, to be used for separating mold halves after molding.

Preparing activity:
Navy - SH
(Project 5935-N263-7)

Source: https://assist.dla.mil Downloaded: 2026-10-20T00:54Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE. This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

COMMANDER
NAVAL SEA SYSTEMS COMMAND (SEA 55Z3)
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20362-5101

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDER
NAVAL SEA SYSTEMS COMMAND (SEA 55Z3)
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20362-5101

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T00:54Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2 DOCUMENT TITLE
DOD-M-24672/7(SH)	MOLD - SPLIT CAVITY - FOR UNGROUNDED RG-177/U HULL FITTING PLUG - SYMBOL 1225 (METRIC)

3a. NAME OF SUBMITTING ORGANIZATION	4 TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)* _____

5 PROBLEM AREAS

a. Paragraph Number and Wording

b. Recommended Wording

c Reason/Rationale for Recommendation

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE

Source: https://assist.dla.mil – Downloaded: 2026-10-20T00:54Z
Check the source to verify that this is the current version before use.