MIL-M-25848B(USAF)
30 April 1975
Supersedes
MIL-T-25848A(USAF)
10 October 1963

MILITARY SPECIFICATION

TECHNICAL MANUAL: AIRCREW, SPECIAL WEAPON AIR-TO-GROUND MISSILE DELIVERY, STRATEGIC BOMBER AIRCRAFT, PREPARATION OF

1. SCOPE. This specification covers the detailed requirements for the preparation of technical manuals for the delivery of special weapons (air-to-surface missiles) by strategic bomber aircraft.

2. APPLICABLE DOCUMENTS. The following documents, of the issue in effect on the date of invitation for bids, form a part of this specification to the extent specified herein:

SPECIFICATIONS

Military

MIL-M-38784	Manual, Technical, General Requirements for Preparation of
MIL-P-38790	Printing Production of Technical Manuals General Requirements for (Photolithographic Negatives, Reproduction Assembly, Printing)

TECHNICAL ORDER

TO 00-5-1	AF Technical Order System
TO 00-5-2	Technical Order Distribution and Requisition System

(Copies of documents required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

FSC TMSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T07:21Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 GENERAL REQUIREMENTS

3.1.1 General Specifications. The requirements of MIL-M-38784 and MIL-P-38790 apply as requirements of this specification with the exceptions and additions called out herein. When the general specifications and this specification conflict, this specification shall govern. The technical manual shall be submitted in the form of negatives.

3.1.1.1 Exceptions to MIL-M-38784. The following exceptions to MIL-M-38784 shall apply:

a. Lists. Lists of tables, illustrations, and Time Compliance Technical Orders (TCTO) are required.

b. Tables. Tables shall not be considered illustrations; they shall be assigned table numbers. Table numbers shall be assigned in the manner specified for figure numbers; for example, Table 2-1 would be the first table in Section II.

c. Blank Pages. Sections shall begin on a right-hand page; portions of sections (subsections) shall not start on a new page.

d. Illustrations. Illustrations may be used more than once, providing such use serves some essential purpose and creates no confusion. Reference in the text to the illustration need not state specifically the purpose of the illustration if the purpose is obvious.

e. Numbering of Steps in Aircrew Procedures and Checklists. For aircrew procedures, steps shall be assigned consecutive, arabic numerals after each heading. The first step within each subsection shall be numbered "1". If required, "Alternate" designation may be used.

f. Reference to other Publications. Reference to other pertinent publications may be made. However, reference to specific paragraphs or sentences shall not be made. If a small amount of information is needed (one printed page maximum) from another publication, the applicable portion shall be extracted, modified if necessary, and included in the manual. If reference to the entire contents or a major portion of another publication is necessary, the cross reference shall be only to the applicable publication number. References shall not be made to another publication which requires still further reference to a third publication.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T07:21Z
Check the source to verify that this is the current version before use.

g. Figure Numbers and Figure Titles. Figure numbers and figure titles shall not be used in the aircrew procedures sections except when required to emphasize a specific procedural step. Figure title may be placed within an illustration.

h. Color. Color may be used for schematic clarification. Color may also be used for emphasis in the procedures and escape data portion.

i. Abbreviations. Abbreviations that are normally lower case need not be capitalized.

j. Text Presentation. Text shall be presented in a relaxed format; i.e., single column (typed across the page) with unjustified right hand margin. Final type size of the text shall be approximately 10 point. Art work shall be integrated with the text.

k. Warnings, Cautions, and Notes. Use and format of warnings, cautions, and notes shall be as prescribed in MIL-M-38784.

l. Revisions. Change bars shall be required in revisions.

m. Flagging. Any flagging used shall be explained in the TO introduction.

n. Nomenclature. Nomenclature shall be standardized throughout the manual. If authorized, nomenclature may be shortened or abbreviated to its common name.

3.1.2 Type of Manual to Be Prepared. The technical manual shall be a standard size, 8-1/4 by 10-3/4 inches trim size. The basic manual shall be unclassified, with all classified data presented in a separate, classified manual. Information shall not be duplicated in the basic manual and the classified manual; however, each shall reference the other when necessary. Arrangement of the classified manual shall parallel the basic manual; entire sections may be covered in either.

3.2 ARRANGEMENT. The basic technical manual and the classified manual shall have the following arrangement:

a. Front Matter

b. Section I - Description

c. Section II - Normal Aircrew Procedures

d. Section III - Emergency Aircrew Procedures

e. Section IV - Supplementary Data

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T07:21Z
Check the source to verify that this is the current version before use.

f. Section V - Operation Limitations

g. Section VI - Ranging and Ballistics, or Mission Planning

h. Section VII - Systems Operation

i. Alphabetical Index

Arrangement (number of sections and their specific titles) may be adjusted to meet using command requirements.

3.2.1 Front Matter. The front matter for each manual shall consist of the following items:

Title Page
List of Effective Pages
Table of Contents
Introduction

3.2.1.1 Title Page. The title page shall be prepared in accordance with MIL-M-38784. In addition, one of the following notices, as applicable, shall be placed on the title page:

a. For unclassified manuals:

Each transmittal of this document outside the Department of Defense must have prior approval of the Technical Order Distribution Control Activity. Refer to TO 00-5-2.

b. For classified manuals:

In addition to security requirements which apply to this document and which must be met, each transmittal outside the Department of Defense must have prior approval of the Technical Order Distribution Control Activity. Refer to TO 00-5-2.

3.2.1.2 List of Effective Pages. The list of effective pages shall be prepared in accordance with the requirements of MIL-M-38784.

3.2.1.3 Table of Contents. The manual shall contain a table of contents prepared in accordance with the requirements of MIL-M-38784. In addition, each section shall have a table of contents listing the major headings within the section. Text shall begin immediately below the section table of contents. When the table of contents is brief (less than one-half of a page), the Introduction shall begin immediately below the table of contents.

3.2.1.4 Introduction. The introduction shall be prepared in accordance with the requirements of MIL-M-38784. Also the following additional requirements apply:

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T07:21Z
Check the source to verify that this is the current version before use.

a. A brief statement of the purpose and scope of the manual and of the content of each section.

b. Definitions of the following terms: Warning, Caution, and Note.

c. Statements concerning technical responsibility for the manual and submission of change requests and comments.

d. Any other data required by the responsible engineering agency.

3.2.2 Section I - Description. This section shall contain descriptive data on the missile and aircraft components which directly concern delivery of the missile from the aircraft.

3.2.3 Section II - Normal Aircrew Procedures. This section, prepared in the form of illustrated checklists, shall contain instructions for the performance of all functions from the time the aircrew reports to a loaded aircraft through afterlanding. Procedures shall cover strike, deployment, aborted missions and ferry missions. Each step shall consist of an unclassified demand-response line, followed by an amplification where required.

3.2.3.1 Procedure shall normally be presented for the following headings:

Part I - Preflight Procedures
Pretakeoff Procedures
Inflight Procedures
Strike Launch Procedures
Abort Strike Mission Procedures
Simulated Launch Procedures
Prelanding Procedures
Afterlanding Procedures

Part II - Ferry Procedures
Preflight Procedures
Pretakeoff Procedures
Prelanding Procedures
Afterlanding Procedures

NOTE: Internal arrangement of Parts I and II may be varied to fit specific using command requirements.

3.2.3.2 Illustrations in this section shall be as small as practical, preferably, not wider than 20 picas. Each step (demand-response line item) shall be placed on one line if possible.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T07:21Z
Check the source to verify that this is the current version before use.

3.2.4 Section III - Emergency Aircrew Procedures. This section shall contain procedures for emergencies involving the weapon or the aircraft with a missile aboard. Escape data, trouble analysis dealing with abnormal missile conditions, abnormal missile monitoring and control indications, missile ballistic drop, and jettison procedures shall be included. Each page of the emergency procedures section shall be marked in accordance with MIL-M-38784.

3.2.5 Section IV - Supplementary Data. This section shall contain information on radio call procedures, unscheduled landings, weapon effects, and any other pertinent data.

3.2.6 Section V - Operating Limitations. This section shall contain all important missile and weapon system limitations that must be considered in planning and carrying out a mission.

3.2.7 Section VI - Ranging and Ballistics or Mission Planning. This section shall contain missile performance data, charts and graphs, ballistic drop data, planning forms, and mission planning as applicable. Sample problems shall illustrate use of the charts and planning forms.

3.2.8 Section VII - Systems Operation. This section shall contain information concerning operation of the various missile systems. Guidance system operation, guidance performance, and missile system malfunction analysis shall be included.

3.2.9 Alphabetical Index. An alphabetical index shall be prepared in accordance with the requirements of MIL-M-38784.

3.3 MAINTENANCE. Maintenance of the manual shall be in accordance with MIL-M-38784, with the exception called out in 3.1.1.1 herein.

3.4 NEGATIVES. Negatives furnished shall meet the requirements of MIL-M-38784.

4. QUALITY ASSURANCE PROVISIONS

4.1 Manuals and Checklists (Basic and Revisions)

4.1.1 In-process Review. Draft manuscripts shall be reviewed as scheduled during the writing process. Comments and corrections resulting from this review shall be incorporated into the review copy or preliminary technical order (TO). The provisions of TO 00-5-1 for validation shall apply.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T07:21Z
Check the source to verify that this is the current version before use.

4.1.2 Review Conference Verification. Unless otherwise specified in the contract, a review conference shall be held at the contractor's facility, or if combined with a verification, at an operational location. Review copies shall normally be in the form of a preliminary TO, with text double spaced and containing all required art. The manual shall be reviewed/verified for technical adequacy and accuracy. Classification markings, if required, shall also be reviewed at this time. Before preparation of reproducible copy is begun, a final manuscript review may be required to insure incorporation of all review/verification inputs.

4.1.3 Prepublication Review. Reproducible copy of the manual and checklist (if required) shall be reviewed by the Government as contractually specified for technical adequacy and accuracy and for conformance to specifications. Reproducible copy shall meet the requirements of MIL-M-38784.

4.1.4 Review of Reproducible Copy. Prior to preparation of negatives, and after the contractor quality control review, reproducible copy shall be reviewed by the responsible engineering agency for technical accuracy and conformance to specifications.

4.1.5 Proof Copies. Four proof copies, reproduced from the final negatives by ozalid or other means, shall be forwarded to the responsible engineering agency on or before the date of shipment of negatives.

4.2 CHANGES

4.2.1 Preliminary Review. Preliminary drafts of the manuscripts shall be submitted to the responsible engineering agency for review. Manuscript for changes shall be clear and legible and shall include as a minimum, a listing of the art work to be used. Comments and corrections resulting from this review shall be returned to the contractor for inclusion in the final negatives.

4.2.1.1 Review of Reproducible Copy and Proof Copies. Reproducible copy of changes shall be reviewed and proof copies furnished as specified for the basic manual.

4.3 REVISIONS. Revisions shall be prepared, reviewed and approved, and proof copies furnished as specified for the basic manual.

5. PREPARATION FOR DELIVERY

5.1 NEGATIVES. Negatives shall be prepared for shipment as required in MIL-P-38790. The provisions of MIL-P-38790 relative to use of reproduction assembly sheets with negative shipments shall apply.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T07:21Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Intended Use. Technical manuals prepared to this specification are for use of strategic bomber aircrews in the delivery of special weapons (air-to-ground missiles).

6.2 Responsible Engineering Agency. The Air Force Weapons Laboratory is the responsible engineering agency for technical manuals prepared according to this specification.

6.3 Review of Reproducible Copy. The review of reproducible copy is not intended to replace the contractor's quality control inspection.

NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility or any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

Custodian
Air Force - 15

Review Activity
Air Force - 16, 10

Preparing Activity
Air Force - 15

Project No. TMSS-F409

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T07:21Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T07:21Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

AFWL/SEEW
Kirtland AFB, New Mexico 87117

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T07:21Z
Check the source to verify that this is the current version before use.