
MILITARY SPECIFICATION SHEET

SWITCH, ROTARY, SOLENOID OPERATED, (SWITCHBOARD-SELECTOR), SWITCH ASSEMBLY

This specification sheet is approved for use by the Naval Electronic Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the switch assembly described herein shall consist of this document and the latest issue of Specification MIL-S-28714.




FRONT VIEW

FIGURE 1. Switch assembly

(B) denotes changes

FSC 5930


Source: https://assist.dla.mil -- Downloaded: 2026-10-20T13:47Z
Check the source to verify that this is the current version before use.



TOP VIEW

FIGURE 1 Switch assembly. - Continued


Source: https://assist.dla.mil -- Downloaded: 2026-10-20T13:47Z
Check the source to verify that this is the current version before use.



SIDE VIEW

FIGURE 1. Switch assembly. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T13:47Z
Check the source to verify that this is the current version before use.



REAR VIEW

FIGURE 1. Switch assembly. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T13:47Z
Check the source to verify that this is the current version before use.

INCHES	MM
.001	.03
.003	.08
.005	.13
.031	.79
.062	1.57
.185	4.70
.187	4.75
.190	4.83
.248	6.30
.250	6.35
.375	9.52
.406	10.31
.500	12.70
.531	13.49
.750	19.05
1.375	34.92
3.875	98.42
4.439	112.75
5.250	133.35
5.406	137.31
6 375	161.92
6.687	169.85
12.312	312.72
13.500	342.90


Stock list (switch assembly)

Item number	Nomenclature	Number required
10	Rail, auxiliary	4
9	#6-32 Binding head screw	12
8	#6-32 Hex, head screw (slotted)	2
7	#6 Flat washer	2
6	#6-32 Binding head screw	16
5	Frame and rear unit assembly	1
4	Switch section assembly	1
3	#10-32 Binding head screw	4
2	#10 Flat washer	4
1	Driver unit assembly	1

NOTES:
1. Dimensions are in inches, with tolerances as noted.
2. Screw lengths: as required.
3. Configuration is optional provided it falls within the envelope size specified.
4. Metric equivalents are given for general information only and are based upon 1.00 inch = 25.4 mm.

FIGURE 1. Switch assembly - Continued.


Source: https://assist.dla.mil -- Downloaded: 2026-10-20T13:47Z
Check the source to verify that this is the current version before use.



REAR VIEW

FIGURE 2. Frame and rear unit assembly


Source: https://assist.dla.mil -- Downloaded: 2026-10-20T13:47Z
Check the source to verify that this is the current version before use.



SIDE VIEW

FIGURE 2. Frame and rear unit assembly. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T13:47Z
Check the source to verify that this is the current version before use.



TOP VIEW

FIGURE 2. Frame and rear unit assembly. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T13:47Z
Check the source to verify that this is the current version before use.

Stock list (frame and rear unit assembly)

Item	Name	Req.
1	#6 Washer (fibre)	4
2	#6 Flat washer	6
3	#6-32 Elastic stop nut	6
4	#6-32 Flat head screw	4
5	#6-32 Binding head screw	8
6	Rail	2
7	Bracket assembly	1
8	Designation strip	1
9	Terminal Block	2
10	Rail	2
11	#20 Stranded teflon wire	
12	Radio noise filter	1
13	#6-32 Flat head screw	2
14	#6-32 Binding head screw	4
15	Designation strip	1
16	Cable, grounding	1

NOTES
1. Screw lengths· as required.
2. Item 12 (filter) to be Sprague Electric Company number 573D47-E (or equivalent).

FIGURE 2 Frame and rear unit assembly. - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T13:47Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Design and construction See figure 1.

Driver unit In accordance with MIL-S-28714/2.

Switch section assembly In accordance with MIL-S-28714/3.

Frame and rear unit assembly. See figure 2.

Military part number M28714/1-01.

Preparing activity
Navy - EC

Agent
DLA - ES

(Project 5930-N509-1)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T13:47Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS. This form is provided to solicit beneficial comments which may improve this document and enhance its use DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed

NOTE This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements

DOCUMENT IDENTIFIER *(Number)* AND TITLE
MIL-S-28714/1B

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1 ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDED WORDING CHANGE

C REASON FOR RECOMMENDED CHANGE(S)

2 REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO

DATE

DD FORM 1 OCT 76 1426 EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T13:47Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

Commander
Naval Electronic Systems Command
Defense Standardization Program Branch
Department Of The Navy
Washington, D.C. 20360

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T13:47Z
Check the source to verify that this is the current version before use.