DOD-STD-35-8B(MI)
NOTICE 1
26 SEPTEMBER 1986

MILITARY STANDARD

AUTOMATED ENGINEERING

DOCUMENT PREPARATION SYSTEM

RELAYS

TO ALL HOLDERS OF DOD-STD-35-8B(MI)

1. THE FOLLOWING PAGES OF DOD-STD-8B(MI) HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED.

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
COVER	26 SEPTEMBER 1986	COVER	20 FEBRUARY 1979
ii	26 SEPTEMBER 1986	ii	20 FEBRUARY 1979
v	26 SEPTEMBER 1986	v	20 FEBRUARY 1979
1	26 SEPTEMBER 1986	1	20 FEBRUARY 1979
2	26 SEPTEMBER 1986	2	20 FEBRUARY 1979
3	26 SEPTEMBER 1986	3	20 FEBRUARY 1979
4	26 SEPTEMBER 1986	4	20 FEBRUARY 1979
5	26 SEPTEMBER 1986	5	20 FEBRUARY 1979
6	26 SEPTEMBER 1986	6	20 FEBRUARY 1979
7	26 SEPTEMBER 1986	7	20 FEBRUARY 1979
8	20 FEBRUARY 1979	(REPRINTED WITHOUT CHANGE)	20 FEBRUARY 1979
11	26 SEPTEMBER 1986	11	20 FEBRUARY 1979
12	20 FEBRUARY 1979	(REPRINTED WITHOUT CHANGE)	20 FEBRUARY 1979
13	20 FEBRUARY 1979	(REPRINTED WITHOUT CHANGE)	20 FEBRUARY 1979
14	26 SEPTEMBER 1986	14	20 FEBRUARY 1979
15	26 SEPTEMBER 1986	15	20 FEBRUARY 1979
16	20 FEBRUARY 1979	(REPRINTED WITHOUT CHANGE)	20 FEBRUARY 1979
17	26 SEPTEMBER 1986	17	20 FEBRUARY 1979
18	20 FEBRUARY 1979	(REPRINTED WITHOUT CHANGE)	20 FEBRUARY 1979
326a	26 SEPTEMBER 1986		
351	20 FEBRUARY 1979	(REPRINTED WITHOUT CHANGE)	20 FEBRUARY 1979
351a	26 SEPTEMBER 1986		
352	20 FEBRUARY 1979	(REPRINTED WITHOUT CHANGE)	20 FEBRUARY 1979
368a	26 SEPTEMBER 1986		
368b	26 SEPTEMBER 1986		
368c	26 SEPTEMBER 1986		
368d	26 SEPTEMBER 1986		
368e	26 SEPTEMBER 1986		
368f	26 SEPTEMBER 1986		
368g	26 SEPTEMBER 1986		

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

DOD-STD-35-8B(MI)
NOTICE 1
26 SEPTEMBER 1986

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
370a	26 SEPTEMBER 1986		
376a	26 SEPTEMBER 1986		
381	20 FEBRUARY 1979	(REPRINTED WITHOUT CHANGE)	20 FEBRUARY 1979
381a	26 SEPTEMBER 1986		
381b	26 SEPTEMBER 1986		
381c	26 SEPTEMBER 1986		
381d	26 SEPTEMBER 1986		
381e	26 SEPTEMBER 1986		
382	20 FEBRUARY 1979	(REPRINTED WITHOUT CHANGE)	20 FEBRUARY 1979
385	20 FEBRUARY 1979	(REPRINTED WITHOUT CHANGE)	20 FEBRUARY 1979
386	26 SEPTEMBER 1986		
387	20 FEBRUARY 1979	(REPRINTED WITHOUT CHANGE)	20 FEBRUARY 1979
388	26 SEPTEMBER 1986	388	20 FEBRUARY 1979
389	26 SEPTEMBER 1986	389	20 FEBRUARY 1979
390	26 SEPTEMBER 1986	390	20 FEBRUARY 1979
391	26 SEPTEMBER 1986	391	20 FEBRUARY 1979
392	26 SEPTEMBER 1986	392	20 FEBRUARY 1979
393	26 SEPTEMBER 1986	393	20 FEBRUARY 1979
394	26 SEPTEMBER 1986	394	20 FEBRUARY 1979
395	26 SEPTEMBER 1986	395	20 FEBRUARY 1979
396	26 SEPTEMBER 1986	396	20 FEBRUARY 1979
397	26 SEPTEMBER 1986	397	20 FEBRUARY 1979
398	26 SEPTEMBER 1986	398	20 FEBRUARY 1979

2, RETAIN THIS NOTICE PAGE AND INSERT BEFORE THE TABLE OF CONTENTS.

3. Holders of DOD-STD-35-8B(MI) will verify the page changes indicated above have been entered. The notice page will be retained as a check sheet. This issuance, together with append pages is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or cancelled.

Custodian:
Army-MI

Review activities:
Army-AT
Army-AV
Army-ER
Army-ME
Army-MR
Army-SG
Army-CR

User activity:
Army-AR

Preparing activity:
Army-MI

(Project EDS-A362)

AREA EDS

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

DOD-STD-35-8B(MI)

20 FEBRUARY 1979

SUPERSEDING
MIL-STD-35-8A(MI)
31 JULY 1973

MILITARY STANDARD

AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM

RELAYS

AREA EDS

NO DELIVERABLE DATA
REQUIRED BY THIS DOCUMENT

DISTIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

SUPRSEDES COVER OF 20 FEBRUARY 1979.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF THE ARMY
U.S. ARMY MATERIEL COMMAND
ALEXANDRIA, VA 22333

Relays
Automated Engineering
Document Preparation System

DOD-STD-35-8B(MI)

1. This Military Standard is approved for use by AMC, Department of the Army and is available for use by all Departments and Agencies of the Department of Defense.

2. Beneficial comments (recommendations, additions, deletions) and any pertinent data, which may be of use in improving this document, should be addressed to Commander, U.S. Army Missile Command, ATTN: AMSMI-RD-SE-TD-ST, Redstone Arsenal, Alabama 35898-5270, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

CONTENTS

			Page
Paragraph	1.	SCOPE	1
	1.1	General	1
	1.2	Purpose	1
	1.3	Utilization	1
	1.4	Military Specification Exception Title Index	1
	2.	REFERENCED DOCUMENTS	6
	2.1	Government Documents	5
	2.1.1	Specifications and Standards	6
	2.2	Other Publications	7
	2.3	Order of Precedence	7
	3.	DEFINITIONS	8
	4.	GENERAL REQUIREMENTS	9
	4.1	Introduction	9
	4.2	Specification Requirement Sheet (SRS)	9
	4.3	Configuration	3
	4.3.1	Dimensions	9
	4.3.2	Illustrations	9
	4.4	Units of Measure	9
	5.	DETAILED REQUIREMENTS	10
	5.1	Introduction	10
	5.2	MSE Formats	10
	5.3	Referenced Documents	10
	5.4	Test Matrix	10
	5.5	Tabulation	12
	5.6	Keyword Code Index (KCI) and Standard Paragraphs	13
	5.6.1	Interrelationship of Codes	13
	5.6.2	Automatic MSE Data	13
	5.6.3	DOD-STD-35 Tables	13

TABLES

Table	1.	Title Index	2
	11.	Test Matrix	11
	111.	Tabulation Candidates	12

APPENDICES

APPENDIX	A.	Illustrations	309
	B.	Characteristic Code Index	387
		Index	399

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 General. This dash-numbered part of the Automated Engineering Document Preparation System (AEDPS), provides detailed requirements for the preparation of Military Specification Exception (MSE) documentation for Relays.

1.2 Purpose. This military standard provides the necessary information to prepare a Specification Requirement Sheet (SRS) which will be used to generate a MSE by automated data processing.

1.3 Utilization. General instructions, quality assurance provisions, packaging, and notes, applicable to all AEDPS dash-numbered parts, have been included in the basic document (DOD-STD-35) to avoid redundancy. Unless otherwise specified in this dash-numbered part, the following list contains additional subjects applicable to all AEDPS dash-numbered parts and are included in DOD-STD-35:

a. Writing Methodology
b. Document and Part Numbering
c. Applicable Documents
d. Single and Multi-item Specification (Tabulation)
e. Keyword Code Index (KCI)
f. General Requirements of AEDPS

1.4 Military Specification Exception Title Index. The title code for a MSE shall be selected from one of the MSE titles listed in the Title Index (see table I). Data bases have been established for the generation of MSEs for the MSE titles indicated. If a suitable title code is not contained in the Title Index, leave the title code spaces on the SRS blank, and attach a request for assignment of a title code. Include in the request the desired title and the base document identifier. A code will be assigned and the code, title, and base document will be made a part of the Title Index.

One of the six-digit codes listed in the Title Index and entered on a SRS, specifies that the title of the MSE will be the title shown in the Title Index.

Each MSE title, listed in the Title Index, is compatible with the document(s) listed with that title under base document. The list of base documents may or may not be a complete listing. The information shown under coverage is intended for the user's reference. When more than one document is listed for a MSE title, this information will be useful in determining which of the documents is most suitable for use as the base document.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

The MSE title may or may not be the same as the title used in DODISS, FIIG, or the base document. In general, the MSE title uses the basic federal item name listed in Cataloging Handbook H6. However, titles with additional modifying and identifying words are provided to assist in defining the scope of the MSE. Also, less restrictive titles are provided to prevent exclusion of items.

TABLE I. TITLE INDEX

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
RELAY	022500	MIL-R-2033	NAVAL SHIPBOARD
		MIL-R-5757	FOR ELECTRONIC AND COMM EQUIPMENT
		MIL-R-6106	AEROSPACE, GENERAL SPECIFICATION
		MS21330	12AMP, 3PST
		MS24140	50AMP, 1PST
		MS24141	100AMP, 1PST
		MS24142	200AMP, 1PST
		MS24143	25AMP, 3PST
		MS24149	10AMP, 2PDT
		MS24166	50AMP, 1PST
		MS24168	100AMP, 3PST
		MS24171	200AMP, 1PST
		MS24172	200AMP, 1PST
		MS24178	55AMP, 2PST
		MS24179	400AMP, 1PST
		MS24182	100AMP, 1PST
		MS24183	200AMP, 1PST
		MS24184	300AMP, 1PST
		MS24185	400AMP, 1PST
		MS24187	50/25AMP, 1PDT
		MS24192	25AMP, 3PST
		MS24193	50AMP, 3PST
		MS24376	50AMP, 3PST
		MS24568	10AMP, 4PDT
		MS25030	50AMP, 2PDT
		MS25031	100AMP, 2PDT
		MS25032	200AMP, 2PDT
		MS25035	25AMP, 1PST
		MS25084	GEN, EQL BUS
		MS25267	5AMP, 4PDT
		MS25268	5AMP, 4PDT

SUPERSEDES PAGE 2 OF 20 FEBRUARY 1979

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
RELAY (CONT)	022500 (CONT)	MS25269	5AMP, 6PDT
		MS25270	5AMP, 6PDT
		MS25271	10AMP, 4PDT
		MS25272	10AMP, 4PDT
		MS25273	10AMP, 2PDT
		MS25280	10AMP, 4PDT
		MS25321	5AMP, 2PDT
		MS25323	10AMP, 2PDT
		MS25325	5AMP, 4PDT
		MS25327	10AMP, 4PDT
		MS25329	5AMP, 6PDT
		MS25395	5AMP, 2PDT
		MS25455	5AMP, 2PDT
		MS25457	10AMP, 2PDT
		MS25459	5AMP, 4PDT
		MS25461	10AMP, 4PDT
		MS25463	5AMP, 6PDT
		MS25465	5AMP, 2PDT
		MS25466	10AMP, 2PDT
		MS25467	5AMP, 4PDT
		MS25468	10AMP, 4PDT
		MS25469	5AMP, 6PDT
		MS25917	3AMP, 4PDT
		MS25919	10AMP, 4PDT
		MS27222	50AMP, 3PST
		MS27245	10AMP, 2PDT
		MS27247	10AMP, 2PDT
		MS27254	10AMP, 4PDT
		MS27255	10AMP, 4PDT
		MS27400	10AMP, 4PDT
		MS27401	10AMP, 2PDT
		MS27418	20AMP, 3PST
		MS27425	60AMP, 3PDT
		MS27706	20AMP, 3PST
		MS27707	50AMP, 6PST
		MS27709	10AMP, 4PDT
		MS27714	75AMP, 3PST
		MS27715	150AMP, 3PST
		MS27742	25AMP, 3PDT
		MS27743	25AMP, 3PDT
		MS27744	10AMP, 2PDT
		MS27745	10AMP, 4PDT

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
RELAY (CONT)	022500 (CONT)	MS27749	50AMP, 3PDT
		MS27750	50AMP, 3PDT
		MS27751	50AMP, 3 POLE
		MS27997	25AMP, 3PST
		MIL-R-6463	GENERATOR EQUALIZER BUS
		MIL-R-6466	EXCITER PROTECTION
		MIL-R-6518	INVERTER CHANGEOVER
		MIL-R-7611	115 VOLT, 400 HERTZ, SPST
		MIL-R-7649	3 PHASE, 400 HERTZ
		MIL-R-8373	115 VOLT, 400 HERTZ, SINGLE POLE
		MIL-R-9213	12VDC
		MIL-R-9221	GENERATOR FIELD CONTROL
		MIL-R-13718	24VDC
		MIL-R-15472	115VAC, 115VDC 60 AND 400 HERTZ
		MIL-R-19309	SENSITIVE
		MIL-R-19523	CONTROL, SHIPBOARD
		MIL-R-19648	TIME DELAY
		MIL-R-21187	DPDT, SENSITIVE
		MIL-R-21335	SENSITIVE, DC
		MIL-R-22527	FIRE CONTROL EQUIPMENT
		MIL-R-25078	GENERATOR OVERVOLTAGE
		MIL-R-26126	OVERVOLTAGE SENSING
		MIL-R-26895	GENERATOR FIELD CONTROL
		MIL-R-28776	ESTABLISHED RELBL, HYB
		MIL-R-39016	ESTABLISHED RELIABILITY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
RELAY (CONT)	022500 (CONT)	MIL-R-48309	SENSITIVE AND CONTROL
		MIL-R-83372	EMI SUPPRESSED, HYBRID
		MIL-R-83407	MERCURY WETTED REED
		MIL-R-83725	VACUUM DIELECTRIC
		MIL-R-83726	TIME DELAY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

2. REFERENCED DOCUMENTS

2.1 Government Documents.

2.1.1 Specifications and Standards. Unless otherwise specified, the following specifications and standards, of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation, form a part of this standard to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-R-5757	Relays , Electrical (For Electronic and Communication Type Equipment), General Specification For
MIL-R-6106	Relays, Electric, Aerospace, General Specification For
MIL-E-13856	Electrical Components for Automotive Vehicles; Waterproofness Tests
MIL-R-19648	Relay, Time Delay, Thermal, General Specification For
MIL-R-22527	Relay Armature
MIL-R-83725	Relay, Vacuum, General Specification For
MIL-R-83726	Relay, Time Delay, Electric and Electronic, General Specification For

STANDARDS

MILITARY

DOD-STD-35	Automated Engineering Document Preparation System
MIL-STD-130	Identification Marking of U.S. Military Property
MIL-STD-202	Test Methods for Electronic and Electrical Component Parts

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

MIL-STD-461	Electromagnetic Interference Characteristics, Requirements for Equipment
MIL-STD-462	Electromagnetic Interference Characteristics, Measurement of
MIL-STD-810	Environmental Test Methods for Aerospace and Ground Equipment
MIL-STD-1285	Marking of Electrical and Electronic Parts

(Copies of specifications, standards, drawings, and publications required by contractors, in connection with specific procurement functions, should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other Publications. The following documents form a part of this standard to the extent specified herein. The issues of the documents which are indicated as DoD adopted shall be the issue listed in the issue of the DoDISS specified in the solicitation. The issues of documents which have not been adopted shall be those in effect on the date of the cited DoDISS.

ASTME380	Metric Practice Guide
ASTMD1868	Standard Method for Detection and Measurement of Corona Pulses in Evaluation of Insulation

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race St., Philadelphia, PA 19103.)

(Nongovernment standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

2.3 Order of Precedence. In the event of conflict between the text of this standard and the references cited herein, the text of this standard shall take precedence.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

3. DEFINITIONS

Definitions contained in DOD-STD-35 are applicable to Relays.

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

TABLE II. TEST MATRIX

DOCUMENT	CODE	TEST	CIRCUIT BREAKER COMPATIBILITY	COIL/INPUT DRIVER CURRENT	COIL INDUCTANCE	COIL LIFE	COMPARTMENT PRESSURE	CONNECTOR STRENGTH	CONTACT BOUNCE	CONTACT NOISE	CONTINUOUS CURRENT	CROSSTALK	DROPOUT VOLTAGE OR CURRENT	ELECTRICAL POWER DISSIPATION	ENDURANCE, ELECTRICAL	ENDURANCE, MECHANICAL	EXPLOSIVE DECOMPRESSION	INTERNAL MOISTURE	LOAD TRANSFER	MAGNETIC INTERFERENCE	OPERATE AND RELEASE TIME	OVERLOAD	PICKUP VOLTAGE OR CURRENT	RECYCLE TIME (RECOVERY)	RUPTURE	TEMPERATURE-ALTITUDE	TEMPERATURE, HIGH	TEMPERATURE, LOW	THERMAL, EMF	TRANSIENTS
MIL-R-5757					X	X			X	X		X	X					X	X	X	X	X	X				X	X	X	
MIL-R-6106	X	X							X		X		X		X	X		X	X		X	X	X		X	X	X	X		
MIL-R-13718		X						X	X												X									X
MIL-R-19648																							X							
MIL-R-22527		X											X								X	X	X							
MIL-R-28776				X				X					X					X		X	X		X				X		X	
MIL-R-39016			X	X									X							X	X		X					X		
MIL-R-83372		X			X			X		X			X	X	X		X				X		X		X	X				X
MIL-R-83407			X						X				X	X						X	X		X						X	
MIL-R-83725								X					X		X	X					X		X				X	X		
MIL-R-83726	X	X		X							X				X	X					X	X		X				X		X

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

5.5 Tabulation. Instructions for tabulation are provided in DOD-STD-35. Table III provides codes for column headings which may be used for Relay characteristics. When different units of measure are available for specifying a characteristic, only one of the units may be tabulated; e.g. either ounces or pounds.

TABLE III. TABULATION CANDIDATES

CODE	COLUMN HEADING	CODE	COLUMN HEADING	CODE	COLUMN HEADING
1656	POLE	1657	THROW	1616	ENCLOSURE
3603	RATED OPERATING VOLTAGE (VOLTS)	3609	MAXIMUM OPERATING VOLTAGE (VOLTS)	3642	PICKUP VOLTAGE (VOLTS)
3660	DROPOUT VOLTAGE (VOLTS)				

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

5.6 Keyword Code Index (KCI) and Standard Paragraphs. The KCI provides codes, to be entered on a SRS, that are unique for the type part covered by this dash-numbered part of DOD-STD-35. The left-hand page presents the information in outline form using keywords and codes. The right-hand page presents the words that will appear in the MSE. To find the code to be entered on the SRS, find the subject in the index at the back of this dash-numbered part. Find the keyword on the KCI and it's associated code. Enter, on the SRS, the code and the characteristic value required. After the part's unique characteristics have been specified, refer to DOD-STD-35 when exceptions are required to Quality Assurance, Packaging, Notes, etc. Instructions are in DOD-STD-35 on how to enter any type characteristic value. Appendix B, Characteristic Code Index, provides a numerical list of codes used in this dash-numbered part. This index identifies the location of codes by page number.

5.6.1 Interrelationship of Codes. The interrelationship of the codes is shown by the indentation level of characteristic names on the KCI. The kind of characteristic value is shown by a colon, parentheses, period or underline. The standard paragraph, of which the code is a part, is snown adjacent to the code on the right-hand page . When a characteristic value, entered with a code, becomes part of the paragraph, the code is shown in the paragraph where the characteristic value will print. The MSE will contain the exact characteristic value entry, as supplied with the code, except for "X" entries.

5.6.2 Automatic MSE Data. Some statements, such as Altitude and Temperature, will appear in the printed MSE without making additional entries. These statements are linked by data base logic to characteristic codes listed under them and will print when one of the codes listed is used. Other statements may print automatically depending on the type MSE selected. Explanations are noted on the KCI as required.

5.6.3 DOD-STD-35 Tables. The KCI of this document contains references to tables in DOD-STD-35. Refer to DOD-STD-35 for general explanation in the generation of tables.

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
*REQUESTER'S NAME	0101
*COMPANY NAME/COMMAND	0102
*STREET/BUILDING	0103
*CITY, STATE, ZIP	0104
*PHONE NUMBER, INCLUDE AREA CODE, AUTOVON IF APPLICABLE	0105
*REQUESTER'S FSCM	1004
*CONTRACT NUMBER/OFFICE SYMBOL	1005
*BASE DOCUMENT	1006
*SYSTEM APPLICATION	1008
*GOVERNMENT DESIGN ACTIVITY FSCM	6369
*FORMAT (SELECT ONE)	
SIX SECTION DOCUMENT.	0700
ONE SECTION DOCUMENT,	0800
*CONTROL (SELECT ONE)	
SOURCE .	6873

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
0101	0101.
0102	0102.
0103	0103.
0104	0104.
0105	0105.
1004	USER(S) FSCM(S) 1004.
1005	CONTRACT NUMBER OR OFFICE SYMBOL 1005.
1006	THE COMPLETE REQUIREMENTS FOR PROCURING THE ITEM(S) DESCRIBED HEREIN SHALL BE IN ACCORDANCE WITH THE BASE DOCUMENT(S), 1006, EXCEPT AS SPECIFIED IN THIS DOCUMENT. IN THE EVENT OF CONFLICT, THIS DOCUMENT SHALL GOVERN.
1008	SYSTEM APPLICATION 1008.
6369	GOVERNMENT DESIGN ACTIVITY FSCM 6369.
0700	
0800	
	SOURCE(S).
6873	THE FOLLOWING SOURCE(S) SHOWN WITH THE PART NUMBER(S) IS/ARE THE ONLY APPROVED SOURCE(S) FOR THE ITEM(S) DESCRIBED BY THIS DOCUMENT. IDENTIFICATION OF THE APPROVED SOURCE(S) HEREIN IS NOT TO BE CONSTRUED AS A GUARANTEE OF PRESENT OR CONTINUED AVAILABILITY AS A SOURCE OF SUPPLY FOR THE ITEM DESCRIBED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX

CHARACTERISTIC NAME	CHAR CODE
SPECIFICATION.	6874
*SOURCE TABLE	
NOTE: REFER TO TABLE V OF DOD-STD-35.	
APERTURE CARDS REQUIRED.	0107
REXISION OF AEDPS DOCUMENT (NUMBER)	0108
SCOPE	
NOTE: THIS ENTRY IS AUTOMATIC AND DETERMINED BY THE TITLE CODE USED.	
PART NUMBER	
NOTE: AUTOMATIC WITH A SINGLE ITEM MSE.	
NOTE: AUTOMATIC WITH A MULTI-ITEM MSE.	
UNITS OF MEASURE (SELECT ONE)	
U.S.	6941
SI.	6942

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
6874	THE FOLLOWING SUGGESTED SOURCE(S) SHOWN WITH THEIR PART NUMBER(S) HAVE BEEN KNOWN TO MEET THE REQUIREMENT(S) OF THIS DOCUMENT. IDENTIFICATION OF THE 'SUGGESTED SOURCE(S) OF SUPPLY' HEREIN IS NOT TO BE CONSTRUED AS A GUARANTEE OF PRESENT OR CONTINUED AVAILABILITY AS A SOURCE OF SUPPLY FOR THE ITEM(S).
0107	
0108	0108. SCOPE.
	SCOPE. THIS DOCUMENT COVERS THE DETAILED REQUIREMENTS FOR TITLE CODE.
	PART NUMBER. THE PART NUMBER FOR THE ITEM IS SUPPLIED BY COMPUTER.
	PART NUMBER, THE PART NUMBER FOR THE ITEMS IS (THE SAME AS THE NUMBER OF THIS DOCUMENT) PLUS THE SUFFIX NUMBER FROM THE TABULATED CHARACTERISTIC TABLE. REVISION AND ACTIVITY SYMBOLS ARE NOT INCLUDED IN THE PART NUMBER.
6941	UNIT OF MEASURE. ALL UNITS OF MEASURE ARE IN INCH-POUND UNITS (U.S.) OR DEGREES UNLESS OTHERWISE SPECIFIED.
6942	UNIT OF MEASURE. ALL UNITS OF MEASURE ARE IN INTERNATIONAL SYSTEM OF UNITS (SI) OR DEGREES UNLESS OTHERWISE SPECIFIED-


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX


CHARACTERISTIC NAME	CHAR CODE
CLASSIFICATION	
ENCLOSURE DESIGN (DESIGNATION)	1570
VIBRATION CHARACTERISTIC (DESIGNATION)	1572
TEMPERATURE RANGE (DESIGNATION)	1574
SHOCK TYPE (DESIGNATION)	1576
TYPE DESIGNATOR (DESIGNATION)	1578
CLASS (DESIGNATION)	1580
SHOCK CHARACTERISTIC (DESIGNATION)	1582
FAILURE RATE LEVEL (DESIGNATION)	1584
ALTITUDE RATING (DESIGNATION)	1586
CLASSIFICATION ____	1588

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.



022-02-31




022-02-32


NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.



B22-07-7






B22-07-8

REPRINTED WITHOUT CHANGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.



Ø22-Ø7-9

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026Ø1Ø-23T20:53Z
Check the source to verify that this is the current version before use.




022-68-1

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.



022-11-14

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.



022-11-15

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.



022-11-16

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.



022-11-17

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.



022-11-18

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.



022-11-19

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.




022-11-20

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.




022-12-4

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.




022-14-6


NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.




022-16-11




022-16-12




022-16-13




022-16-20




022-16-14




022-16-15




022-16-16



022-16-17




022-16-18




022-16-19

REPRINTED WITHOUT CHANGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.




022-16-21



022-16-22




022-16-23




022-16-24

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.




022-16-25




022-16-26

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.




022-16-27




022-16-28

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.




Ø22-16-29




Ø22-16-30

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026Ø-23T20:53Z
Check the source to verify that this is the current version before use.



Ø22-16-31




Ø22-16-32



Ø22-16-33


NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026Ø1Ø-23T20:53Z
Check the source to verify that this is the current version before use.



NOTE: INDUCTOR TO BE TAILORED TO DRAW A TOTAL STEADY STATE LOAD CURRENT OF 230 MILLIAMPERES.

022-17-1




022-18-1

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.




B22-18-4


REPRINTED WITHOUT CHANGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.



022-18-5







022-18-6

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

APPENDIX B

CHARACTERISTIC CODE INDEX

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
0101	14	1407	148	1476	284	1557	44
0102	14	1410	264	1477	142	1558	44
0103	14	1411	264	1478	236	1570	18
0104	14	1412	264	1479	236	1572	18
0105	14	1413	264	1482	234	1574	18
0107	16	1414	264	1486	234	1576	18
0108	16	1416	266	1487	236	1578	18
0700	14	1418	262	1488	236	1580	18
0800	14	1419	264	1490	286	1582	18
1004	14	1420	264	1491	292	1584	18
1005	14	1421	266	1492	292	1586	18
1006	14	1426	296	1494	230	1588	18
1008	14	1427	298	1495	230	1590	26
1009	26	1428	298	1497	150	1592	26
1371	148	1429	172	1498	150	1600	32
1372	150	1430	298	1499	242	1602	32
1373	148	1431	298	1500	242	1604	32
1374	294	1432	174	1502	242	1606	32
1375	264	1433	262	1503	242	1608	32
1376	150	1435	294	1504	242	1610	32
1377	150	1436	294	1508	238	1612	32
1378	148	1438	298	1509	238	1614	32
1380	146	1439	298	1511	148	1616	32
1381	150	1442	282	1520	150	1651	32
1382	300	1444	282	1522	150	1652	32
1383	152	1446	280	1523	150	1653	32
1384	148	1447	280	1524	150	1654	32
1386	148	1448	280	1533	280	1655	32
1387	148	1449	176	1534	280	1656	32
1388	148	1452	298	1535	290	1657	32
1391	174	1453	298	1536	290	1700	40
1394	172	1455	276	1537	290	1702	40
1395	174	1456	276	1539	222	1704	40
1396	172	1459	298	1547	40	1706	40
1397	174	1462	298	1548	46	1708	40
1398	172	1466	288	1549	46	1710	40
1400	172	1467	288	1550	234	1712	42
1402	300	1468	236	1551	240	1714	42
1404	172	1470	288	1552	280	1716	42
1406	174	1475	284	1553	288	1718	42

SUPERSEDES PAGE 388 OF 20 FEBRUARY 1979

Source: https://assist.dla.mil -- Downloaded: 202640-23T20:53Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
1720	42	1804	52	1853	60	1930	70
1722	42	1805	54	1854	62	1931	70
1724	42	1806	54	1855	62	1932	70
1726	42	1807	54	1856	62	1933	70
1728	42	1808	54	1860	62	1934	70
1730	42	1810	54	1861	62	1935	70
1732	42	1811	54	1862	62	1936	70
1734	42	1812	54	1863	62	1937	70
1736	46	1813	54	1864	64	1938	72
1738	46	1814	54	1865	64	1939	72
1740	46	1815	54	1866	64	1940	72
1742	46	1816	54	1867	64	1941	72
1750	48	1817	54	1870	64	1942	72
1752	48	1818	56	1872	64	1943	72
1754	48	1819	56	1874	64	1944	72
1756	48	1820	56	1876	64	1950	72
1758	48	1821	56	1878	64	1952	72
1760	48	1822	56	1880	64	1953	72
1762	48	1823	56	1890	66	1954	74
1764	48	1830	56	1892	66	1955	74
1766	48	1831	56	1894	66	1956	74
1768	50	1832	56	1896	66	1957	74
1770	50	1833	58	1898	66	1960	74
1772	50	1834	58	1900	66	1962	74
1774	50	1835	58	1902	66	1963	74
1776	50	1836	58	1904	66	1964	74
1778	50	1837	58	1906	66	1965	74
1780	50	1838	58	1910	66	1966	74
1782	50	1840	58	1912	68	1970	76
1784	50	1842	58	1914	68	1972	76
1786	50	1843	60	1916	68	1973	76
1788	50	1844	60	1917	68	1974	76
1790	52	1845	60	1918	68	1975	76
1792	52	1846	60	1919	68	1980	76
1794	52	1847	60	1920	68	1982	76
1796	52	1848	60	1921	68	1983	76
1800	52	1849	60	1922	68	1984	76
1801	52	1850	60	1923	70	1990	76
1802	52	1851	60	1924	70	1992	78
1803	52	1852	60	1925	70	1993	78

SUPERSEDES PAGE 389 OF 20 FEBRUARY 1979

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
1994	78	2052	86	2118	94	2184	112
1995	78	2053	86	2120	94	2185	112
2000	78	2054	86	2122	94	2186	112
2002	78	2055	86	2124	94	2190	112
2003	78	2060	86	2125	94	2192	112
2004	78	2062	88	2126	94	2193	112
2005	78	2063	88	2127	96	2194	112
2006	80	2064	88	2128	96	2195	112
2007	80	2070	88	2129	96	2196	112
2008	80	2072	88	2130	96	2220	114
2009	80	2073	88	2132	96	2222	114
2010	80	2074	88	2133	96	2223	114
2012	80	2075	88	2134	96	2224	114
2013	80	2076	88	2135	96	2225	114
2014	80	2080	88	2140	96	2226	114
2015	82	2082	90	2142	96	2230	114
2016	82	2083	90	2150	96	2232	114
2017	82	2084	90	2152	98	2233	114
2020	82	2085	90	2153	98	2234	114
2022	82	2086	90	2154	98	2235	114
2023	82	2087	90	2155	98	2236	116
2024	82	2090	90	2156	98	2237	116
2025	82	2092	90	2160	98	2238	116
2030	82	2093	90	2162	98	2239	116
2032	82	2094	90	2163	98	2240	116
2033	84	2095	92	2164	98	2241	116
2034	84	2096	92	2165	98	2242	116
2035	84	2097	92	2166	100	2250	116
2036	84	2098	92	2167	100	2252	116
2040	84	2099	92	2170	100	2253	116
2042	84	2100	92	2172	100	2260	118
2043	84	2101	92	2173	100	2262	118
2044	84	2102	92	2174	100	2264	118
2045	84	2110	92	2175	100	2265	118
2046	86	2112	92	2176	100	2266	118
2047	86	2113	94	2177	100	2267	118
2048	86	2114	94	2178	100	2268	118
2049	86	2115	94	2180	110	2269	118
2050	86	2116	94	2182	110	2270	118
2051	86	2117	94	2183	112	2272	118

SUPERSEDES PAGE 390 OF 20 FEBRUARY 1979

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
2273	120	2334	126	2400	136	2467	154
2274	120	2335	128	2402	136	2468	154
2275	120	2336	128	2403	136	2469	154
2276	120	2337	128	2404	138	2470	154
2277	120	2338	128	2405	138	2471	154
2278	120	2339	128	2406	138	2472	156
2279	120	2340	128	2407	138	2473	156
2280	120	2341	128	2410	138	2474	156
2281	120	2342	128	2412	138	2475	156
2282	120	2343	128	2413	138	2480	156
2283	120	2350	128	2414	138	2482	156
2290	122	2352	130	2415	138	2483	156
2292	122	2353	130	2416	140	2484	156
2293	122	2354	130	2417	140	2485	156
2294	122	2360	130	2420	140	2490	158
2295	122	2362	130	2422	140	2492	158
2296	122	2363	130	2424	140	2493	158
2297	122	2364	130	2430	140	2494	158
2298	122	2365	130	2432	140	2495	158
2300	122	2366	130	2433	140	2496	158
2301	122	2367	130	2434	140	2497	158
2302	122	2368	130	2435	140	2498	158
2303	122	2369	130	2440	144	2499	160
2304	124	2370	132	2442	150	2500	160
2305	124	2371	132	2444	152	2501	160
2306	124	2380	132	2450	152	2502	160
2307	124	2382	132	2452	152	2510	160
2308	124	2383	132	2453	152	2512	160
2309	124	2384	132	2454	152	2513	160
2310	124	2385	132	2455	152	2514	160
2311	124	2386	132	2456	152	2515	160
2320	124	2387	132	2457	152	2516	162
2322	124	2390	132	2458	152	2517	162
2323	126	2392	132	2459	152	2518	162
2324	126	2393	134	2460	154	2520	162
2325	126	2394	134	2462	154	2522	162
2326	126	2395	134	2463	154	2523	162
2330	126	2396	134	2464	154	2524	162
2332	126	2397	134	2465	154	2525	162
2333	126	2398	134	2466	154	2526	162

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
2527	162	2600	170	2672	182	2746	196
2528	162	2602	170	2673	184	2750	196
2529	164	2610	170	2674	184	2752	196
2530	164	2612	172	2675	184	2753	196
2531	164	2613	172	2676	184	2754	196
2532	164	2614	172	2677	184	2755	196
2533	164	2615	172	2678	184	2756	196
2540	164	2620	174	2679	184	2757	196
2542	164	2622	174	2680	184	2760	202
2543	164	2624	176	2682	186	2770	206
2544	164	2626	176	2683	186	2771	206
2545	164	2630	176	2684	186	2772	206
2546	164	2632	176	2685	186	2773	206
2547	164	2633	178	2686	186	2774	206
2548	166	2634	178	2687	186	2775	206
2549	166	2635	178	2688	186	2776	206
2550	166	2636	178	2689	186	2777	206
2551	166	2637	178	2690	186	2780	208
2552	166	2638	178	2700	186	2782	208
2560	166	2639	178	2702	188	2784	210
2562	166	2640	178	2703	188	2786	210
2563	166	2641	178	2704	188	2790	210
2564	166	2642	178	2710	188	2792	210
2565	166	2643	180	2712	188	2794	212
2566	168	2644	180	2713	188	2796	212
2567	168	2645	180	2714	188	2797	212
2568	168	2646	180	2720	188	2800	212
2569	168	2647	180	2722	188	2802	212
2570	168	2648	180	2730	188	2803	212
2571	168	2649	180	2732	190	2804	212
2572	168	2650	180	2734	190	2805	212
2573	168	2651	180	2736	190	2806	212
2580	168	2660	182	2737	190	2807	212
2581	168	2661	182	2738	190	2810	214
2582	170	2662	182	2739	190	2812	214
2583	170	2663	182	2740	194	2813	214
2584	170	2664	182	2742	196	2814	214
2585	170	2665	182	2743	196	2815	214
2590	170	2666	182	2744	196	2820	214
2592	170	2670	182	2745	196	2822	214

SUPERSEDES PAGE 392 OF 20 FEBRUARY 1979

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
2823	214	2889	234	2954	248	3027	258
2824	214	2890	234	2955	248	3028	258
2825	214	2891	234	2956	248	3029	258
2826	216	2892	234	2957	248	3030	258
2827	216	2893	234	2958	248	3032	260
2828	216	2894	234	2960	248	3034	260
2829	216	2895	234	2962	250	3040	260
2830	216	2896	234	2963	250	3042	260
2831	216	2900	236	2964	250	3046	260
2840	218	2902	236	2965	250	3047	260
2841	218	2904	236	2966	250	3048	260
2842	218	2906	236	2967	250	3049	260
2843	218	2910	238	2968	250	3050	262
2844	218	2911	238	2969	250	3051	262
2845	218	2912	238	2970	250	3052	262
2846	218	2913	238	2980	250	3053	262
2850	220	2914	238	2982	250	3054	262
2851	220	2915	238	2983	250	3055	262
2852	220	2916	240	2984	252	3060	266
2853	220	2917	240	2985	252	3062	266
2854	220	2918	240	2986	252	3063	266
2855	222	2919	240	2987	252	3070	266
2856	222	2920	240	2988	252	3072	266
2857	222	2921	240	2989	252	3074	266
2860	228	2922	240	3000	252	3076	266
2862	230	2923	240	3002	254	3078	266
2870	230	2924	240	3003	254	3080	268
2872	230	2925	240	3004	254	3081	268
2873	230	2926	240	3005	254	3082	268
2874	230	2930	242	3006	254	3083	268
2875	230	2932	244	3007	254	3084	268
2880	230	2934	244	3008	254	3085	268
2881	232	2936	244	3009	254	3086	268
2882	232	2940	246	3010	254	3087	268
2883	232	2942	246	3020	256	3088	268
2884	232	2943	246	3022	256	3090	270
2885	232	2944	246	3023	256	3100	270
2886	232	2950	248	3024	256	3102	270
2887	232	2952	248	3025	256	3103	270
2888	234	2953	248	3026	258	3104	270

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
3105	270	3161	282	3214	294	3409	21
3106	270	3162	282	3215	294	3410	21
3107	272	3163	282	3216	296	3411	21
3108	272	3164	282	3217	296	3412	21
3109	272	3165	282	3220	296	3413	21
3110	272	3166	282	3221	296	3414	21
3112	272	3167	282	3222	296	3415	21
3114	272	3168	284	3223	296	3416	21
3116	272	3169	284	3224	296	3417	21
3120	272	3170	284	3225	296	3418	21
3122	274	3171	284	3226	296	3419	21
3123	274	3172	284	3227	296	3420	21
3124	274	3173	284	3230	300	3421	21
3125	274	3180	284	3231	300	3422	21
3130	274	3181	286	3232	300	3423	21
3132	274	3182	286	3233	300	3424	21
3133	274	3183	286	3234	300	3425	21
3134	274	3184	286	3235	302	3426	21
3135	274	3185	286	3236	302	3430	21
3136	276	3186	286	3237	302	3431	21
3137	276	3187	288	3240	302	3432	21
3138	276	3188	288	3242	302	3433	21
3140	276	3189	288	3244	302	3434	21
3142	276	3190	288	3250	302	3435	21
3143	276	3191	288	3252	302	3436	21
3744	276	3192	288	3253	304	3437	21
3145	278	3193	288	3254	304	3438	21
3146	278	3194	288	3255	304	3439	21
3147	278	3200	290	3256	304	3440	21
3148	278	3201	290	3257	304	3441	21
3149	278	3202	292	3258	304	3442	21
3150	278	3203	292	3400	21	3443	21
3151	278	3204	292	3401	21	3444	21
3152	278	3205	292	3402	21	3445	21
3153	278	3206	292	3403	21	3446	21
3154	278	3207	292	3404	21	3447	21
3155	278	3208	292	3405	21	3448	21
3156	278	3210	294	3406	21	3449	21
3158	280	3212	294	3407	21	3450	21
3160	280	3213	294	3408	21	3451	21

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
3452	21	3492	23	3532	23	3636	37
3453	21	3493	23	3533	23	3637	37
3454	21	3494	23	3534	23	3638	37
3455	21	3495	23	3535	23	3639	37
3456	21	3496	23	3600	37	3640	37
3457	21	3497	23	3601	37	3641	37
3458	21	3498	23	3602	37	3642	37
3459	21	3499	23	3603	37	3643	37
3460	21	3500	23	3604	37	3644	37
3461	21	3501	23	3605	37	3645	37
3462	21	3502	23	3606	37	3646	37
3463	21	3503	23	3607	37	3647	37
3464	21	3504	23	3608	37	3648	37
3465	21	3505	23	3609	37	3649	37
3466	21	3506	23	3610	37	3650	37
3467	21	3507	23	3611	37	3651	37
3468	21	3508	23	3612	37	3652	37
3469	21	3509	23	3613	37	3653	37
3470	21	3510	23	3614	37	3654	37
3471	21	3511	23	3615	37	3655	37
3472	21	3512	23	3616	37	3656	37
3473	21	3513	23	3617	37	3657	37
3474	21	3514	23	3618	37	3658	37
3475	21	3515	23	3619	37	3659	37
3476	21	3516	23	3620	37	3660	37
3477	21	3517	23	3621	37	3661	37
3478	21	3518	23	3622	37	3662	37
3479	21	3519	23	3623	37	3663	37
3480	21	3520	23	3624	37	3664	37
3481	21	3521	23	3625	37	3665	37
3482	21	3522	23	3626	37	3666	37
3483	21	3523	23	3627	37	3667	37
3484	23	3524	23	3628	37	3668	37
3485	23	3525	23	3629	37	3669	37
3486	23	3526	23	3630	37	3670	37
3487	23	3527	23	3631	37	3671	37
3488	23	3528	23	3632	37	3672	37
3489	23	3529	23	3633	37	3673	37
3490	23	3530	23	3634	37	3674	37
3491	23	3531	23	3635	37	3675	37

SUPERSEDES PAGE 395 OF 20 FEBRUARY 1979

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
3676	37	3716	39	3756	39	3829	31
3677	37	3717	39	3757	39	3830	31
3678	37	3718	39	3758	39	3831	31
3679	37	3719	39	3759	39	3832	31
3680	37	3720	39	3760	39	3833	31
3681	39	3721	39	3761	39	3834	31
3682	39	3722	39	3762	39	3835	31
3683	39	3723	39	3763	39	3836	31
3684	39	3724	39	3764	39	3837	31
3685	39	3725	39	3765	39	3838	31
3686	39	3726	39	3766	39	3839	31
3687	39	3727	39	3800	31	3840	31
3688	39	3728	39	3801	31	3900	198
3689	39	3729	39	3802	31	3901	198
3690	39	3730	39	3803	31	3902	198
3691	39	3731	39	3804	31	3903	198
3692	39	3732	39	3805	31	3904	198
3693	39	3733	39	3806	31	3905	198
3694	39	3734	39	3807	31	3906	202
3695	39	3735	39	3808	31	3907	202
3696	39	3736	39	3809	31	3908	202
3697	39	3737	39	3810	31	3909	202
3698	39	3738	39	3811	31	3910	202
3699	39	3739	39	3612	31	3911	202
3700	39	3740	39	3813	31	3912	202
3701	39	3741	39	3814	31	3913	202
3702	39	3742	39	3815	31	3914	202
3703	39	3743	39	3816	31	3915	204
3704	39	3744	39	3817	31	3916	204
3705	39	3745	39	3818	31	4662	244
3706	39	3746	39	3819	31	4663	246
3707	39	3747	39	3820	31	4664	246
3708	39	3748	39	3821	31	4665	246
3709	39	3749	39	3822	31	4666	246
3710	39	3750	39	3823	31	4667	246
3711	39	3751	39	3824	31	4669	208
3712	39	3752	39	3825	31	4671	208
3713	39	3753	39	3826	31	4672	244
3714	39	3754	39	3827	31	4674	244
3715	39	3755	39	3828	31	4675	244

SUPERSEDES PAGE 396 OF 20 FEBRUARY 1979

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:53Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
4677	244	4748	224	4830	208	4891	104
4678	300	4749	226	4831	210	4892	44
4683	246	4750	228	4834	208	4893	46
4684	242	4751	228	4835	210	4894	102
4685	242	4752	228	4836	200	4896	102
4686	242	4754	136	4838	210	4897	110
4689	206	4755	136	4839	210	4900	106
4697	206	4756	136	4842	108	4901	102
4692	208	4760	134	4843	192	4902	106
4694	206	4761	134	4844	108	4904	24
4695	208	4762	136	4845	108	4905	22
4698	206	4765	220	4846	108	4906	102
4700	204	4766	220	4847	106	4908	102
4701	204	4770	218	4848	108	4950	26
4707	280	4771	218	4849	104	4952	222
4708	280	4772	218	4850	108	4956	222
4709	280	4773	220	4853	144	4958	220
4713	268	4782	216	4854	108	4959	220
4714	270	4788	144	4855	108	4960	222
4715	270	4790	144	4856	106	4969	144
4717	110	4791	142	4857	192	4970	144
4719	270	4793	144	4858	192	4971	144
4722	268	4795	142	4859	104	4975	300
4723	268	4798	142	4861	108	4976	300
4729	290	4799	142	4862	108	4977	300
4730	290	4803	142	4863	44	4978	290
4731	290	4805	142	4864	44	4979	290
4732	224	4809	146	4865	44	4980	174
4734	224	4810	146	4867	110	4981	174
4735	228	4811	146	4868	44	4983	176
4736	226	4812	146	4869	110	4984	176
4737	224	4813	142	4870	110	4985	176
4738	224	4814	146	4872	222	4986	176
4739	224	4815	142	4874	106	4989	208
4740	226	4817	106	4875	106	4991	174
4741	226	4819	146	4878	216	5000	110
4742	226	4820	146	4884	102	5031	194
4743	228	4822	146	4885	104	5032	194
4745	224	4825	146	4886	102	5033	208
4746	224	4829	210	4890	144	5034	228

Source: https://assist.dla.mil -- Downloaded: 202640-23T20:53Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
5035	264	6237	258	6324	226	6992	306
5036	264	6238	258	6325	226	6993	306
5037	264	6239	46	6326	226	6994	306
5046	24	6250	44	6328	228	6995	306
5048	24	6251	44	6329	228	6996	34
5052	24	6263	46	6330	228	6997	34
5054	24	6264	46	6331	228	6998	34
5060	24	6265	46	6332	228	6999	34
5061	24	6267	110	6333	228	7001	304
5062	24	6272	40	6359	148	7002	304
5063	24	6273	40	6369	14	7003	304
5068	24	6279	210	6370	224	7004	304
5069	22	6280	104	6371	192	7005	304
5070	24	6282	192	6372	306	7021	34
5071	22	6283	194	6696	200	7022	34
5297	194	6284	194	6697	200	7023	34
6200	280	6285	192	6698	200	7024	34
6201	292	6286	192	6699	200	7301	24
6202	144	6287	194	6700	200	7302	22
6203	236	6288	194	6701	200	7572	26
6204	242	6289	194	6702	204	7576	26
6205	246	6291	190	6703	204	7577	26
6206	144	6292	104	6706	200	7580	28
6207	144	6293	104	6707	200	7629	306
6210	46	6294	104	6710	200	7630	306
6217	254	6296	262	6713	200		
6219	254	6299	222	6870	304		
6220	254	6300	102	6873	14		
6221	254	6308	104	6874	16		
6222	256	6310	106	6920	202		
6224	256	6311	104	6921	200		
6225	256	6312	104	6922	202		
6226	44	6315	260	6923	200		
6228	252	6316	260	6929	198		
6229	252	6318	256	6930	198		
6231	258	6319	256	6937	198		
6233	44	6320	224	6939	200		
6234	258	6321	226	6941	16		
6235	258	6322	226	6942	16		
6236	258	6323	226	6991	306		

SUPERSEDES PAGE 398 OF 20 FEBRUARY 1979

U.S. GOVERNMENT PRINTING OFFICE: 1986 - 704-036/45519

Source: https://assist.dla.mil -- Downloaded: 202640-23T20:53Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
U.S. Army Missile Command
ATTN: AMSMI-RD-SE-TD-ST
Redstone Arsenal, AL 35898-5276

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:53Z
Check the source to verify that this is the current version before use.

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426

PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026l0-23T20:53Z
Check the source to verify that this is the currentversion before use.