MIL-STD-1167
15 March 1965
SUPERSEDING
MIL-A-9836 (USAF)
21 January 1958

MILITARY STANDARD

AMMUNITION DATA CARD



FSC Misc

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF DEFENSE
WASHINGTON, D.C.

Ammunition Data Card 15 MARCH 1965

MIL–STD–1167

1. This standard has been approved by the Department of Defense and is mandatory for use by the Departments of the Army, the Navy, and the Air Force, effective 15 March 1965.

2. Recommended corrections, additions, or deletions should be addressed to the Commanding Officer, Picatinny Arsenal, ATTN: SMUPA–DC7, Dover, N. J. 07801.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

CONTENTS

		Page
1	DEFINITION	1
2	APPLICABLE DOCUMENTS	1
3	GENERAL REQUIREMENTS	1
3.1	Requirement	1
3.2	Items of assembly and issue	1
3.3	Size, material, reproduction and format of data cards	1
3.4	Required information	1
3.5	Distribution of data cards	7
3.6	Lot numbering assignments	7

FIGURES

1a	Ammunition data card front	8
1b	Ammunition data card back	9
2a	Loaded item, front	10
2b	Loaded item, back	11
3a	Inert item, front	12
3b	Inert item, back	13

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

1. DEFINITION

An Ammunition Data Card is an easily referenced record of the initial history of a lot of ammunition and explosive materiel or of a serially numbered complete round guided missile which contains all required data pertaining to each lot of the item.

2. APPLICABLE DOCUMENTS

MIL–STD–1168 — Lot Numbering of Ammunition.

3. GENERAL REQUIREMENTS

3.1 Requirement. The requirement for cards is normally stated in the detail specification for the item. As means for determining the necessity of a data card requirement for a given specification, it shall be determined whether item lot numbers are applicable or likely to be applicable. When it is assured that item lot numbers will be applicable, a data card requirement shall be included in the specification. If (a) the detail specification does not contain a requirement for data cards or (b) the item is not covered by a specification, the necessity for data cards will be determined by the procuring activity. When data cards are required, the contractor (manufacturer, loader or assembler as appropriate) shall be responsible for their preparation.

3.2 Items of Assembly and Issue. A data card shall accompany each lot and/or serially numbered item of ammunition to its destination whether within a Service, to another Service, or to another contractor. There are no exceptions. This card shall be either one prepared by the contractor or a copy of it.

3.3 Size, Material, Reproduction and Format of Data Cards.

3.3.1 Ammunition Data Cards shall be 5 by 8 inches in size and printed on commercial manila tag board, or equal, of approximately 200 pounds ream weight.

3.3.2 Data Cards may be reproduced by printing, mimeographing, duplimat, individual typing, or any process which results in a clean black on light image.

3.3.3 *Data Card format for loaded items.* The basic format of the data card for loaded items is included in figures 1a and 1b. This format provides space for both the general and the detailed information required. The information required will vary with the item.

3.3.4 *Data Card format for inert items.* The format of the data card for inert items shall be basically the same format as that for loaded items leaving blank the spaces that are unnecessary.

3.3.5 Examples of a completed card for both a loaded item and an inert item are included as figures 2a, 2b, 3a and 3b, respectively.

3.4 Required Information. The following paragraphs have been numbered to correspond with the numbered space appearing on the sample forms (see figs. 1a and 1b). The required information shall be entered on the forms in accordance with the following instructions:

Space 1 — Name of arsenal, plant or district. Indicate the full name of the agency responsible for the final acceptance of the item described on this card. This agency is the arsenal, plant or district administering the contract and supervising the inspection.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

Space 2 — Net quantity in lot. The quantity to be shown here is the net quantity available for shipment.

Space 3 — Lot. Insert the complete lot number or serial number of an item which is not lotted of the item(s) represented by the data card.

Space 4 — Item. Show the exact standard nomenclature as given on the drawing for the item.

Space 5 — Federal Stock Number. Enter Federal Stock Number and DOD identification code.

Space 6 — Packing of lots. Enter the method by which the lot is packed for shipment, including the number of rounds, parts or sets in each outside container. Insert the packing and marking drawing number, revision and any E.O.'s under which the item was packed and marked. Standard abbreviations may be used.

Example:

1 round/fiber container; 1 fiber container/metal container; 4 metal containers/wood box; 8796522, Marking; 8860555, Packing. EO/PA 35189 19 Feb 64.

Space 7 — Contractor. Enter the manufacturer's name as contained in the contract. In case of a Government owned loading plant, use the Government title of the plant.

Space 8 — Contract or Order No. If the material is procured from industry on a contract, show the contract number. If the material is produced by a Government-operated plant, the Expenditure Order (X.O.) number shall be shown following the production order number.

Space 9 — Drawing and Revision. The drawing identification shall consist of the drawing and the information in (b) or (c) as applicable. Insert the number of drawing used to obtain the nomenclature shown in space 4. Separate parts by slant lines (see explanation).

(a) The drawing number, including the revision number.

(b) Numbers of any Engineering Orders describing changes not yet included in drawing revisions which have been applied to the production of the lot represented by the data card.

(c) The identification of any letter or teletype which directs or authorizes any change in the requirement of the drawings, which chang has been applied to the lot described.

Examples:

8797090 Rev. A.

The assembly drawing is 8797090 with Revision A. The revision will be found in the revision block.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

8797090 Rev. A/EO 5960

The assembly is here modified by EO 5960 which has been used in the production of the material represented by the lot number in advance of the completion of drawing Revision B.

Space 10 — Specification and revision. The specification identification may consist of one or more of the four parts listed as (a), (b), (c) and (d) below. Enter the numbers of the detail specifications and the parts which apply to acceptance of the lot. Separate parts by slant lines (see explanation).

(a) Specification number, revision letter or number.

(b) Amendment number, if any, preceded by the latter "A."

(c) Numbers of any EO modifying the specification but not yet included by amendment or revision to the specification which have been applied to the production of the lot represented by the data card.

(d) The identification of any letter or teletype which modified any portion of the specifications where modification has been applied to the lot desired.

Example:

MIL–F–1300C/A2/EO 1000/OOAMA–RR 7/1/57

The specification is MIL–F–1300, Revision C, as changed by Amendment 2. This specification is further modified by EO 1000. In addition, a letter OOAMA–RR 7/1/57 contained a modification which applied to the lot represented by the data card.

Space 11 and 12 — Date loading started; completed. For loaded lots enter the day, month and year of the beginning and ending of the loading and assembly of the lot involved. For inert lots use space 12 only and enter date manufacture was completed. For items of issue, the date completed will be shown by day, month and year.

Space 13 — Date inspected. Show the date on which inspection of the lot was completed.

Space 14 — Line. Show the local designation of the assembly line on which the lot was assembled.

Space 15 — Zone weight shell. When the loading assembly drawing lists zone weights, show the zone number corresponding to the projectile weight.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

Space 16 — Charge weight. For complete rounds of artillery ammunition enter the weight for the lot of propellant used in the rounds.

Space 17 and 18 — Expected velocity (Muzzle; Expected pressure. For complete rounds of artillery ammunition show the expected velocity in meters per second and pressure in rounds per square inch for the lot of propellant used in the rounds.

Space 19 — Weight of shell. Enter the weight of projectile with which the propellant was tested for the lot of propellant used in the rounds.

Space 20, 21 and 22 — Number of ballistic samples; sent to; date sent and mode of transportation. When ballistic samples are forwarded to proving grounds for ballistic test as part of the regular inspection, the following information will be shown:

(a) Enter the number of test samples shipped.

(b) Enter the name of proving ground to which they were sent.

(c) Give date shipment and how shipped.

Space 23 — Components. The information about components to be placed on data cards for loaded items differs from that to be placed on data cards for inert items.

Loaded items. For loaded items, the following information will be furnished for each component part, subassembly, explosive, propellant, or other material used in the assembly of the loaded item described by the data card.

(a) Component. Give the approved item name.

Example: Arming pin

(b) Drawing number. Enter the drawing number, revision letter and applied E.O.'s if any.

(c) Model. Enter the model number for any item or subassembly to which a model number has been assigned.

Example: MD–1; M1; MK 1

(d) Manufacturer. Give the name of the manufacturer of each lot of each component used. If any parts are furnished by a supplier other than the one identified in space 7 then the complete information required by the loaded item description shall be furnished, i.e. the identity of the supplier, date manufactured, lot number and quantity.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

Example: Harvey Machine Works

(e) Date Manufactured. Enter the month and year (if available) during which each lot of each component was made.

Example: May 1964

(f) Lot number. Enter the complete lot number of each component used in loading the item. Data cards shall be prepared and submitted for all lots which contain material partially or totally owned by the Government.

Example: AMC–1–120

(g) Quantity. When more than one lot of the same component is used in the assembly of the loaded item, the quantity from each lot, within 5 percent, will be indicated in the column. No entry will be necessary when all components of each type are from the same lot.

Inert items. For inert items which are manufactured by more than one manufacturer all seven sections of the components section shall be filled out (see fig. 2a). If the inert items consist of items made by a single manufacturer, only four classes of information, as described below, should be included (see fig. 3a).

(a) Component.

(b) Drawing number.

(c) Model.

(d) Quantity. The number of units of each component in the lot.

Space 24 — Disposition. The status of the lot shall be reported by using the terms accepted, rejected, provisionally accepted, or rejected as appropriate. (Rejection and acceptance of Government owned material shall be covered by Data Cards.)

Space 25 — Inspector's signature and typed name.

(a) The inspector having knowledge of and contact with the production and inspection of the lot will sign the completed master form. The signature is the certification of the inspector that all required tests and inspections were performed on the material in the lot, that the information listed is correct, and that the disposition indicated has been properly determined.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

(b) When the data card is produced by methods other than specified in paragraph 3.3.2, the name of the inspector will be printed or typed on each data card above the signature line. The inspector will personally sign in ink:

(1) All data cards mailed to Procurement Agency and proving ground for the master file.

(2) All data cards shipped with ballistic samples to proving ground. These will be annotated "provisionally accepted" so the proving ground personnel know that all work is not completed on the lot.

(3) All data cards mailed to the inspection unit of the responsible procurement agency.

Space 23a — This is a continuation of space 23 to be used when required. If additional space is needed beyond that provided, the list of components may extend into the "remarks" section.

Space 26 — Remarks. Any unusual features of the lot represented by the data card will be reported and identified by the appropriate symbol:

(a) Change in process will be listed following a single asterisk (*). These include changes in location, equipment, manufacturing methods, methods or types of plating or other protective coating, or inspection methods. Since changes of this type are usually of a permanent nature, notations may be made for the first lot affected; the note will be interpreted as applying until further notation is made.

(b) Waivers and deviations from drawings or specifications will be listed following a double asterisk (**). When all or part of the lot has been accepted on waiver, report the waiver number, letter, or teletype number with date, the name of the part involved, the extent of the deviation, the number of deviating parts, the method of identification of boxes containing the parts accepted on waiver, or other authority for acceptance.

(1) For items of issue the above waiver information will appear only on the data cards sent to the Engineering and Inspection Officers of the responsible procurement agency, and the master file of the proving ground. Waiver information will not appear on other data cards for items of issue and when data cards are printed from ditto or duplimat masters, this information must be blocked out before other data cards are printed.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

(2) For items of assembly, waiver information will appear on all data cards.

(c) Unusual occurrence and difficulties will be listed following a triple asterisk (***). Conditions which are out of the ordinary, excessive rejections due either to poor components or improper loading and assembly and any other unusual circumstances in connection with the loading, assembly, packing, or inspection of the lot involved should be reported. The inspector will determine what conditions are to be reported.

(d) Other items of information will be added as "Other Remarks" and will include:

(1) Identification of hybrid and miscellaneous lots of components.

(2) Use of alternative design or materials.

(3) Change in source of subcontracted parts.

(4) Description of any unusual or important methods of inspection.

(5) Serial numbers of item. When the items in the lot are serially numbered, list the serial numbers of all items included in the lot.

(6 Description of method of rework or renovation used to rework, rejected or unserviceable lots.

(e) All required data pertaining to each lot of ammunition (includes shells, grenades, mines, bombs, pyrotechnics and missiles, together with projectiles such as bullets, shots and necessary primers, propellants, fuzes and detonators) not normally listed in the previous spaces can be listed in the remarks space.

3.5 Distribution of Data Cards. The distribution of data cards shall be made in accordance with the instructions furnished by the procuring installation. A copy of all Data Cards for the Army shall be forwarded to Commanding Officer ATTN: AMXBR–XSG, Aberdeen Proving Ground, Aberdeen, Md. A copy of all Data Cards for items procured by the Air Force shall be forwarded to Air Force Ammunition Services Office, Hill Air Force Base, Utah, for the master files. If the lot is ballistically tested, the Government inspector will forward two copies of the data card to the proving ground with the ballistic sample (marked as indicated in space 25(b)(2)) and hold the other copies until he learns the results of the ballistic test and then he can enter the final disposition of the lot on these latter copies (see the second sentence above). When a lot is rejected, the data cards for the lot shall be immediately distributed to the procuring activity, the Government inspector, the contractor and proving ground. (If a rejected lot is later waived, the full distribution required shall be made and it shall be indicated that the lot shall be accepted.)

3.6 Lot Numbering Assignments. Lot numbering assignments shall be in accordance with Standard MIL–STD–1168 "Lot Numbering of Ammunition."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

ARSENAL, PLANT OR DISTRICT 1	AMMUNITION DATA CARD	NET QUANTITY 2	LOT NUMBER 3

ITEM 4	FEDERAL STOCK NO. 5	PACKING OF LOT 6

CONTRACTOR 7	CONTRACT OR ORDER NO. 8	DRAWING OR REVISION 9	SPEC AND REVISION 10

DATE STARTED 11	DATE COMPLETED 12	DATE INSPECTED 13	LINE 14	ZONE WT.SHELL 15

CHARGE WEIGHT 16	EXPECTED MUZZLE VELOCITY 17	EXPECTED PRESSURE 18	SHELL WEIGHT 19

NO. OF TEST SAMPLES 20	SENT TO 21	DATE AND MODE OF SHIPMENT 22

COMPONENTS 23

COMPONENTS a	DRAWING NO. b	MODEL c	MANUFACTURER d	DATE MFG. e	LOT NO. f	QUANTITY g

DISPOSITION 24	INSPECTOR'S SIGNATURE AND TYPED NAME 25

00 FORM 1 Jul 57 1944 (FRONT)

FIGURE *1a. Ammunition data card front.*

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

COMPONENT (CONT FROM FRONT)	DRAWING NO.	MODEL	MANUFACTURER	DATE MFG.	LOT NO.	QUANTITY
23a						

REMARKS: (SYMBOLS: *CHANGES IN PROCESS; ** DEVIATIONS FROM DWG. OR SPEC; *** UNUSUAL OCCURRENCES OR DIFFICULTIES)

26

FORM
00 1 Jul 57 1944 (BACK)

FIGURE 1b. *Ammunition data card back.*

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

ARSENAL, PLANT OR DISTRICT	AMMUNITION DATA CARD	NET QUANTITY	LOT NUMBER
Picatinny Arsenal		100	PA-22-1

ITEM	FEDERAL STOCK NO.	PACKING OF LOT
Flare Set AN/ALA-17		1 Flare set/cardboard carton/barrier bag/ wood box.

CONTRACTOR	CONTRACT OR ORDER NO.	DRAWING OR REVISION	SPEC AND REVISION
Picatinny Arsenal		FXP-115810, 7-3-63	Rev 1 PA-PD-2329, 6-7-63

DATE STARTED	DATE COMPLETED	DATE INSPECTED	LINE	ZONE	WT.SHELL
2-5-64	2-11-64	2-11-64	Bldg. #732		

CHARGE WEIGHT	EXPECTED MUZZLE VELOCITY	EXPECTED PRESSURE	SHELL WEIGHT

NO. OF TEST SAMPLES	SENT TO	DATE AND MODE OF SHIPMENT
		2-15-64 Arsenal Truck

COMPONENTS

COMPONENTS	DRAWING NO.	MODEL	MANUFACTURER	DATE MFG.	LOT NO.	QUANTITY
Flare Rack CY2617/ALA-17 Assy	FXP-115619		Lambert Eng. Co.	1964	PA-1-5 PA-1-6 PA-1-7 PA-1-8	20 20 20 20
Center Bar&Ring Assy	CXP-115627		Lambert Eng. Co.	1962	None	
Screw Cap (2)	P-119425		Allen Mfg. Co.	1963	None	
Shorting Ring	XP-116698		Drews Co.	1963	None	
Bushing (2)	P-119038		Picatinny Arsenal	1963	None	
Carton	8860600		Picatinny Arsenal	1963	None	
Box, Wood	8860555		BCBennett Co.	1964	None	
Bag, Barrier	8860600		Picatinny Arsenal	1963	None	

DISPOSITION	INSPECTOR'S SIGNATURE AND TYPED NAME
Provisionally Accepted	WKishpaugh

OO FORM 1 Jul 57 1944 (FRONT)

FIGURE 2a. *Loaded item, front.*

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

COMPONENT (CONT FROM FRONT)	DRAWING NO.	MODEL	MANUFACTURER	DATE MFG.	LOT NO.	QUANTITY
Cord, Nylon	MIL-C-5040		Val Rayco Mfg. Co.	1963	None	
EXPLOSIVES:						
Cartridge, Assembly Flare MX 3529/ALA-17	FXP-115485		Picatinny Arsenal	1963	PA-285-1	

REMARKS: (SYMBOLS: *CHANGES IN PROCESS; ** DEVIATIONS FROM DWG. OR SPEC; *** UNUSUAL OCCURRENCES OR DIFFICULTIES)

PA E.O. 5116-80. FSN-1370-862-6114.
Contract No. 4110.16.4159.22.
Screw Cap x-rayed 100%.
Screw Cap, Washer Flat and Center Bar and Ring Assy coater overall with molycoat 88 prior to assembly.
**Spec. PA-PD-1186, Para. 4.3.2 velocity test conducted in the vertical position.

FORM
001 Jul 57 1944 (BACK)

FIGURE 2b. *Loaded item, back.*

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

ARSENAL, PLANT OR DISTRICT	AMMUNITION DATA CARD	NET QUANTITY	LOT NUMBER
Central Metal Corp., Blankton, Ohio		19,950	OWC-1-8

ITEM	FEDERAL STOCK NO.	PACKING OF LOT
Fuze, Bomb, Train, M190, Inert	1325-099-5903	1/CTN, 6 CTN (6 FUZES)/WDN BOX

CONTRACTOR	CONTRACT OR ORDER NO.	DRAWING OR REVISION	SPEC AND REVISION
Central Metal Corp.	AF-AMC-300-1-56	P83881G/ECO-AMR-24986	MIL-F-12861 7-1-55

DATE STARTED	DATE COMPLETED	DATE INSPECTED	LINE	ZONE WT.SHELL
6 Jan 1956	16 Jan 1956	16 Jan 1956	B	

CHARGE WEIGHT	EXPECTED MUZZLE VELOCITY	EXPECTED PRESSURE	SHELL WEIGHT

NO. OF TEST SAMPLES	SENT TO	DATE AND MODE OF SHIPMENT

COMPONENTS

COMPONENTS	DRAWING NO.	MODEL	MANUFACTURER	DATE MFG.	LOT NO.	QUANTITY
Fuze, Body Assy	P-8388101	M190				20,000
Arming Assy	PX-74-273A	M1				20,000
Vane Assy	PX-98-1345B1	M1				20,000
Carton, Cardboard	75-1-1581					20,000
Box, Packing						3,334

DISPOSITION	INSPECTOR'S SIGNATURE AND TYPED NAME
Accepted	J. J. JAYE

00 FORM 1 Jul 57 1944 (FRONT)

FIGURE 3a. *Inert item, front.*

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

COMPONENT (CONT FROM FRONT)	DRAWING NO.	MODEL	MANUFACTURER	DATE MFG.	LOT NO.	QUANTITY

REMARKS: (SYMBOLS: *CHANGES IN PROCESS; ** DEVIATIONS FROM DWG. OR SPEC; *** UNUSUAL OCCURRENCES OR DIFFICULTIES)

**DEVIATIONS FROM DRAWING SAME AS REPORTED ON AMMUNITION LOT CMC-1-6.

00 FORM 1 Jul 57 1944 (BACK)

FIGURE 3b. *Inert item, back.*

Copies of this Standard required by contractors in connection with specific procurement functions may be obtained from the procuring agency or as directed by the contracting officer.

Copies of this Standard for Military use may be obtained as indicated in the foreword to the index of Military Specifications and Standards.

Copies of this Standard may be obtained for other than official use by individuals, firms, and contractors from the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C.

Both the title and the identifying symbol number should be stipulated when requesting copies of military standards.

Custodians:

Army—MU

Navy—Bureau of Naval Weapons

Air Force—00A

Review Activities:

Air Force—(Code 70)

(Code 11)

Navy—WEPS

Army—MU, MI

User:

Marine Corps—MC

Preparing Activity:

Army—MU

Project No. Misc–0166

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.