MILITARY STANDARD

INSERT ARRANGEMENTS FOR MIL-C-38999 AND MIL-C-27599 ELECTRICAL, CIRCULAR CONNECTORS

TO ALL HOLDERS OF MIL-STD-1560A:

1. THE FOLLOWING PAGES OF MIL-STD-1560A HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED:

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
102.1	1 December 1975	(REPRINTED WITHOUT CHANGE)	
102.2	24 August 1982	102.2	1 December 1975

2. THE FOLLOWING PAGES ARE TO BE ADDED:

NEW PAGE	DATE
109.11	24 August 1982
109.12	24 August 1982

3. RETAIN THIS NOTICE AND INSERT BEFORE TABLE OF CONTENTS.

4. Holders of MIL-STD-1560A will verify that page changes and additions indicated above have been entered. This notice page will be retained as a check sheet. This issuance, together with appended pages, is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or canceled.

Custodians:
Army - CR
Navy - AS
Air Force - 85

Review activities:
Army - AR, MI
Navy - EC, MS, OS
Air Force - 11, 15, 17, 99
DLA - ES

Preparing activity:
Air Force - 85

(Project 5935-3272-8)


Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:43Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:43Z
Check the source to verify that this is the current version before use.


SECTION 102

INSERT ARRANGEMENT, ELECTRICAL CONNECTOR

SHELL SIZE 11




Shell size	Arrange-ment No.	Number of contacts	Size contacts	Service rating	Contact location	Supersedes document
11	-4	4	20	I	All	MS20050-4



INCHES	MM
.056	1.42
.065	1.65
.113	2.86
.130	3.30


Shell size	Arrange-ment No.	Number of contacts	Size contacts	Service rating	Contact location	Supersedes document
11	-5	5	20	I	All	MS20050-5

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:43Z
Check the source to verify that this is the current version before use.



INCHES	MM
.065	1.65
.113	2.87
.130	3.30

Shell size	Arrangement No.	Number of contacts	Size contacts	Service rating	Contact location	Supersedes document
11	-98	6	20	I	All	MS20050-98




INCHES	MM
.065	1.65
.113	2.87
.130	3.30

Shell size	Arrangement No.	Number of contacts	Size contacts	Service rating	Contact location	Supersedes document
11	-99	7	20	I	All	MS20050-99

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:43Z
Check the source to verify that this is the current version before use.

INSERT ARRANGEMENT, ELECTRICAL CONNECTOR

SHELL SIZE 25



CONTACT LEGEND		
Contact IDENT	Size	Qty
◎	10	9
○	20	2

NOTES:
1. All dimensions are true positions.
2. Front face of pin insert shown.


Shell size	Arrange-ment No.	Number of contacts	Size contacts	Service rating	Contact location
25	-11	9	10	Inst.	A,B,C,D,E, F,G,H,J
		2	20		L,K

INCHES	MM
.092	2.34
.102	2.59
.160	4.06
.303	7.72
.431	10.95

Source: https://assist.dla.mil -- Downloaded: 2026l0-24T00:43Z
Check the source to verify that this is the currentversion before use.

INSERT ARRANGEMENT, ELECTRICAL CONNECTOR

SHELL SIZE 25



CONT LOC	X	Y
A	.000	+.407
B	+.234	+.511
C	+.352	+.411
D	+.466	+.275
E	+.530	+.111
F	+.537	-.060
G	+.467	-.312
H	+.208	-.353
J	.000	-.541
K	-.208	-.353
L	-.467	-.312
M	-.537	-.060
N	-.530	+.111
P	-.466	+.275
R	-.352	+.411
S	-.234	+.511
T	+.243	+.270
U	+.357	+.136
V	+.450	-.183
W	.000	-.131
X	-.450	-.183
Y	-.357	+.136
Z	-.234	+.270
1	+.195	+.115
2	+.317	-.061
3	-.317	-.061
4	-.195	+.115
5	.000	+.099
6	+.141	-.018
7	-.141	-.018

INCHES	MM	INCHES	MM
.018	.46	.275	6.99
.060	1.52	.312	7.92
.061	1.55	.317	8.05
.099	2.51	.352	8.94
.111	2.82	.353	8.97
.115	2.92	.357	9.07
.131	3.33	.407	10.34
.136	3.45	.411	10.44
.141	3.58	.450	11.43
.183	4.65	.466	11.84
.195	4.95	.467	11.86
.208	5.28	.511	12.98
.234	5.94	.530	13.46
.243	6.17	.537	13.64
.270	6.86	.541	13.74

SHELL SIZE	ARRANGEMENT NO.	NUMBER OF CONTACTS	SIZE CONTACTS	SERVICE RATING	CONTACT LOCATION
25	-20	3	8	TRIAX	A,H,K
		4	12	COAX	W,2,3,5
		13	16	INST.	C,D,E,F,J,M,N,P,R,T,U,Y,Z
		10	20		B,G,L,S,V,X,1,4,6,7

Source: https://assist.dla.mil - Downloaded: 2026-10-24T00:43Z
Check the source to verify that this is the current version before use.