MIL-STD-35-43(MI)
NOTICE 2
29 October 1976

MILITARY STANDARD .

AUTOMATED ENGINEERING

DOCUMENT PREPARATION SYSTEM

ANTENNAS

TO ALL HOLDERS OF MIL-STD-35-43(MI):

1. THE FOLLOWING PAGES OF MIL-STD-35-43(MI) HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED:

NEW PAGE	DATE	SUPERSEDED PAGE	DATA
Cover	1 May 1974	(REPRINTED WITHOUT CHANGE)	
i i	29 Octoter 1976	i i	1 MAY 1974
i i i	29 October 1976	iii and iv	1 MAY 1974
3	29 October 1976	3	1 MAY 1974
4	29 October 1976	4	1 MAY 1974
5	29 October 1976	5	15 January 1975
6	15 January 1975	(REPRINTED WITHOUT CHANGE)	
49	1 May 1974	(REPRINTED WITHOUT CHANGE)	
50	29 October 1976	50-056	15 JANUARY 1975
63	1 May 1974	(REPRINTED WITHOUT CHANGE)	
64	29 October 1976	64	1 MAY 1974
157	29 October 1976	57-162	15 January 1973

.. RETAIN THIS NOTICE PAGE AND INSERT BEFORE THE TABLE OF CONTENTS.

. Holders of MIL-STD-35-43(MI) will verify that page changes and additions indicated above have been entered. The notice-page will be retained as a check Sheet. This issuance, together with appended pees is a separate publication. Each notice is to be retained by stocking parts until the Military Standard is completely revised or canceled.

Custodians:
Army - MI

Review activities:
Army - AT
Army - AV
Army - EL
Army - ME
Army - MR
Army - SG
Army - WC

User activity:
Army - MU

Preparing activity:
Amy - MI

(Project EDS-A162)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

MIL-STD-35-43(MI)
1 MAY 1974

MILITARY STANDARD

AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM

ANTENNAS

Reprinted without change.

FSC-EDS

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF THE ARMY
u.S. ARMY MATERIEL
DEVELOPMENT AND READINESS COMMAND
ALEXANDRIA, VA. 22333

Automated Engineering
Document Preparation System,
Antennas

MIL-STD-35-43(MI)

1. This Military Standard is approved by the U.S. Army Materiel Development and Readiness Command, department of the Army, and is approved for use by all its activities. All other military activities are required to employ this Standard where suitable.

2. Recommended corrections, additions or deletions should be addressed to Commander, U.S. Army Missile Command, ATTN: DRSMI-RCS. Redstone Arsenal, Alabama 35809.

Supersedes page ii of 1 May 1974,

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

FOREWORD

1. The purpose of MIL-STD-35-43(MI) is to facilitate the preparation of Military Specification, Exceptions for Antennas.

2. In order to properly utilize this document, it is necessary to have a comp ete and thorough understanding of the basic MIL-STD-35.

3. It is important that the procedure described in the basic document (MIL-STD-35C) and subsequent revisions be followed explicitly in order for the computer to produce a document suitable for competitive procurement. Information which is standard for all dash-numbered parts has been included in the basic document at the issuance of MIL-STD-35C. This information is not repeated in each dash-numbered part.

Supersedes pages iii and iv of 1 May 1974.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

SECTION 1.1

SPECIFICATION TITLE INDEX

Specification Title Code	Specification Title	Applicable Document
092001	Antennas, VHF, Airborne	MIL-A-6271 MIL-A-7157 MIL-A-6300 MIL-A-18357
092002	Antennas, VHF, Ground	MIL-A-55012 MIL-A-55101 MIL-A-55138 MIL-A-55288 MIL-A-55379
092003	Antennas, UHF. Airborne	MIL-A-6224 MIL-A-6235 MIL-A-7272 MIL-A-14053 MIL-A-18376 MIL-A-18793 MIL-A-22212 MIL-A-25895 MIL-A-25903 MIL-A-26336 MIL-A-26665 MIL-A-27603
092004	Antennas, UHF, Airborne	MIL-A-5815
092005	Antennas, UHF, Ground	MIL-A-4946
092006	Antennas, UHF, Shipboard	MIL-A-23766

Supersedes page 3 of 1 May 1974.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

SECTION 1.1 SPECIFICATION TITLE INDEX (CONT.)

Specification Title Code	Specification Title	Applicable Document
092007	Antennas, Radar Scanner	MIL-A-19273
092098	Antennas, C-Band Beacon	MIL-A-27445
992099	Antennas, Multi-Frequency. Ground	MIL-A-55468

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

SECTION 1.2

SPECIFICATION REQUIREMENTS INSTRUCTIONS

1.2.1 General

The purpose of these instructions is to establish the procedures to be followed, and the format to be used, for submission of requirements to obtain a computer generated procurement docment.

The requester will find it impossible to complete an SRS using only this dash-numbered part of MIL-STD-35. Information which is standard for all generic families has been included in the master document at the issuance of MIL-STD-35C. This information is not repeated for each dash!-numbered part. The following list contains the subjects which are pertinent to every family unless otherwise excepted.

General Description of AEDPS
Part Numbering
Specification Requirements Sheet
Writing Methodology
Mandatory Specification Requirements
General Specification Requirements
Dimensions and Drawings
Applicable Documents
Materials
Finishes
Inspections
Single and Multi-item Specification (Tabulation)
Sources
Search
General Instructions for SRL
Tables

Supersedes page 5 of 15 January 1975.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

1.2.2 Approved Item Name Code

The item name code for an antenna, to be entered on the SRS with Code 1007. is selected from the Item Name Code column of the following list.

Approved Item Name	Item Name Code
Antenna	00749
Unapproved Names	77777

1.2.3 Figure Number

Code 1009 must show the figure number selected from Section 1.3.

1.2.4 Dimensions

MIL-STD-35 must be used in conjunction with this dash numbered part to completely delineate the dimensions for an antenna.

The figures and corresponding legends, representing different configurations of antennas, are located at the end of Section 1.3. The figure number (representing the selected figure) is mandatory and shall be entered on the SRS with Code 1009. The figure legends in this document (AA, AB, AC, etc.) representing dimensions shall be employed with corresponding legends in Table A of MIL-STD-35.

The remaining instructions for dimensioning antennas are located in MIL-STD-35.

1.2.5 Tabulation

The explanation of, and the instructions for using tabulation are found in MIL-STD-35. Candidates for tabulaton for this part are the dimensional codes shown in Table A of MIL-STD-35 and the following.

TABULATION CANDIDATES FOR ANTENNAS

Characteristic Code	Title
	Beamwidth (degrees maximum)
1620	E plane
1622	H plane

Reprinted without change.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

If it is desired to specify that testing shall be in accordance with Method 204 of MIL-STO-202, enter Code 1443 on the SRS followed by the test condition letter. If Code 1443 is used. enter MIL-STD-202 on the SRS with an appropriate code from Appendix 6 (see 1.2.9). If Code 1443 is used. It is possible to specify the method of mounting the test. specimen by using Code 1444, 1445, or 1445 followed by the appropriate SRS entry. If Code 1443 is used, the electrical load may be specified by entering Code 1447 on the SRS followed by the desired value in ohms. If Code 1443 is used, It is possible to specify the method of determining mechanical resonance by entering Code 1448 or 1449, as appropriate, on the SRS followed by an "X".

If the requirement showm in the document referenced by using Code 1006 is sufficient, enter Code 1450 on the SRS followed by an "X".

If it is desired to modify the requirement shown in the document referenced by using Code 1006. enter Code 1451 on the SRS and complete the sentence shown with Code 1451 in the SRL, using 189 characters or less including punctuation and spaces.

If it is desired to specify the insulation resistance, enter Code 1452 on the SRS followed by the mininum allowable insulation resistance In megohms. If it is desired to specify the requirement shown with Code 1453 in the SRL, enter Code 1453 on the SRS followed by an "x". If it is desired to specify the power handling capability, enter Code 1454 on the SRS followed by the nominal power handling capability in watts. [f it is desired to specify the requirement shown with Cede 1455 in the SRL, enter Code 1455 on the SRS followed by an "i".

1.2.59 Low Frequency Vibration

If the test procedure shown in the document referenced by *using* Code 1006 is sufficient, enter Code 1456 on the SRS followed by an "X" .

If it is desired to take exception to the test procedure shown in the document referenced by using code 1006, enter Code 1457 on the SRS and complete the sentence shown with Code 1457 in the SRL, using 189 characters or less including punctuation and spaces.

If it is desired to specify that testing shall be in accordance,. with Method 201 of MIL-STD-202, enter Code 1458 on the SRS followed by the duration of application per axis in hours. If Code 1458 is used, enter MIL-STD-202 on the SRS with an appropriate code from Appendix B (see 1.2.9). If Code 1458 is used, it is possible to specify the

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

number of axes, the method of mounting, the direction of motion, and the electrical load. To specify the number of axes, enter Code 1459 on the SRS followed by the number. To specify the method of mounting, enter Code 1460, 1461, or 1462 on the SRS followed by the appropriate SRS entry. To specify the direction of motion, enter Code 1463, 1464, 1465 or 1466 on the SRS followed by the appropriate SRS entry. (See 1.2.9 if Code i466 is used.) To specify the electrical load, enter Code 1467 on the SRS followed by the desired value in ohms.

If the requirement shown in the docment referenced with Code 1006 is sufficient, enter Code 1468 on the SRS followed by an "X".

If it is desired to modify the requirement shown in the document referenced with Code 1006, enter Code 1469 on the SRS and complete the sentence shown with Code 1469 in the SRL, using 189 characters or less including punctuation and spaces.

If it is desired to specify the insulation resistance, enter Code 1470 on the SRS followed by the minimum allowable value in megohms. If It is desired to specify the requirement shown with Code 1471 in the SRL. enter Code 1471 on the SRS followed by an "X". If it is desired to specify the power handling capability, enter Code 1472 on the SRS followed by the nominal power handling capability in watts. If it is desired to specify the VSWR. enter Code 1473 on the SRS followed by the desired VSWP rating

Supersedes pages 50 - 56 of 15 January 1975.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

SPECIFICATION REQUIREMENTS

SEE MIL-STD-35 FOR EXAMPLE OF VALUE FILL-IN,

REF, PARA,	CHARACTERISTIC NAME	CODE
1.2.22	Operating Parameters	
	Input Voltage {Select one if required)	
	_____ Volts AC	1615
	± _____ Volts AC	1616
	or	
	_____ Volts DC	1617
	± _____ Volts DC	1618
	Beam Width at half power points	
	* _____ degrees maximum E plane) at	620
	* _____ megaHerts	621
	* _____ degrees maximum H plane) at	622
	* _____ megahertz	623
	Ratio (Select one if required)	
	Axial _____ db	1624
	or	
	Front to Rack _____ db	1625
	Pattern Type (Select one if required)	
	Omnidirectional	1626
	or	

*INDICATES MANDATORY REQUIREMENTS
Reprinted without change.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

SPECIFICATION REQUIREMENTS

SEE MIL-STD-35 FOR EXAMPLE OF VALUE FILL-IN,

REF, PARA,	CHARACTERISTIC NAME	CODE
1.2.22 (cont.)	Unidirectional	
	Pencil - Beam	1623
	or	
	Fan - Beam	1629
	or	
	Shaped - Beam	1630
1.2.23	Frequency Range	
	Requirement (Select one If required)	
	Requirements per specification shown with Code 1006 except ____.	1634
	or	
	Requirements as follows:	
	The Operating Frequency Range shall be	
	Lower Limits _ (megaHertz)	1635
	*Upper LImits (megaHertz)	1636
	or	
	The Frequency Range requirements shall have been met if the antenna meets the requirements for gain, VSwR, and power Capability.	1637

INDICATES MANDATORY REQUIREMENTS

Supersedes page 64 of 1 May 1974.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

Custodians:
Army - MI

Review activities:
Army.- AI.
Army - AV
Army - EL
Army - ME
Army - MR
Army - SG
Army - WC

User activity
Army - MU

Preparing actlvity
Army - MI

(Project EDS-A025-1)

Supersedes pages 157 - 162 of 15 January 1975.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

U.S. MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
US Army Missile Command
ATTN: DRSMI-RCS
Redstone Arsenal, Alabama 35809

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers, vendors, who are prospective suppliers of this or are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers attached, fold form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT [illegible] SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO (If "Yes", in what way?)

4. REMARKS

SUBMITTED BY (Printed or typed name and address - Optional)

TELEPHONE NO

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.