INCH-POUND

MIL-C-70532 (AR)
AMENDMENT 2
03 September 1991
SUPERSEDES
AMENDMENT 1
29 March 1991

MILITARY SPECIFICATION

CARTRIDGES, 105MM, HE, RA, XM913 AND XM927 (WITH WARHEAD AND MOTOR BODY) LOADING, ASSEMBLING AND PACKING

This amendment forms a part of Military Specification MIL-P-70532 (AR), dated 29 October 1990, and is approved for use by the U.S. Army Armament, Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Title: Change "XM913" to "M913" (and wherever it appears).

PAGE 2

2.1.2 Change: "9290990" to "9490990".

Dwg. 12624495 Add: "PA111," after assembly
Dwg. 12624496 Change: "Ammunition" to "Ammo"
Dwg. 12624903 Change: "XM912" to "M913"

Drawing 19-48-4231/45-20PM1006
Add: "and" after Ammunitions
Delete: "Cyclindrical" and Substitute "Cylindrical"

PAGE 3

3.1.1 Add "s" to word "operation"

PAGE 4

3.2.3 Delete in its entirety

3.2.4 Delete in its entirety

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:39Z
Check the source to verify that this is the current version before use.

PAGE 5

3.3.5 Change: "thousands" to "thousandths"

PAGE 7

3.6 Capitalize: "proving" in title

PAGE 25

* 4.4.2.11 Add the following Special defect: "1 Weight zone punch marks missing or incorrect 100% 3.2 Scale/Visual."

PAGE 28

4.4.2.14 Critical defect #1 Add: "/scale" after "Gage"

PAGE 31

4.4.2.17 Majors 101, 102, 103 Add: "/SMTE" after "Gage"

PAGE 35

4.4.2.21 Delete Drawing Number "12630699" substitute: "12624496"

PAGE 37

4.4.2.23 Delete Drawing Number "12934900" substitute: "12624496"

Add to "Next Higher Assembly" "12934900"

PAGE 38

4.4.2.24 "Next Higher Assembly" delete drawing numbers entirely and Substitute: "12929177/12929178"

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:39Z
Check the source to verify that this is the current version before use.

Add the following Major defects:

"106, insufficient fillers for tight pack, Level III 3.1 Visual

107, Filler Size (min.), Level III 3.1 Gage

108, Filler not present underneath cloth strap, Level III 3.1 Visual"

Minor defect 202 delete in its entirety and substitute the following:

"202, Evidence of poor workmanship, Level V 3.10 Visual"

PAGE 43

4.4.3.5 Second sentence Add: "," after the word "change"

PAGE 48

4.5.4 Change: "4.4.3.6" to "4.4.3.5"

PAGE 51

5.4.1 Change: "19048-4231...." to "19-48-4231...."

PAGE 54

6.10 Delete in its entirety and substitute the following new paragraph:

"6.10 Ballistic test projectiles. All projectiles tested by a Government Proving Ground for ballistic Acceptance Test shall have three markings 120 apart, painted at the LAP manufacturing facility across the warhead/motor body joint. See figure 3.

Add the following page: "54 a, Figure 3. Ballistic Acceptance Test Markings."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:39Z
Check the source to verify that this is the current version before use.




Figure 3. Ballistic Acceptance Test Markings.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:39Z
Check the source to verify that this is the current version before use.

The margins of this amendment are marked with an asterisk or vertical line to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian
Army-AR

Preparing activity:
Army-AR

(Project 1320-AC65)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:39Z
Check the source to verify that this is the current version before use.