COMMERCIAL ITEM DESCRIPTION

CASE, FILING, TRANSFER, (COLLAPSIBLE)

The General Services Administration has authorized the use of this commercial item description in preference to Interim Federal Specification UU-C-00250.

This description covers transfer filing cases of the collapsible, vertical, open-end type, with a telescopic inner binder having a removable lock-arch paper holder with a compressor.

Sizes.

Size 1 - Letter size
Size 2 - Legal size

Salient characteristics.

Standard product. The transfer filing cases furnished under this description shall be the manufacturer's standard commercial product.

Material. The material shall be of the quality and composition best suited for the intended purpose.

Fiberboard. The outer case shall be made of corrugated or solid fiberboard. The inner binder shall be made of solid fiberboard. Corrugated fiberboard shall be domestic class, single wall, grade 200 minimum. Solid fiberboard shall be domestic class, grade 275 minimum.

Steel wire. The steel wire shall be plain carbon steel and shall be plated with nickel, cadmium, zinc, or chromium.

Sheet steel. The sheet steel shall be plain carbon steel, hot or cold rolled, at the option of the manufacturer. The sheet steel shall be plated with nickel, cadmium, zinc, or chromium.

Outer case dimensions. The inside dimensions of the outer case shall be as specified in the following table. A plus or minus tolerance of 1/4-inch will be permitted.

Inside dimensions of the outer case (in inches)

Size	Height	Width	Depth
Letter Size	9-1/4	3-1/2	12-5/8
Legal Size	9-1/4	3-1/2	15-5/8

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:22Z
Check the source to verify that this is the current version before use.

Design and construction The transfer filing cases shall be made of the material described and shall be of the dimensions stated in the table. The case shall consist of a collapsible outer case and a collapsible telescoping inner binder. The inner binder shall be equipped with a removable lock-arch paper holder with a compressor.

Arch paper holder. The arch paper holder shall have a metal base with two metal arches attached thereon and spaced on 2-3/4-inch centers. Each arch shall have a movable and fixed portion. The movable portion shall be J-shaped wires not less than 1/8 inch in diameter. The fixed portion shall be not less than 3/16 inch in diameter, of tubular construction with tops cut back to receive the ends of the movable arches. The arch paper holder shall be attachable to the metal plate attached to the inner binder.

Adjustable metal compressor. Each paper holder shall have an adjustable metal compressor designed with a locking device to fit over the fixed arch posts for holding paper in a compact arrangement.

Weight support test. Remove the inner binder from the outer case and place the outer case on a flat table surface in the usual filing position. Place a 5-pound weight across the top surface of the outer case. Then place a straightedge to the sides of the outer case and measure the bend or bulge. The sides of the case shall not bend or bulge more than 1/2 inch.

Drop test. Fill the arch paper holder with paper (8-1/2x11 inches) to its minimum capacity (2 inches) and securely lock the compressor. Place the inner binder into the outer case in the usual manner. Locate the compressor. Place the assembled transfer filing case in a vertical filing position on a flat surface of a height of 30 plus or minus 1 inch making certain the back end of the case extends over the edge of the table. Push the case off the table so that the back end receives the full impact of the drop. Examine visually for evidence of loosening of the back and closure, or for any crushed or dented corners that would render the tranfer filing case unusable.

Identification marking. Each filing case shall be permanently and legibly marked with the name or trademark of the manufacturer.

Workmanship. The tranfer filing case shall be free from defects or imperfections which may affect its appearance or impair its serviceability. It shall be devoid of sharp corners, edges, or other imperfections that may be hazardous to the user.

Regulatory requirements. In accordance with the section 23.403 of the Federal Acquisition Regulations, the Government's policy is to acquire items composed of the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition without adversely affecting performance requirements or exposing supplier's employees to undue hazards from the recovered materials.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:22Z
Check the source to verify that this is the currentversion before use.

Preservation, packaging, packing, labeling, and marking. The preservation, packaging, packing, labeling, and marking shall be specified in the contract or order.

Notes. Purchasers shall specify size wanted.

WHEN THIS COMMERCIAL ITEM DESCRIPTION IS USED FOR PROCUREMENT, THE COMMERCIAL ITEM CERTIFICATION CLAUSE MUST APPEAR IN THE SOLICITATION.

PREPARING ACTIVITY:

GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:22Z
Check the source to verify that this is the current version before use.