[METRIC]

A-A-2715
September 19, 1996

COMMERCIAL ITEM DESCRIPTION

PAPER, DRAWING

The General Services Administration has authorized the use of this commercial item description in preference to Federal Specification UU-P-223 which is canceled.

1. **SCOPE:** This Commercial Item Description covers drawing paper for pencil, ink, and water-color work.

2. **CLASSIFICATION:** Drawing papers covered by this specification shall be of the following types, classes, and styles:

Type I - 100 percent cotton or linen fibers.
Type II - 50 percent cotton or linen fibers.
Type III - 100 percent chemical wood pulp.

Class 1 - Smooth surface.
Class 2 - Slightly grained surface.

Style A - Unmounted.
Style B - Single mounted.
Style C - Double mounted.

3. **SALIENT CHARACTERISTICS:**

3.1 Materials: Drawing papers shall be made from the designated pulps, or blends of pulps and additives needed to meet the salient characteristics of this specification. Fiber content shall be determined in accordance with TAPPI T401.

Beneficial comments, recommendations, additions, deletions, clarification's, etc. and any data which may improve this document should be sent to General Services Administration, Federal Supply Service, Engineering Branch, 26 Federal Plaza, New York, NY 10278

FSC 7530

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:25Z
Check the source to verify that this is the current version before use.

3.6 Form: The drawing paper shall be furnished in sheets or rolls, as specified in the contract or ordering document. For sheets of drawing paper there shall be a dimensional tolerance of +/- 3.1 mm (+/-1/8 inch). Rolls of drawing paper shall be furnished on disposable paperboard cores, the dimensional tolerances shall be +/- 3.1 mm (+/- 1/8 inch) for the width. The length shall be as specified and the core shall be equal to the specified width of the roll with a + 1.5 mm (+ 1/16 inch) tolerance at each end. No splice shall be permitted within the roll.

3.7 Writing and erasing quality: 5 lines 5 cm (2 inches) long, of different widths, shall be drawn upon the surface of the drawing paper with a 635 microns +/- 25 microns (0.025 +/- 0.001 inches) detail drawing pen using black waterproof drawing ink conforming to commercial item description A-A-2767, type 2. The ink shall be allowed to dry at least five minutes. The inked lines shall be completely erased with an eraser of the "Van Dyke" No. 6500 or equal. The erased surface shall smoothed with a soft pencil eraser. Lines of different widths shall again be drawn diagonally through the erased area. The lines last made shall show no visible spreading or feathering of inked lines/characters. All erasures shall be complete and the surface shall show no evidence of damage.

3.8 Bleaching: To obtain an acceptable brightness a chemical bleaching process may be used. When specified in the ordering data (See Ordering Data), the bleaching process shall not include the use of chlorine, chlorine dioxide, or other chlorine compounds. The Government reserves the right to require proof of such conformance.

3.9 Workmanship: Drawing paper shall be clean, free from holes, tears, cuts, creases, wrinkles, ply separation and any defects which may affect the appearance or serviceability of the item.

4. REGULATORY REQUIREMENTS:

4.1 Recovered material requirements shall be as specified in the contract or ordering document.

4.2 Labeling: The recycled content shall be marked on the product or unit pack.

5. QUALITY ASSURANCE:

5.1 Product Conformance: The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, and quality assurance practices and be the same product offered for sale in the commercial market. The government reserves the right to require proof of such conformance.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:25Z
Check the source to verify that this is the current version before use.

ANSI/ASQC Z1.4-1993 is available from:

American Society for Quality Control
PO Box 3005
611 E. Wisconsin Avenue, Milwaukee, WI 53201-4606

8. **NOTES:**

A. Ordering Data: Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

(1) Type, class and style.
(2) Basis weight of Type I paper.
(3) Whether mounting is flush or extends.
(4) Color.
(5) Form and size
(6) Number of sheets.
(7) Whether chlorine or chlorine compound bleaching is acceptable.
(8) Specific packaging, packing, palletization and, marking requirements.

B. **Item Identifiers/Reference Part Number System (For Cataloging Use Only)**

AA2715 - B1A: This example describes an unmounted, smooth surface 50% cotton or linen fiber drawing paper.

STYLE A - Unmounted.
B - Single mounted.
C - Double mounted.

CLASS 1 - Smooth surface.
2 - Slightly grained surface.

TYPE I - 100 percent cotton or linen fibers.
II - 50 percent cotton or linen fibers.
III - 100 percent chemical wood pulp.

C. List of NSNs:

Sheets

7530-00-276-7905
7530-00-290-0623
7530-00-985-7259
7530-00-985-7260

Rolls

7530-00-187-8725
7530-00-633-9359
7530-00-985-7261
7530-00-985-7262
7530-00-985-7266

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:25Z
Check the source to verify that this is the current version before use.