[METRIC]

A-A-2875
October 3, 1994

COMMERCIAL ITEM DESCRIPTION

BOX, CASH, STEEL

The General Services Administration has authorized the use of this commercial item description by all Federal agencies.

A. SCOPE

This Commercial Item Description covers a steel cash box, primarily intended for holding cash and stamps.

B. CLASSIFICATION

Type A - Spring, snap lock.
Type B - Hasp lock.

C. SALIENT CHARACTERISTICS

C.1 Material

Steel. Minimum thickness for any part of the box shall be 0.445 millimeter (0.0175 inch).

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: The General Services Administration, Office Supplies and Paper products Commodity Center, Engineering Branch, New York, N.Y. 10278.

DISTRIBUTION STATEMENT A : Approved for public release; distribution is unlimited.

FSC 7520

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:26Z
Check the source to verify that this is the current version before use.

C.2 Dimensions.

The box shall have the following dimensions.
Minimum outside width : 24.13 centimeter (9.5 inches).
Minimum outside depth : 17.78 centimeter (7.0 inches).
Minimum outside height : 10.16 centimeter (4.0 inches).

C.3 Construction.

C.3.1 Tray. The box shall have an inside tray with a minimum of five compartments. Tray may be made of metal or plastic.

C.3.2 Locks. Type of lock shall be one of the following.

C.3.2.1 Type A lock. The lock shall be spring, snap type with two milled or stamped keys taped inside the cash box. The lock shall be so designed to secure the base and cover, making it unnecessary to lock the box when being carried.

C.3.2.2 Type B lock. A hinged metal strap (hasp) with corresponding staple shall be securely attached to the center, front of the cash box.

C.3.3 Handle. The box shall have a carrying handle, made of metal or plastic.

C.4 Identification marking

The box shall have a permanent marking of the manufacturer's name or trademark. When specified, any additional marking specified in the invitation for bids, contract, or order, shall be included in the marking.

C.5 Workmanship

The cash box shall be free from defects and imperfections which may affect appearance or serviceability, or may constitute a personal hazard to the user. The cash box shall be free from sharp edges, burrs, dents, cracks, chips, blisters, gouges, uneven finish, rust, and faulty construction. All corners shall be rounded and smooth.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:26Z
Check the source to verify that this is the current version before use.

D. REGULATORY REQUIREMENTS

In accordance with section 23.403 of the Federal Acquisition Regulations, the government's policy is to acquire items composed of the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition without adversely affecting performance requirements of exposing suppliers' employees to undue hazards from the recovered materials.

E. QUALITY ASSURANCE PROVISIONS

E.1 Contractor Certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this Commmercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

E.2 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

E.3 Each lot of boxes shall be inspected for conformance to the requirements herein. Inspection shall be in accordance with MIL-STD-105 using the sampling plans specified below.

E.4 Visual characteristics - Inspection level S-4 with an Acceptable Quality level (AQL) of 4.0 percent defective. The sample unit shall be one box.

E.5 Dimensional characteristics - Inspection level S-2 with an Acceptable Quality level (AQL) of 4.0 percent defective. The sample unit shall be one box.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:26Z
Check the source to verify that this is the current version before use.

F. PACKAGING.

Packaging, packing, labeling and marking shall be as specified in the contract or order.

G. NOTES.

G.1 Application for Copies of Documents Referenced Herein:

The issue date in effect on date of invitation for bids or request for proposal shall apply.

G.1.1 MIL-STD-105 "Sampling Procedures and Tables for Inspection by Attributes" is available from Standardization Documents Order Desk; Building 4D; 700 Robbins Avenue; Philadelphia, PA 19111-5094.

G.2 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

(a) Title, number, and date of this Commercial Item Description
(b) Type of lock (see C.3.2)
(c) Packaging, packing labeling and marking.

NO OFFICIAL DOD INTEREST
HAS BEEN REGISTERED

PREPARING ACTIVITY:
GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:26Z
Check the source to verify that this is the current version before use.