[Metric]
A-A-2988
August 02, 1996

COMMERCIAL ITEM DESCRIPTION
HOLDER, DESK MEMORANDUM PAPER, SHEET TYPE
(PLASTIC)

The General Services Administration has authorized the use of this commercial item description by all federal agencies and replaces Federal Specification L-H-575 which is canceled.

1. Scope: This Commercial Item Description covers a plastic desk or counter-top holder designed for accommodating 76.2 mm x 127.0 mm (3 x 5 inch) sheets of memorandum paper.

2. Salient Characteristics:

2.1 The holder shall be designed to accommodate (in loose-leaf form) 76.2 mm x 127.0 mm (3 x 5 inch) sheets of paper up to at least 12.7 mm (1/2 inch) in total thickness. The inside length and width dimensions shall be adequate to insure compactness of the sheets without causing them to be cramped. The design shall allow for easy insertion and removal of sheets of paper.

2.2 The holder shall have a top piece (the top being the highest portion of the holder when it lays flat or on a level surface) located at one width-end to provide protection against disarrangement of the sheets from wind gusts, bundling, or other means.

2.3 The design shall allow at least 16 mm (.629 inch) of the writing portion of the top sheet to remain exposed. At the width-end opposite the top piece, a thumb notch or other suitable arrangement shall be provided to facilitate easy insertion and removal of papers.

2.4 The holders shall be made of plastic not less than 1.3 mm (0.051 inch) thick. The plastic shall retain its design contours without warping, crazing, cracking, softening, or discoloring while in normal service or storage. The holder shall be of a color as specified in the solicitation, contract or ordering instructions.

2.5 The holder shall be permanently and legibly marked with the manufacturer's name or trademark. Placement of these permanent markings shall be at discretion of the manufacturer.

2.6 Workmanship. The holder shall have a smooth, and uniform surface and shall be free from defects which affect serviceability. Minor discolorations, imbedded foreign matter and imperfections due to the use of Post Consumer Recovered Material (polystyrene) shall not be cause for non-compliance with this.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to General Services Administration, Federal Supply Service, Engineering Branch, 26 Federal Plaza, New York, NY 10278.

FSC 7520

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:28Z
Check the source to verify that this is the current version before use.

3. **Regulatory Requirements:** The offerer/contractor is encouraged to use recovered materials to the maximum extent practicable in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

3.1 **Certification:** The contractor shall certify that if polystyrene is used in the manufacture of the item, it shall contain a minimum of 25 percent Postconsumer Recovered Materials in accordance with Title 40 Code of Federal Regulations Part 247, Comprehensive Guideline for Procurement of Products Containing Recovered Materials; final rule. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provision of the contract.

4. **Quality Assurance Requirements:**

4.1 **Product Conformance.** The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, standards and quality assurance practices and be the same product offered for sale in the commercial market. The government reserves the right to require proof of such conformance.

4.2 **Examination.**

4.2.1 Suppliers are encouraged to use quality control (QC) techniques that exhibit control over their processes (e.g. (Statistical Process Control) SPC Techniques) as defined in American National Standards Institute (ANSI) Z1.1, Z1.2 and Z1.3 / American Society for Quality Control (ASQC) B.1, B.2 and B.3 that systematically reduce excess variations. If used, objective evidence shall be available that demonstrates overall measurement adequacy techniques and controls. These techniques shall ensure quality levels equal to, or greater than, those cited in applicable technical document or, herein.

4.2.2 End item inspection may be used by the offerer or the Government representative, as a means to determine the effectiveness of the in process quality controls. While in process controls shall not be substituted for end item performance testing, they may be used in visual and dimensional inspections.

4.2.3 For those characteristics for which there are no such controls, lot by lot sampling for inspection shall be required. The sample unit for this item shall be one holder. Sampling shall be in accordance with the American National Standards Institute (ANSI) / American Society for Quality Control (ASQC) Z1.4, Sampling Procedures and Tables for Inspection by Attributes.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:28Z
Check the source to verify that this is the current version before use.

4.2.4 An inspection lot shall consist of all like items submitted for inspection at one time The inspection level for visual and dimensional inspections shall be S-3 with an AQL of 4.0 percent defective The supplier must provide objective evidence (inspection records) that the presented material meets the requirements of the sampling plan as indicated above.

5. Packaging:

5.1 Preservation, packing, and marking shall be specified in the contract or order.

6. Notes:

6.1 **Source of Documents.** Issues of the following documents, in effect on the date of invitation for bids or request for proposal form a part of this document to the extent specified herein

6.1.1 Federal Acquisition Regulation (FAR) may be obtained from the Superintendent of Documents, Government Printing Office, Washington DC 20402.

6.1.2 Application for copies of (ANSI) Z1.1, Z1.2, Z1.3 and (ASQC) B.1, B.2 and B 3 may be obtained from the American Society for Quality Control. PO Box 3005, 611 E Wisconsin Avenue, Milwaukee, WI 53201-4606.

6.2 **National Stock Number Listing (NSN).** The following is a list of Nsn's assigned which correspond to this CID. The list may not be indicative of all possible nsn's associated with the CID

7520-00-139-3802
7520-00-290-6445
7520-01-386-1601

MILITARY INTERESTS

NONE DoD has no registered interest in revisions and amendments to this Commercial Item Description until further notice

Preparing Activity

GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:28Z
Check the source to verify that this is the currentersion before use.