
FED. SUP CLASS
5133



(B) CANCELLED AFTER 1 JUNE 1974 NO SUPERSEDING STANDARD

MS part number	Drill size	Drill diameter	Overall length	Flute length
			Inches	Inches
MS15444-1	80	0.0135	3/4	3/16
MS15444-2	79	.0145	3/4	3/16
MS15444-3	1/64	.0156	3/4	3/16
MS15444-4	78	.016	7/8	3/16
MS15444-5	77	.018	7/8	3/16
MS15444-6	76	.020	7/8	3/16
MS15444-7	75	.021	1	1/4
MS15444-8	74	.0225	1	1/4
MS15444-9	73	.024	1-1/8	5/16
MS15444-10	72	.025	1-1/8	5/16
MS15444-11	71	.026	1-1/4	3/8
MS15444-12	70	.028	1-1/4	3/8
MS15444-13	69	.0292	1-3/8	1/2
MS15444-14	68	.031	1-3/8	1/2
MS15444-15	1/32	.0312	1-3/8	1/2
MS15444-16	67	.032	1-3/8	1/2
MS15444-17	66	.033	1-3/8	1/2
MS15444-18	65	.035	1-1/2	5/8
MS15444-19	64	.036	1-1/2	5/8
MS15444-20	63	.037	1-1/2	5/8
MS15444-21	62	.038	1-1/2	5/8
MS15444-22	61	.039	1-5/8	11/16
MS15444-23	60	.040	1-5/8	11/16
MS15444-24	59	.041	1-5/8	11/16
MS15444-25	58	.042	1-5/8	11/16
MS15444-26	57	.043	1-3/4	3/4
MS15444-27	56	.0465	1-3/4	3/4
MS15444-28	3/64	.0469	1-3/4	3/4
MS15444-29	55	.052	1-7/8	7/8
MS15444-30	54	.055	1-7/8	7/8
MS15444-31	53	.0595	1-7/8	7/8
MS15444-32	1/16	.0625	1-7/8	7/8
MS15444-33	52	.0635	1-7/8	7/8
MS15444-34	51	.067	2	1
MS15444-35	50	.070	2	1
MS15444-36	49	.073	2	1
MS15444-37	48	.076	2	1
MS15444-38	5/64	.0781	2	1
MS15444-39	47	.0785	2	1
MS15444-40	46	.081	2-1/8	1- 1/8
MS15444-41	45	.082	2-1/8	1- 1/8
MS15444-42	44	.086	2-1/8	1- 1/8
MS15444-43	43	.089	2-1/4	1- 1/4
MS15444-44	42	.0935	2-1/4	1- 1/4
MS15444-45	3/32	.0937	2-1/4	1- 1/4
MS15444-46	41	.096	2-3/8	1- 3/8
MS15444-47	40	.098	2-3/8	1- 3/8
MS15444-48	39	.0995	2-3/8	1- 3/8
MS15444-49	38	.1015	2-1/2	1- 7/16
MS15444-50	37	.104	2-1/2	1- 7/16
MS15444-51	36	.1065	2-1/2	1- 7/16

(A) Coordinated issue - No changes

APPROVED 27 Aug 1954 REVISED (A) 23 March 1961 (B) 1 JUNE 1974

NOTICE.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A. SHIPS Other Cust ORD MOA	TITLE DRILLS, TWIST, HIGH SPEED STEEL, STRAIGHT ROUND SHANK, SHORT LENGTH	MILITARY STANDARD MS15444
PROCUREMENT SPECIFICATION GGG-D-751	SUPERSEDES:	SHEET 1 OF 3

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:47Z
Check the source to verify that this is the current version before use.

NOTICE.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

FED. SUP CLASS
5133

APPROVED 27 Aug 1954 REVISED (A) COORDINATED ISSUE - NO CHANGES (B) 1 JUNE 1974

MS part number	Drill size	Drill diameter	Overall length	Flute length
			Inches	Inches
MS15444-52	7/64	0.1093	2-5/8	1- 1/2
MS15444-53	35	.110	2-5/8	1- 1/2
MS15444-54	34	.111	2-5/8	1- 1/2
MS15444-55	33	.113	2-5/8	1- 1/2
MS15444-56	32	.116	2-3/4	1- 5/8
MS15444-57	31	.120	2-3/4	1- 5/8
MS15444-58	1/8	.125	2-3/4	1- 5/8
MS15444-59	30	.1285	2-3/4	1- 5/8
MS15444-60	29	.136	2-7/8	1- 3/4
MS15444-61	28	.1405	2-7/8	1- 3/4
MS15444-62	9/64	.1406	2-7/8	1- 3/4
MS15444-63	27	.144	3	1- 7/8
MS15444-64	26	.147	3	1- 7/8
MS15444-65	25	.1495	3	1- 7/8
MS15444-66	24	.152	3-1/8	2
MS15444-67	23	.154	3-1/8	2
MS15444-68	5/32	.1562	3-1/8	2
MS15444-69	22	.157	3-1/8	2
MS15444-70	21	.159	3-1/4	2- 1/8
MS15444-71	20	.161	3-1/4	2- 1/8
MS15444-72	19	.166	3-1/4	2- 1/8
MS15444-73	18	.1695	3-1/4	2- 1/8
MS15444-74	11/64	.1718	3-1/4	2- 1/8
MS15444-75	17	.173	3-3/8	2- 3/16
MS15444-76	16	.177	3-3/8	2- 3/16
MS15444-77	15	.180	3-3/8	2- 3/16
MS15444-78	14	.182	3-3/8	2- 3/16
MS15444-79	13	.185	3-1/2	2- 5/16
MS15444-80	3/16	.1875	3-1/2	2- 5/16
MS15444-81	12	.189	3-1/2	2- 5/16
MS15444-82	11	.191	3-1/2	2- 5/16
MS15444-83	10	.1935	3-5/8	2- 7/16
MS15444-84	9	.196	3-5/8	2- 7/16
MS15444-85	8	.199	3-5/8	2- 7/16
MS15444-86	7	.201	3-5/8	2- 7/16
MS15444-87	13/64	.2031	3-5/8	2- 7/16
MS15444-88	6	.204	3-3/4	2- 1/2
MS15444-89	5	.2055	3-3/4	2- 1/2
MS15444-90	4	.209	3-3/4	2- 1/2
MS15444-91	3	.213	3-3/4	2- 1/2
MS15444-92	7/32	.2187	3-3/4	2- 1/2
MS15444-93	2	.221	3-7/8	2- 5/8
MS15444-94	1	.228	3-7/8	2- 5/8
MS15444-95	A	.234	3-7/8	2- 5/8
MS15444-96	15/64	.2343	3-7/8	2- 5/8
MS15444-97	B	.238	4	2- 3/4
MS15444-98	C	.242	4	2- 3/4
MS15444-99	D	.246	4	2- 3/4
MS15444-100	E 1/4	.250	4	2- 3/4
MS15444-101	F	.257	4-1/8	2- 7/8
MS15444-102	G	.261	4-1/8	2- 7/8
MS15444-103	17/64	.2656	4-1/8	2- 7/8
MS15444-104	H	.266	4-1/8	2- 7/8
MS15444-105	I	.272	4-1/8	2- 7/8
MS15444-106	J	.277	4-1/8	2- 7/8
MS15444-107	K	.281	4-1/4	2-15/16
MS15444-108	9/32	.2812	4-1/4	2-15/16
MS15444-109	L	.290	4-1/4	2-15/16
MS15444-110	M	.295	4-3/8	3- 1/16
MS15444-111	19/64	.2968	4-3/8	3- 1/16
MS15444-112	N	.302	4-3/8	3- 1/16
MS15444-113	5/16	.3125	4-1/2	3- 3/16

P.A. SHIPS
Other Cust ORD MOA

TITLE
DRILLS, TWIST, HIGH SPEED STEEL, STRAIGHT ROUND SHANK, SHORT LENGTH

MILITARY STANDARD
MS15444

PROCUREMENT SPECIFICATION
GGG-D-751

SUPERSEDES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:47Z
Check the source to verify that this is the current version before use.

MS part number	Drill size	Drill diameter	Overall length	Flute length
			Inches	Inches
MS15444-114	O	0.316	4-1/2	3- 3/16
MS15444-115	P	.323	4-5/8	3- 5/16
MS15444-116	21/64	.3281	4-5/8	3- 5/16
MS15444-117	Q	.332	4-3/4	3- 7/16
MS15444-118	R	.339	4-3/4	3- 7/16
MS15444-119	11/32	.3437	4-3/4	3- 7/16
MS15444-120	S	.348	4-7/8	3- 1/2
MS15444-121	T	.358	4-7/8	3- 1/2
MS15444-122	23/64	.3593	4-7/8	3- 1/2
MS15444-123	U	.368	5	3- 5/8
MS15444-124	3/8	.375	5	3- 5/8
MS15444-125	V	.377	5	3- 5/8
MS15444-126	W	.386	5-1/8	3- 3/4
MS15444-127	25/64	.3906	5-1/8	3- 3/4
MS15444-128	X	.397	5-1/8	3- 3/4
MS15444-129	Y	.404	5-1/4	3- 7/8
MS15444-130	13/32	.4062	5-1/4	3- 7/8
MS15444-131	Z	.413	5-1/4	3- 7/8
MS15444-132	27/64	.4218	5-3/8	3-15/16
MS15444-133	7/16	.4375	5-1/2	4- 1/16
MS15444-134	29/64	.4531	5-5/8	4- 3/16
MS15444-135	15/32	.4687	5-3/4	4- 5/16
MS15444-136	31/64	.4843	5-7/8	4- 3/8
MS15444-137	1/2	.500	6	4- 1/2

1. Drills shall conform to Specification GGG-D-751.
2. Referenced documents shall be of the issue in effect on date of invitation for bids.
3. For design feature purposes, this standard takes precedence over procurement documents referenced herein.

NOTICE.—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

APPROVED 27 Aug 1954 REVISED (A) COORDINATED ISSUE - NO CHANGES (B) 11 JUNE 1974

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

(Project 310-58A)

P.A.	TITLE	MILITARY STANDARD
SHIPS Other Cust ORD MOA	DRILLS, TWIST, HIGH SPEED STEEL, STRAIGHT ROUND SHANK, SHORT LENGTH	MS15444
PROCUREMENT SPECIFICATION GGG-D-751	SUPERSEDES:	SHEET 1

Source: https://assist.dla.mil - Downloaded: 2026-10-23T13:47Z
Check the source to verify that this is the current version before use.