
FED. SUP CLASS
8475



NOZZLE ASSEMBLY

DASH NO.	ASSEMBLY
-1	ANTI G
-2	VENTILATION

MATERIAL: NOZZLE; ALUMINUM ALLOY CASTING, CLASS 8, SPECIFICATION QQ-A-596. LIFTER, LOCK; CORROSION RESISTING STEEL, CLASS 302, 304 OR 347, COND A, SPEC. QQ-S-766. SPRING, LOCK, CORROSION RESISTING STEEL, CLASS 410, COND. A, SPEC QQ-S-766.

FINISH: ANODIZE, TYPE II, SPECIFICATION MIL-A-8625, -1 TO BE GREEN AND -2 TO BE GREY. NOTE: CASTING MAY BE IMPREGNATED IN ACCORDANCE WITH STANDARD MIL-STD-276.

NOTES:

1 - CASTING TO HAVE 1/16 WALL THICKNESS TYPICAL.

2 - BREAK ALL SHARP EDGES.

3 - FINISH ALL OVER 125 EXCEPT AS NOTED, AND EXCEPT INTERIOR AND EXTERIOR CAST SURFACES EXCEPT AS NOTED.

4 - DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES: DECIMALS ±.010, ANGLES ±0°30'

5 - PRESSURE TEST TO MINIMUM OF 28 PSI INTERNAL PRESSURE AND STAMP "P.T." ON CASTING, NO LEAKAGE PERMISSIBLE.

6 - -1 FITTING IS INTENDED FOR USE WITH FLEX VENT HOSE TO BE USED IN CONJUNCTION WITH PRESSURE SUIT OR ANTI-EXPOSURE SUIT FOR ANTI-G SERVICE. -2 FITTING IS INTENDED FOR USE WITH FLEX VENT HOSE TO BE USED IN CONJUNCTION WITH THE PRESSURE SUIT.

7 - REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.

8 - THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.


APPROVED 2 DECEMBER 63 REVISED

P.A. NAVY-WEPS Other Cust	TITLE NOZZLE ASSEMBLY ANTI-G AND VENTILATION	MILITARY STANDARD MS17968 (Weps)
PROCUREMENT SPECIFICATION NONE	SUPERSEDES:	SHEET 1 OF 4

DD FORM 1 SEP 67 672-1 (Limited coordination)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:11Z
Check the source to verify that this is the current version before use.



FED. SUP CLASS
8475

APPROVED 2 DECEMBER 63 REVISED

This standard has been approved by the BUREAU OF NAVAL WEAPONS Department of the NAVY and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.


P.A. NAVY-WEPS Other Cust	TITLE NOZZLE ASSEMBLY ANTI - G AND VENTILATION	MILITARY STANDARD MS17968 (Weps)
PROCUREMENT SPECIFICATION NONE	SUPERSEDES:	SHEET 2 OF 4

DD FORM 672-1 (Limited coordination)


PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:11Z
Check the source to verify that this is the current version before use.


FED. SUP CLASS
8475



SECTION A-A



SECTION B-B



SECTION C-C

NOZZLES

APPROVED 2 DECEMBER 63 REVISED

This standard has been approved by the BUREAU OF NAVAL WEAPONS Department of the NAVY and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.


P.A. NAVY-WEPS Other Cost	TITLE NOZZLE ASSEMBLY ANTI-G & VENTILATION	MILITARY STANDARD MS17968 (Weps)
PROCUREMENT SPECIFICATION NONE	SUPERSEDES:	SHEET 3 OF 4


DD FORM SEP 67 672-1 (Limited coordination)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:11Z
Check the source to verify that this is the current version before use.


FED. SUP CLASS
8478





SPRING LOCK





LIFTER LOCK

APPROVED 2 DECEMBER 63 REVISED

P.A. NAVY-WEPS Other Cust	TITLE NOZZLE ASSEMBLY ANTI-G AND VENTILATION	MILITARY STANDARD MS17968 (Weps)
PROCUREMENT SPECIFICATION NONE	SUPERSEDES:	SHEET 4 OF 4

DD FORM 1 SEP 67 672-1 (Limited coordination)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:11Z
Check the source to verify that this is the current version before use.