INCH-POUND

MS27405B
w/AMENDMENT 1
4 April 2017
SUPERSEDING
MS27405B
5 AUGUST 2008

DETAIL SPECIFICATION SHEET

CLAMP – TUBE

Inactive for new design after 22 August 1997

This specification sheet is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet.




FIGURE 1. Clamp – Tube.

AMSC N/A

FSC 5340

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:23Z
Check the source to verify that this is the current version before use.

TABLE I. Type A Part numbers and dimensions

MS PART NUMBER				DIMENSIONS			
TYPE A				∅D	E	G	
STEEL		ALUMINUM ALLOY				STEEL	ALUM ALLOY
UNPLATED	PLATED	SAE AMS-QQ-A-250/12	SAE AMS-QQ-A-250/8				
MS27405-4	MS27405-4P	MS27405D4	MS27405HD4	.500	.453		
MS27405-5	MS27405-5P	MS27405D5	MS27405HD5	.625	.562		
MS27405-6	MS27405-6P	MS27405D6	MS27405HD6	.750	.641		
MS27405-7	MS27405-7P	MS27405D7	MS27405HD7	.875	.719		
MS27405-8	MS27405-8P	MS27405D8	MS27405HD8	1.000	.781		
MS27405-9	MS27405-9P	MS27405D9	MS27405HD9	1.125	.859		
MS27405-10	MS27405-10P	MS27405D10	MS27405HD10	1.250	.922		
MS27405-11	MS27405-11P	MS27405D11	MS27405HD11	1.375	1.000	.050	.051
MS27405-12	MS27405-12P	MS27405D12	MS27405HD12	1.500	1.062		
MS27405-13	MS27405-13P	MS27405D13	MS27405HD13	1.625	1.125		
MS27405-14	MS27405-14P	MS27405D14	MS27405HD14	1.750	1.188		
MS27405-15	MS27405-15P	MS27405D15	MS27405HD15	1.875	1.250		
MS27405-16	MS27405-16P	MS27405D16	MS27405HD16	2.000	1.328		
MS27405-17	MS27405-17P	MS27405D17	MS27405HD17	2.125	1.391		
MS27405-18	MS27405-18P	MS27405D18	MS27405HD18	2.250	1.453		
MS27405-19	MS27405-19P	MS27405D19	MS27405HD19	2.375	1.516		
MS27405-20	MS27405-20P	MS27405D20	MS27405HD20	2.500	1.578		

TABLE II. Type B Part numbers and dimensions

MS PART NUMBER				DIMENSIONS			
TYPE B				∅D	E	G	
STEEL		ALUMINUM ALLOY				STEEL	ALUM ALLOY
UNPLATED	PLATED	SAE AMS-QQ-A-250/12	SAE AMS-QQ-A-250/8				
MS27405T4	MS27405T4P	MS27405TD4	MS27405HTD4	.500	.453		
MS27405T5	MS27405T5P	MS27405TD5	MS27405HTD5	.625	.562		
MS27405T6	MS27405T6P	MS27405TD6	MS27405HTD6	.750	.641		
MS27405T7	MS27405T7P	MS27405TD7	MS27405HTD7	.875	.719		
MS27405T8	MS27405T8P	MS27405TD8	MS27405HTD8	1.000	.781		
MS27405T9	MS27405T9P	MS27405TD9	MS27405HTD9	1.125	.859		
MS27405T10	MS27405T10P	MS27405TD10	MS27405HTD10	1.250	.922		
MS27405T11	MS27405T11P	MS27405TD11	MS27405HTD11	1.375	1.000	.050	.051
MS27405T12	MS27405T12P	MS27405TD12	MS27405HTD12	1.500	1.062		
MS27405T13	MS27405T13P	MS27405TD13	MS27405HTD13	1.625	1.125		
MS27405T14	MS27405T14P	MS27405TD14	MS27405HTD14	1.750	1.188		
MS27405T15	MS27405T15P	MS27405TD15	MS27405HTD15	1.875	1.250		
MS27405T16	MS27405T16P	MS27405TD16	MS27405HTD16	2.000	1.328		
MS27405T17	MS27405T17P	MS27405TD17	MS27405HTD17	2.125	1.391		
MS27405T18	MS27405T18P	MS27405TD18	MS27405HTD18	2.250	1.453		
MS27405T19	MS27405T19P	MS27405TD19	MS27405HTD19	2.375	1.516		
MS27405T20	MS27405T20P	MS27405TD20	MS27405HTD20	2.500	1.578		

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:23Z
Check the source to verify that this is the current version before use.

NOTES:

1. MATERIAL: ALUMINUM ALLOY, SPEC SAE AMS-QQ-A-250/12 (7075) T73 TEMPER, TENSILE STRENGTH REQUIREMENTS OF 62,000 PSI MIN
   ALUMINUM ALLOY, SPEC SAE AMS-QQ-A-250/8 H32 TENSILE STRENGTH REQUIREMENTS OF 31,000 PSI MIN
   STEEL, SPEC QQ-S-698 1015, T4

2. FINISH: ALUMINUM ALLOY, ANODIZE PER SPEC MIL-A-8625, TYPE I OR II.
   STEEL, CADMIUM PLATE PER SPEC SAE AMS-QQ-P-416, TYPE II, CLASS 2.

3. EXAMPLE PART NUMBER:

MS27405-6	CLAMP, TYPE A, STEEL, UNPLATED.
MS27405-6P	CLAMP, TYPE A, STEEL, PLATED.
MS27405D6	CLAMP, TYPE A, ALUMINUM ALLOY, SPEC SAE AMS-QQ-A-250/12.
MS27405T6	CLAMP, TYPE B, STEEL, UNPLATED.
MS27405T6P	CLAMP, TYPE B, STEEL, PLATED.
MS27405HD6	CLAMP, TYPE A, ALUMINUM ALLOY, SPEC SAE AMS-QQ-A-250/8.
MS27405TD6	CLAMP, TYPE B, ALUMINUM ALLOY, SPEC SAE AMS-QQ-A-250/12.
MS27405HTD6	CLAMP, TYPE B, ALUMINUM ALLOY, SPEC SAE AMS-QQ-A-250/8.

4. MARK BOTH HALVES OF TYPE B CLAMP.

5. DIMENSION IN INCHES, TOLERANCES ±.010.

6. MS27405 ITEMS ARE UNIVERSALLY INTERCHANGEABLE WITH AN741 ITEMS OF LIKE DASH NUMBERS.

7. CHANGES FROM PREVIOUS ISSUE. THE MARGINS OF THIS SPECIFICATION ARE MARKED WITH VERTICAL LINES TO INDICATE WHERE CHANGES FROM THE PREVIOUS ISSUE WERE MADE. THIS WAS DONE AS A CONVENIENCE ONLY AND THE GOVERNMENT ASSUMES NO LIABILITY WHATSOEVER FOR ANY INACCURACIES IN THESE NOTATIONS. BIDDERS AND CONTRACTORS ARE CAUTIONED TO EVALUATE THE REQUIREMENTS OF THIS DOCUMENT BASED ON THE ENTIRE CONTENT IRRESPECTIVE OF THE MARGINAL NOTATIONS AND RELATIONSHIP TO THE LAST PREVIOUS ISSUE.

Custodians:
Army - AV
Navy - AS
Air Force - 99

Preparing activity:
DLA – IS

(Project 5340-2017-007)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:23Z
Check the source to verify that this is the current version before use.