
This document has been promulgated by the Department of Defense as the military standard to limit the selection of the item, product or design covered herein in engineering, design and procurement. This standard shall become effective not later than 90 days after the latest date of approval shown.

FED SUP CLASS
5940



OPTIONAL BODY & GRIP DESIGN

DASH NO.	FIN Ⓑ	WIRE SIZE AWG NOM	STUD SIZE	A HOLE DIA MIN	A HOLE DIA MAX	B	C	D	E	F	H ± 003
1		18-20	1/4	258	285	1/8	15/32	55/64	15/64	35/64	
2			5/16	320	347						
3		14-16	4	115	127	3/16	9/32	57/64	5/16	25/64	
4			6	141	153		11/32	63/64		31/64	
5			8	167	179						
6			10	193	205						
7			1/4	258	285		9/16	1-5/32		21/32	
8			5/16	320	347		11/16	1-3/8		27/32	
9			3/8	383	410						
10		10-12	8	167	179	1/4	11/32	63/64	25/64	31/64	.040
11			10	193	205						
12			1/4	.258	285		9/16	1-5/32		21/32	
13			5/16	320	347		11/16	1-11/32		25/32	
14			3/8	383	410			1-3/8		27/32	
15			7/16	448	475			1-15/32		31/32	
16			1/2	510	537		13/16	1-9/16		1-1/32	
17		8	10	193	205	5/16	9/16	1-13/32	29/64	19/32	.045
18			1/4	258	285					21/32	
19			5/16	320	347		11/16	1-17/32		25/32	
20			3/8	383	410		13/16	1-5/8		29/32	
21			7/16	448	475			1-23/32		1-1/32	
22		4-6	10	193	205	3/8	9/16	1-11/32	9/16	21/32	
23			1/4	258	285			1-13/32		23/32	
24			5/16	320	347			1-15/32		25/32	
25			3/8	383	410		13/16	1-5/8		29/32	
26			7/16	448	475			1-23/32		1-1/32	
27			1/2	510	537		15/16	1-13/16		1-3/32	
28	~~.020-.025~~	0-1	3/8	383	410	7/16	15/16	2-15/32	45/64	—	.102
29	~~.020-.024~~		1/2	510	537					—	

Ⓑ FOR CHANGES SEE SHEETS 2 & 3

APPROVED 5 July 55 REVISED A 23 July 56, Ⓑ 10 February 1961

CUSTODIANS: Ord, Ships
OTHER INT.: • SigC,TC,CE • Wep,Docks
PROCUREMENT SPECIFICATION: MIL-T-15659
SUPERSEDES:

MILITARY STANDARD
TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, INSULATION GRIP, ONE HOLE

MS35436


SHEET 1 OF 3

DD FORM 672-1

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:23Z
Check the source to verify that this is the current version before use.

NOTICE. When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

FED SUP CLASS
5940



OPTIONAL
BODY AND GRIP DESIGNS

DASH NO	Ⓑ	WIRE SIZE AWG NOM	STUD SIZE	A HOLE DIA MIN	A HOLE DIA MAX	B	C	D	E	F	H
30	[illegible]	10	6	.141	.153	1/8	9/32	21/32	7/32	21/64	.032
31	[illegible]	8	8	.167	.179	5/32	11/32	1.	9/32	15/32	025
32	[illegible]		10	.193	.205						
33	[illegible]		3/8	.383	.410		11/16	1-7/32			
34	[illegible]										
35	[illegible]	6	6	141	.153	3/16	1/2	1-3/32	1/4	19/32	032
36	[illegible]		8	.167	179						
37	[illegible]		10	193	.205						
38	[illegible]		1/4	258	265						
39	[illegible]	4	6	.141	.153	7/32	1/2	1-3/32	11/32	19/32	.040
40	[illegible]		8	.167	.179						
41	[illegible]		10	193	.205						
42	[illegible]		12	.221	.236						
43	[illegible]		1/4	.258	.265						

APPROVED 5 July 55 REVISED

Ⓑ

CUSTODIANS: ORD, SHIPS
OTHER INT.: A-Sig C,TQ,OE; N-Wep,Docks; AF-

MILITARY STANDARD

TERMINAL, LUG, SOLDER TYPE,
COPPER STAMPING, INSULATION GRIP, ONE HOLE

MS35436

PROCUREMENT SPECIFICATION: MIL-T-15659


SUPERSEDING:

SHEET 2 OF 3

DD FORM 872-1

FED SUP CLASS
5940

Ⓑ SHEET 3 ADDED



DASH NO	~~PART~~ Ⓑ	WIRE SIZE AWG NOM	STUD SIZE	A MIN	A MAX	B	C	D	E	F ±.003	G
44	~~10-8361~~	12	6	.141	.153	3/32	11/16	9/32	11/32	.030	5/64

MATERIAL: COPPER, ANNEALED - SPECIFICATION QQ-C-576.

FINISH: HOT TIN DIP OR ELECTRODEPOSITED TIN ALL OVER, MINIMUM THICKNESS .0005 INCHES.

NOTES: 1. ALL DIMENSIONS IN INCHES. TOLERANCE: FRACTIONAL ± 1/64 UNLESS OTHERWISE SPECIFIED.

2. REMOVE ALL BURRS.

3. REFERENCED DOCUMENTS OF ISSUE IN EFFECT ON DATE OF INVITATION FOR BIDS SHALL APPLY.

4. THE MS PART NUMBER CONSISTS OF THE MS NUMBER PLUS THE DASH NUMBER.

Ⓑ

APPROVED 5 July 55 REVISED

CUSTODIANS	OTHER INT
Ord Ships	A-Sig C, TC, CE N-Nep, Docks AF-

MILITARY STANDARD

TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, INSULATION GRIP, ONE HOLE

MS 35436

PROCUREMENT SPECIFICATION: ~~MIL-T-15659~~

SUPERSEDES:

SHEET 3 OF 3

DD FORM 1 OCT 55 672-1

NOTICE When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:23Z
Check the source to verify that this is the current version before use.