FED SUP CLASS
5340




FIG 1 ROUND HANDLE

TABLE I DASH NUMBERS AND DIMENSIONS

DASH NUMBER	PROTECTIVE FINISH	ØA	D	E	H	L	R REF	T THREAD	
1	NICKEL PLATE		6.44		.75	6.75			
2	BLACK OXIDE								
3	NICKEL PLATE								
4	BLACK OXIDE	.312±.005	4.56	.62±.06	1.50	4.88	.31	.190-32UNF-2B	(F)
5	NICKEL PLATE		3.00		1.31	3.31			
6	BLACK OXIDE								

TABLE I DASH NUMBERS AND DIMENSIONS

DASH NUMBER	ØA	D	E	H	L REF	R REF	T THREAD	
301	.156	1.00	.25	1.00	1.15	.156	.112-40UNC-2B	
(F) 302	.187	3.00		.75	3.18	.187	.138-32UNC-2B	
303	.187	3.00	.37	.87	3.18		.138-32UNC-2B	
304	.250	4.00		1.50	4.25		.138-32UNC-2B	
305	.250	4.00	.44	1.50	4.25	.250	.164-32UNC-2B	
306	.250	5.00		2.00	5.25		.164-32UNC-2B	
307	.312	3.00		1.50	3.31		.190-32UNF-2B	
308	.312	4.00		1.50	4.31		.190-32UNF-2B	
309	.312	4.25		1.50	4.66	.312	.190-32UNF-2B	
310	.312	4.50		1.50	4.81		.190-32UNF-2B	
311	.312	4.56	.62±.06	1.50	4.87		.190-32UNF-2B	
312	.312	6.43		1.75	6.74		.190-32UNF-2B	
313	.375	3.00		2.00	3.37		.190-32UNF-2B	
314	.375	4.00		1.87	4.37	.375	.190-32UNF-2B	
315	.375	4.00		2.00	4.37		.190-32UNF-2B	

TABLE III. DASH NUMBERS AND CODES

MS39087-301 A N

SEE SHEET 2 FROM TABLE II	MATERIAL A - ALUMINUM ALLOY C - CORROSION RESISTANT STEEL	PROTECTIVE FINISH N - NICKEL PLATE P - PASSIVATE B - BLACK OXIDE

F DENOTES CHANGE(S)

INCH - POUND

PREPARING ACTIVITY: ARMY - AR
Other Cust: AIR FORCE 99

INTERNATIONAL INTEREST:

TITLE: HANDLE, BOW

MILITARY STANDARD
MS39087

PROCUREMENT SPECIFICATION: NONE

SUPERSEDES:

PAGE 1 OF 3

APPROVED 18 MAY 59 — REVISED (E) 31 MAR 89 (F) 4 JUN 90

REVIEWER ACTIVITIES: (CIVIL AGENCIES COORDINATING ACTIVITIES)
ARMY - AT, AV, MI
AIR FORCE - 82
DLA - IS
GSA - FSS
NASA JFK

USER ACTIVITIES:
ARMY - ER, ME

DISTRIBUTION STATEMENT A Approved for public release; distribution is unlimited

This standard is approved for use by all Departments and Agencies of the Department of Defense when all practices engineering and design applications and for repetitive use shall be made from this document when applicable

AMSC N/A

DD 672-1

5340-2004

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:46Z
Check the source to verify that this is the current version before use.




FIG 2 OVAL HANDLE

TABLE IV DASH NUMBERS AND DIMENSIONS

DASH NUMBER	A	D	L	H	L REF	R REF	T THREAD
401	7/16 X 9/32	4.00		1.00	4.28		190-24UNC-2B
402	7/16 X 9/32	4.00		1.28	4.28		190-32UNF-2B
403	7/16 X 9/32	4.00		2.00	4.28		.190-24UNC-2B
404	7/16 X 9/32	6.00		1.50	6.28		190-32UNF-2B
405	5/8 X 9/32	2.50		1.50	2.78		190-32UNF-2B
406	5/8 X 9/32	3.00		1.28	3.28		.190-24UNC-2B
407	5/8 X 9/32	4.00	62±.06	1.50	4.28	.50	.190-24UNC-2B
408	5/8 X 9/32	4.50		2.00	4.78		.190-32UNF-2B
409	5/8 X 9/32	4.56		2.00	4.84		.190-24UNC-2B
410	5/8 X 9/32	4.56		1.75	4.84		190-32UNF-2B
411	5/8 X 9/32	6.00		2.00	6.28		190-24UNC-2B
412	5/8 X 9/32	6.00		2.25	6.28		190-32UNF-2B
413	5/8 X 3/8	6.00		3.00	6.38		190-32UNF-2B

TABLE V DASH NUMBERS AND CODES

MS39087 - 401 A N

DASH NUMBER FROM TABLE IV	MATERIAL	PROTECTIVE FINISH
	A - ALUMINUM ALLOY - CORROSION RESISTANT STEEL	N - ANODIZE P - PASSIVATE B - BLACK OXIDE

REVIEWER ACTIVITIES (CIVIL AGENCIES COORDINATING ACTIVITIES) USER ACTIVITIES
ARMY - AT, AV, MI GSA - FSS ARMY ER ME
AIR FORCE - 82 NASA JFK
DLA - IS

APPROVED 18 MAY 59 REVISED (F) FOR CHANGES SEE PAGES 1 AND 3

DISTRIBUTION STATEMENT A Approved for public release; distribution is unlimited

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document when applicable.

AMSC N/A

ARMY AR (INTERNAL ONLY INTEREST)
Other Cust
AIR FORCE 99

HANDLE, BOW

MILITARY STANDARD
MS39087

PROCUREMENT SPECIFICATION (SUPERSEDES)
NONE

SHEET 2 OF 3

DD 672-1 (REVISED)

5340-2004

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:46Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. MATERIAL. BRASS IN ACCORDANCE WITH QQ-B-626 (UNS C36000) ALUMINUM ALLOY IN ACCORDANCE WITH QQ-A-225/6 (UNS A96061), TYPE 6 CORROSION RESISTANT STEEL IN ACCORDANCE WITH QQ-S-763 (UNS S30400).

2 PROTECTIVE FINISH

AL ALLOY AND CRES HANDLES

ANODIZE IN ACCORDANCE WITH MIL-A-8625, TYPE II CLASS 2 (BLACK)
PASSIVATE IN ACCORDANCE WITH QQ-P-35
BLACK OXIDE IN ACCORDANCE WITH MIL-C-13924, CLASS 4

BRASS HANDLES:

BLACK OXIDE IN ACCORDANCE WITH MIL-F-495
NICKEL PLATING, BRIGHT, IN ACCORDANCE WITH QQ-N-290, CLASS 1, GRADE B

3 THREADS THREADS SHALL BE IN ACCORDANCE WITH FED-STD-H28/2 ACCEPTABILITY OF SCREW THREADS SHALL BE IN ACCORDANCE WITH FED-STD-H28/20, SYSTEM 21

4 TOLERANCE. DECIMALS ±.02, FRACTION ±1/64, UNLESS OTHERWISE SPECIFIED

5 REMOVE ALL BURRS AND SHARP EDGES

6 PART NUMBER THE MS PART NUMBER FOR BRASS HANDLES CONSISTS OF THE MS NUMBER PLUS THE DASH NUMBER FROM TABLE (EXAMPLE MS39087-1). FOR AL ALLOY AND CRES HANDLES, SEE TABLE III AND V

NOTES

1 DIMENSIONS. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES

2 TABLE VI, INTERCHANGEABILITY TABLE LISTS CANCELED MS39087 PART NUMBERS WITH RESPECTIVE REPLACEMENT MS39087 PART NUMBERS EFFECTIVE 31 MARCH 1969

3 IN THE EVENT OF A CONFLICT BETWEEN THE TEXT OF THIS STANDARD AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS STANDARD SHALL TAKE PRECEDENCE.

4 REFERENCED GOVERNMENT (OR NON-GOVERNMENT) DOCUMENTS OF THE ISSUE LISTED THAT ISSUE OF THE DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS (DoDISS) SPECIFIED IN THE SOLICITATION FORM A PART OF THIS STANDARD TO THE EXTENT SPECIFIED HEREIN

TABLE VI. INTERCHANGEABILITY

CANCELLED P/N	REPLACEMENT P/N	
MS39087-101XX	MS39087-302XX	
MS39087-102XX	MS39087-303XX	
MS39087-103XX	MS39087-304XX	
MS39087-104XX	MS39087-307XX	(F)
MS39087-105XX	MS39087-308XX	
MS39087-201XX	MS39087-402XX	
MS39087-202XX	MS39087-404XX	
MS39087-203XX	MS39087-405XX	
MS39087-204XX	MS39087-410XX	
MS39087-205XX	MS39087-412XX	(F)
MS39087-206XX	MS39087-413XX	

REVIEWER ACTIVITIES (CIVIL AGENCIES COORDINATING ACTIVITIES) USER ACTIVITIES
ARMY - AT, AV, MI GSA - FSS ARMY - ER, ME
AIR FORCE - 82 NASA - JFK
DLA - IS

APPROVED 18 MAY 59 REVISED (F) FOR CHANGES SEE PAGES 1 AND 3

DISTRIBUTION STA - AT A Approved for public release; distribution is unlimited
This military standard is approved for use by all Departments and Agencies of the Department of Defense (see 1 in for all new engineering and design applications and for repairable use shall be made from this document when applicable

AMSC N/A

PREPARING ACTIVITY: ARMY - AR
Other Custodians: AIR FORCE - 99
PROCUREMENT SPECIFICATION SUPERSEDES: NONE

INTERNATIONAL INTEREST

TITLE: HANDLE, BOW

MILITARY STANDARD
MS39087

PAGE 3 OF 3

Source: https://assistdocs.mil — Downloaded: 2026-10-23T17:46Z
Check the source to verify that this is the current version before use.