# MILITARY STANDARD


MIL-STD-1320-208
(NAVY)
22 SEPTEMBER 1981

## TRUCKLOADING

### HARM MISSILE AGM-88A
### IN CONTAINER CNU-295/E

**CONTAINER DATA**

MISSILES PER CONTAINER ..... 2
DIMENSIONS ..... 170 L X 36 W X 20 H
STACKING HEIGHT ..... 25 1/4
TARE WEIGHT (APPROX.) ..... 864 LBS.
GROSS WEIGHT (APPROX.) ..... 2355 LBS.
CUBE ..... 103.8 CU. FT.
DOT HAZARD CLASSIFICATION .. EXPLOSIVES A



**INDEX**


| ITEM | PAGE |
|---|---|
| GENERAL NOTES | 2 |
| FTL TRAILER (FLATBED) | 2 & 3 |
| LTL TRAILER (FLATBED) | 4 & 5 |


NOTES:
1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).


* U.S. GOVERNMENT PRINTING OFFICE: 1981—505-022/7395


FSC 8140

**AUTHORIZED AND RELEASED FOR HIGHWAY SHIPMENT ONLY.**

J.S. Gray NWHC 9/21/81
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

SIGNATURE AIRSYSCOM TECHNICAL DIRECTION DATE

ORIGINATOR Charles McBride 9/21/81
DATE

NAVAL WEAPONS HANDLING CENTER
WINSTA EARLE, NEW JERSEY




Source: https://quicksearch.dla.mil - Downloaded: 2026-10-23T23:47Z
Check this source to verify that this is the current version before use.

# GENERAL NOTES


1. THIS DOCUMENT GIVES DETAILED INSTRUCTIONS FOR TRUCKLOADING THE MISSILE AGM-88A (WITH WINGS AND FINS) IN CONTAINER, SHIPPING AND STORAGE, CNU-295/E. FOR GENERAL TRUCKLOADING PROCEDURES REFER TO THE GENERAL TRUCKLOADING DOCUMENT, MIL-STD-1320.
2. THE PROCEDURES AND PRACTICES DESCRIBED HEREIN ARE INTENDED FOR 40 FT FLATBED TRAILERS WITH THE TRAILERS TANDEM AXLES LOCATED IN THE "WESTERN POSITION" (AT THE EXTREME REAR OF THE TRAILER). DO NOT USE TRAILERS WITH METAL FLOORS.
3. EACH STACK OF CONTAINERS IS SECURED TOGETHER WITH TWO 1 1/4 X .035 CROSS STRAPS. THESE STRAPS PASS THROUGH THE FORK POCKETS OF THE TOP CONTAINERS AND RETURN THROUGH THE FORK POCKETS OF THE CONTAINERS IMMEDIATELY BELOW THE TOP CONTAINERS. TENSION STRAPS AND SEAL WITH TWO 1 1/4 SEALS DOUBLE CRIMPED OR ONE 1 1/4 SEAL DOUBLE NOTCHED.
4. ONLY CHAINS AND LOAD BINDERS SHALL BE USED FOR TIE DOWNS. (STEEL STRAPS ARE NOT AUTHORIZED).
5. ALL STACKS OF CONTAINERS THREE HIGH SHALL HAVE FOUR TIE DOWNS. STACKS LESS THAN THREE HIGH SHALL HAVE TWO TIE DOWNS.
6. CHAINS, FITTINGS, LOAD BINDERS, AND ALL OTHER MATERIALS (UNLESS OTHERWISE SPECIFIED) SHALL MEET THE REQUIREMENTS OF THE BASIC TRUCKLOADING DOCUMENT, MIL-STD-1320.
7. PRIOR TO LOADING THE TRAILER AND DURING THE PRELOADING INSPECTION REQUIRED BY NAVWEPS OP 2165 AND REPORTED ON DD FORM 626, THE CHAINS, FITTING AND LOAD BINDERS SHALL BE INSPECTED FOR STRETCH, GOUGING, BENT LINKS, WEAR AND ANY OTHER NOTICEABLE DEFECTS. THE INSPECTOR SHALL CONFIRM THAT THE CHAINS AND LOAD BINDERS HAVE BEEN INSPECTED AND SHALL SO NOTE IN ITEM NO. 22 OF DD FORM 626. ANY DEFICIENCY SHALL BE CAUSE FOR REJECTION OF A CHAIN OR LOAD BINDER.
8. THE MAXIMUM GROSS WEIGHT OF THE TRACTOR-TRAILER AND THE ALLOWABLE AXLE WEIGHTS ARE THE RESPONSIBILITY OF THE CARRIER. THE CARRIER WILL ADVISE THE SHIPPER OF THESE LIMITATIONS AND THE SHIPPER SHALL LOAD THE TRAILER IN SUCH A MANNER THAT THE TRACTOR-TRAILER WILL NOT EXCEED THESE LIMITATIONS.
9. AFTER BLOCKING AND BRACING HAS BEEN INSPECTED, ATTACH SHIPPING DOCUMENTS TO AN ACCESSIBLE AREA AND ATTACH "EXPLOSIVES A" PLACARD TO BOTH SIDES, FRONT AND REAR OF THE TRAILER.

# FTL 40 FT & LONGER TRAILER (FLATBED)

1. A FULL TRUCKLOAD CONSISTS OF TWO STACKS OF SIX CONTAINERS FOR A TOTAL OF 12 CONTAINERS.
2. LOCATE CROSSMEMBER, PIECE NO. 1, AT THE FORE AND AFT MID-POINT OF THE TRAILER.
3. WHEN STATE LAW PERMITS, "DOUBLES" MAY BE USED. BLOCK AND TIE DOWN USING THE PRINCIPLES OF THIS DOCUMENT.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T23:47Z
Check the source to verify that this is the current version before use.




## TRUCKLOAD DATA

NUMBER OF CONTAINERS ..... 12
NUMBER OF MISSILES ..... 24
WEIGHT (APPROX.) ..... 28,260 LBS.

| PIECE NO. | DESCRIPTION | SIZE | NO. PCS. REQ'D | NAIL TO | NAILS NUMBER | NAILS SIZE |
|---|---|---|---|---|---|---|
| 7 | SEAL | FOR 1 1/4 STRAP | 8 | - | - | - |
| 6 | CROSS STRAP | 1 1/4 X .035 X 18 FT. | 4 | - | - | - |
| 5 | CHAIN & LOAD BINDER | 5/16 OR 3/8 | 8 | - | - | - |
| 4 | BACKUP CLEAT | 2 X 6 X 30 | 16 | SEE FIELD NOTE | | |
| 3 | CROSSMEMBER | 2 X 6 X 72 | 4 | SEE FIELD NOTE | | |
| 2 | SLEEPER | 2 X 4 X 18 | 16 | SEE FIELD NOTE | | |
| 1 | CROSSMEMBER | 2 X 6 X 72 | 2 | SEE FIELD NOTE | | |

LIST OF MATERIALS & NAILING DATA



Source: https://assist.dla.mil/online/2008/07/07:47Z
Check the source to verify that this is the current version before use.

# LTL 40 FT & LONGER TRAILER (FLATBED)

1. WHEN REQUIRED TO SHIP LESS-THAN-TRUCKLOAD, SELECT THE CORRECT LOAD PATTERN FOR THE NUMBER OF CONTAINERS TO BE SHIPPED FROM TABLE I.
2. ELEVEN OR NINE CONTAINERS CREATES A STACK UNEVEN IN HEIGHT AND SHOULD NOT BE SHIPPED BECAUSE OF TIE DOWN PROBLEMS.
3. POSITION CONTAINERS ON TRAILER AS SHOWN IN TABLE. BLOCK AND TIE DOWN USING THE PRINCIPLES SHOWN ON PAGES 3 AND 5 AND THE GENERAL DOCUMENT, MIL-STD-1320.
4. *THE LTL PLAN SHOWN ON PAGE 5 IS THE CORRECT LESS-THAN-TRUCKLOAD FOR THE QUANTITY OF CONTAINERS SHOWN. THIS DOES* NOT LIMIT SHIPMENTS TO THIS QUANTITY, SINCE LTL SHIPMENTS MAY CONSIST OF A LESSER NUMBER OF CONTAINERS.
5. WHEN STATE LAW PERMITS, "DOUBLES" MAY BE USED. BLOCK AND TIE DOWN USING THE PRINCIPLES OF THIS DOCUMENT.

## TABLE I

LOAD PATTERN *

| NO. OF CONTAINERS | LOAD PATTERN * (→ FWD) |
|---|---|
| 10 | 2 3 / 2 3 |
| 8 | 2 2 / 2 2 |
| 7 | 1 / 3 3 |
| ** 6 | 1 2 / 1 2 |
| 5 | 1 / 2 2 |
| *** 4 | 1 1 / 1 1 |
| 3 | 1 / 1 1 |
| 2 | 1 1 |
| 1 | 1 |


* LOAD PATTERN SHOWS FLOOR PLAN FOR TRAILER.
NUMBER INDICATES THE NUMBER OF CONTAINERS IN A LAYER.

** MAY BE ONE STACK THREE CONTAINERS HIGH AT FORWARD END OF TRAILER.

*** MAY BE ONE STACK TWO CONTAINERS HIGH AT FORWARD END OF TRAILER.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:47Z
Check the source to verify that this is the current version before use.




| PIECE NO. | DESCRIPTION | SIZE | NO. PCS. REQ'D | NAIL TO | NAILS NUMBER | NAILS SIZE |
|---|---|---|---|---|---|---|
| LIST OF MATERIALS & NAILING DATA | | | | | | |
| 8 | SEAL | FOR 1 1/4 STRAP | 4 | - | - | - |
| 7 | CROSS STRAP | 1 1/4 X .035 X 17 FT | 2 | - | - | - |
| 6 | CHAIN & BINDER | 5/16 OR 3/8 | 4 | - | - | - |
| 5 | CROSSMEMBER | 2 X 6 X 36 | 2 | SEE FIELD NOTE | | |
| 4 | BACKUP CLEAT | 2 X 6 X 30 | 16 | SEE FIELD NOTE | | |
| 3 | CROSSMEMBER | 2 X 6 X 72 | 2 | SEE FIELD NOTE | | |
| 2 | SLEEPER | 2 X 4 X 18 | 16 | SEE FIELD NOTE | | |
| 1 | CROSSMEMBER | 2 X 6 X 72 | 2 | SEE FIELD NOTE | | |

**TRUCKLOAD DATA**

NUMBER OF CONTAINERS ..... 5
NUMBER OF MISSILES ..... 10
WEIGHT (APPROX.) ..... 11,775 LBS.

**LTL 40 FT & LONGER TRAILER (FLATBED)**

REVIEW ACTIVITY:
NAVY - OS, AS

PREPARING ACTIVITY:
NAVY - OS
(PROJECT NO.8140 - N511)



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:47Z
Check the source to verify that this is the current version before use.

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-STD-1320-208

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:47Z
Check the source to verify that this is the current version before use.