MIL-STD-1322-114
(NAVY)
12 OCTOBER 1993

MILITARY STANDARD
UNIT LOAD
FOR DOMESTIC AND OVERSEAS SHIPMENT
AN/SSQ-110 SONOBUOY (IN SONOBOUY LAUNCH CONTAINER)
PACKED IN 36 UNIT BAYONET PALLET DL #1458AS100

UNIT LOAD DATA

NO OF SONOBOUY/PALLET	36
WEIGHT OF ONE SONOBOUY	45 LBS
WEIGHT OF BAYONET BASE PALLET	110 LBS
WEIGHT OF STEEL STRAPPING	2.5 LBS
GROSS WEIGHT OF UNIT LOAD	1733 LBS △
CUBE	33.7 CU FT

△ DO NOT USE FOR SHIPPING WEIGHT

DO NOT STACK MORE THAN
4 UNIT LOADS HIGH IN STORAGE

FOR HAZARD CLASSIFICATION SEE SW020-AC-SAF-010/020/030



AMSC NO. - N/A

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE:
DISTRIBUTION IS UNLIMITED.

NOTES:
1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK 236 (NAVY).

REV	REVISION DESCRIPTION	DATE	TDA	SYSCOM

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR DEPOT HANDLING AND STORAGE AND FOR SHIPMENT BY COMMON CARRIER.

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1322 (NAVY).

93-10-12

ORIGINATOR 93-10-12
WPNSTA EARLE, NEW JERSEY

PACKING PROCEDURE

a PLACE 36 SONOBOUYS IN PLASTIC ADAPTER AT BOTTOM OF BAYONET BASE PALLET BY INSERTING BOUY INTO PROTRUSION OF ADAPTER AND TURNING 1/4 TURN CLOCKWISE AS SHOWN

b PLACE (4) SIDE PANELS AROUND BOUYS AND INSIDE FRAME OF PALLET IN ORIENTATION AS SHOWN

c TO INSURE A TIGHT PACK PLACE (1) FIBERBOARD SHEET OVER BOUYS AS SHOWN

d PLACE COVER OVER LOAD

FOR UNITIZING PROCEDURE
SEE PAGE 3



UNITIZING PROCEDURE

A PLACE (2) PCS OF GIRTHWISE STRAPPING, ITEM 3, AROUND LOAD WITHIN DIMENSIONS SHOWN

B TENSION GIRTHWISE STRAPPING, ITEM 3, AND DOUBLE NOTCH SEALS, ITEM 4

C PLACE (2) PCS OF VERTICAL STRAPPING, ITEM 2, THRU SLOT IN PALLET LEGS AS SHOWN IN DETAIL A, AND ON OVER LOAD AS SHOWN. PLACE REMAINING (2) PCS OF VERTICAL STRAPPING UNDER PALLET DECK AND OVER LOAD WITHIN DIMENSIONS SHOWN

D TENSION VERTICAL STRAPPING, ITEM 2, AND DOUBLE NOTCH SEALS, ITEM 4

MARKING
IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IAW MIL-STD-129



FOR STRAP LOCATION
SEE DETAIL A



DETAIL A

PLACE STRAP THRU SLOT
8PL AS SHOWN

NOTE : ALL MATERIALS TO BE IAW MIL-STD-1322 (NAVY)

DEUNITIZING PROCEDURE

1 CUT AND REMOVE ALL STRAPPING

2 REMOVE COVER AND FIBERBOARD PC

3 REMOVE SIDE PANELS

4 REMOVE SONOBOUYS BY TURNING 1/4 TURN C C W AND LIFT UP

REQ	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
6	4	SEAL	STEEL	FOR 3/4 STRAPPING
2	3	STRAPPING GIRTHWISE	STEEL	(.031 OR .035) X 3/4 X 13 FT 6
4	2	STRAPPING VERTICAL	STEEL	(.031 OR .035) X 3/4 X 15 FT
[illegible]	1	BAYONET BASE PALLET	1458AS100	

LIST OF MATERIALS

REVIEW ACTIVITIES
NAVY AS

PREPARING ACTIVITY
NAVY OS