MILITARY STANDARD

MIL-STD-1322-46 A (NAVY)

13 AUGUST 1993

UNIT LOAD
FOR DOMESTIC AND OVERSEAS SHIPMENT
WARHEADS, GUIDED MISSILE, MK 40 MOD 0 AND WDU-25/B

SUPERSEDING MIL-STD-1322-46
11 JAN 1990

UNIT LOAD DATA

NUMBER OF WARHEADS PER UNIT LOAD	2
GROSS WEIGHT OF ONE WARHEAD (APPROX)	984 LBS
WEIGHT OF WOOD FRAME ASSEMBLIES (APPROX)	132 LBS
WEIGHT OF STEEL STRAPPING (APPROX)	9 LBS
WEIGHT OF PALLET (APPROX)	72 LBS
GROSS WEIGHT OF UNIT LOAD (APPROX)	2181 LBS
CUBE	26.3 CU FT

DO NOT USE FOR SHIPPING PURPOSES

DO NOT STACK MORE THAN 6 UNIT LOADS HIGH IN STORAGE

HAZARD CLASSIFICATION

DOT - CLASS A

CG - CLASS X-A





AMSC NO. - N/A

DISTRIBUTION STATEMENT A

APPROVED FOR PUBLIC RELEASE: *DISTRIBUTION IS UNLIMITED.*

NOTES:

1. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

A	REV RADIUS ON SH 3	93-8-12		
REV LTR	REVISION DESCRIPTION	DATE	TDA	SYSCOM
			APPROVAL	

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR DEPOT HANDLING AND STORAGE AND FOR SHIPMENT BY COMMON CARRIER.

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1322 (NAVY).

1 10 90
SIGNATURE TDA, WPNSTA EARLE DATE

1/11/90
SIGNATURE SEASYSCOM BY DIRECTION DATE

ORIGINATOR
DATE

WPNSTA EARLE, NEW JERSEY

PAGE 1 OF 3

PALLETIZING PROCEDURE

(a) THREAD STRAPPING, ITEM 2, BETWEEN THE DECK WIRES OF THE PALLET, ITEM 1, AS SHOWN IN DETAIL C.

(b) THREAD STRAPPING, ITEM 2, UP THROUGH THE SQUARE OPENING AT THE FORWARD END OF A FRAME ASSEMBLY AND POSITION THE FRAME ASSEMBLY ON THE PALLET WITH THE AFT SUPPORT, ITEM 5, FLUSH WITH THE END OF THE PALLET.

(c) POSITION TWO WARHEADS IN THE FRAME ASSEMBLY AS SHOWN.

(d) POSITION THE SECOND FRAME ASSEMBLY, INVERTED, OVER THE WARHEADS IN LINE WITH THE BOTTOM FRAME ASSEMBLY.

(e) THREAD STRAPPING, ITEM 2, UP THROUGH THE SQUARE OPENING OF THE TOP FRAME. TENSION OVER THE TOP FRAME AND DOUBLE NOTCH THE SEAL, ITEM 4.

(f) POSITION STRAPPING, ITEM 3, UNDER THE PALLET DECK AND OVER THE TOP FRAME. TENSION AND DOUBLE NOTCH THE SEALS, ITEM 4.

(g) SECURE STRAPPING, ITEM 3, TO THE TOP AND BOTTOM FRAMES WITH STAPLES, ITEM 15.

MARKING:

IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-129.



NOTE: .031 COLD ROLLED, HEAT TREATED, MAY BE SUBSTITUTED. DO NOT USE TYPE I STRAPPING WITH POWER MACHINES.

DEPALLETIZING PROCEDURE

(a) REMOVE STAPLES.

(b) CUT AND REMOVE STRAPPING.

(c) REMOVE TOP FRAME ASSEMBLY.

(d) REMOVE WARHEADS.

(e) REMOVE BOTTOM FRAME ASSEMBLY.

REQ.	ITEM	DESCRIPTION	MAT'L.	MAT'L SPEC.	DIMENSIONS
AS REQ'D	15	STAPLES	STEEL	COM'L	1 1/4
AS REQ'D	14	NAIL, COMMON	STEEL	FF-N-105 TYPE II, STYLE 10	8d
AS REQ'D	13	NAIL, COMMON	STEEL	FF-N-105 TYPE II, STYLE 10	16 d
2	12	CLEAT	WOOD DRESSED	MIL-STD-731 CLASS 2	2 X 4 X 14 1/2
1	11	CLEAT	WOOD DRESSED	MIL-STD-731 CLASS 2	2 X 4 X 32 1/4
1	10	BATTEN	WOOD DRESSED	MIL-STD-731 CLASS 2	2 X 4 X 45
2	9	BATTEN	WOOD DRESSED	MIL-STD-731 CLASS 2	2 X 4 X 52
2	8	BATTEN	WOOD DRESSED	MIL-STD-731 CLASS 2	2 X 6 X 52
2	7	SIDE PIECE	WOOD DRESSED	MIL-STD-731 CLASS 2	2 X 4 X 52
1	6	SUPPORT, FWD	WOOD DRESSED	MIL-STD-731 CLASS 2	4 X 4 X 32 1/4
1	5	SUPPORT, AFT	WOOD DRESSED	MIL-STD-731 CLASS 2	4 X 6 X 32 1/4
5	4	SEAL	STEEL	QQ-S-781, TY D, CL H, FIN A OR B	1 1/4
3	3	STRAPPING, SEE NOTE	STEEL, HEAVY DUTY	QQ-S-781, TY I OR IV, FIN A OR B	1 1/4 X .035 X 10FT 6
2	2	STRAPPING, SEE NOTE	STEEL, HEAVY DUTY	QQ-S-781, TY I OR IV, FIN A OR B	1 1/4 X .035 X 12FT 6
1	1	PALLET MK 12 MOD 1	STEEL	10001-2645217	35 X 45 1/2 X 4 3/4

LIST OF MATERIALS

FRAME ASSEMBLY CONSTRUCTION




8
13
(2 PER JOINT)
9
13
(2 PER JOINT)
10
9
35 1/4
5 1/18 R (WITHOUT WARHEAD ADAPTER)
5 3/18 R (WITH WARHEAD ADAPTER) REF # 76Z2979-3
12 1/4
3 1/2
5 1/4 R
6 3/4 R
1 3/4
3 1/4

SECTION A-A





SECTION B-B

FRAME ASSEMBLY
(2 REQUIRED)



DETAIL C

PREPARING ACTIVITY:
NAVY-OS (PROJECT NO. 8140-[illegible])