MILITARY STANDARD


MIL-STD-1322-90
(NAVY)
18 NOVEMBER 1988


UNIT LOAD

FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEADS MK 5, MK 10, MK 51, MK 90, MK 91, MK 115 AND MODS OR TELEMETERING INSERTS AN/DKT-26, AN/DKT-27, AN/DKT-42 AND MODS IN CONTAINER, MK 211 AND MODS

UNIT LOAD DATA

NUMBER OF CONTAINERS PER UNIT LOAD..... 4
GROSS WEIGHT OF ONE CONTAINER..... SEE TABLE 1
WEIGHT OF PALLET AND DUNNAGE..... 170 LBS
GROSS WEIGHT OF UNIT LOAD..... SEE TABLE 1
CUBE..... 48.6 CU FT
DOT HAZARD CLASS..... SEE TABLE 1
CG CLASS..... SEE TABLE 1





AMSC NO. - N/A

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE: DISTRIBUTION IS UNLIMITED.

NOTES:
1. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

REV LTR	REVISION DESCRIPTION	DATE	TDA / APPROVAL	SYSCOM

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR DEPOT HANDLING AND STORAGE AND FOR SHIPMENT BY COMMON CARRIER.

E. Conaldi 11-15-88
SIGNATURE TDA, WPNSTA EARLE DATE

SIGNATURE BY DIRECTION 11-18-88 DATE

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1322 (NAVY).

ORIGINATOR A.W. Redhouse 10-31-88
DATE

WPNSTA EARLE, NEW JERSEY


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:53Z
Check the source to verify that this is the current version before use.

TABLE 1

NOMENCLATURE	DODIC/ NALC	GROSS WT OF CONTAINER	GROSS WT OF UNIT LOAD	DOT HAZARD CLASS	CG CLASS
MK 5 MOD 7	V370	213 LBS	1022 LBS	A	VII
MK 10 MOD 0	V373	226 LBS	1074 LBS	A	VII
MK 51 MOD 0	V351	229 LBS	1086 LBS	A	VII
MK 51 MOD 1	V356	229 LBS	1086 LBS	A	VII
MK 90 MOD 0	V453	230 LBS	1090 LBS	A	VII
MK 95 MOD 0	V532	218 LBS	1042 LBS	A	VII
MK 115 MOD 0	YW87	226 LBS	1074 LBS	A	VII
AN/DKT-26	ZW33	240 LBS	1130 LBS	INERT	INERT
AN/DKT-26A	ZW51/ZW52 ZW53	240 LBS	1130 LBS	INERT	INERT
AN/DKT-27A	ZW48/ZW49 ZW50	240 LBS	1130 LBS	INERT	INERT
AN/DKT-27B	HW91/HW92 HW93/6W78 6W79/6W80 6W88	240 LBS	1130 LBS	INERT	INERT
AN/DKT-27C	6W81/6W82 6W83/6W84 6W85/6W86 6W87	240 LBS	1130 LBS	INERT	INERT
AN/DKT-42/42A	QW46/QW50 QW51	240 LBS	1130 LBS	INERT	INERT
AN/DKT-42B	JW58/JW59 JW60/YW77 7W37/7W52 7W53	240 LBS	1130 LBS	INERT	INERT


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:53Z
Check the source to verify that this is the current version before use.

CONSTRUCTION AND PALLETIZING DETAILS PALLETIZING PROCEDURE




BOTTOM FRAME ASSEMBLY

(1 REQUIRED)




DETAIL A



TOP FRAME ASSEMBLY

(1 REQUIRED)



SEE DETAIL A

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:53Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

(A) THREAD STRAPPING, ITEM 2, THROUGH SLOTS IN PALLET DECK, ITEM 1, AS SHOWN IN DETAIL A.

(B) INSTALL GIRTHWISE STRAPPING, ITEM 4, AND STAPLES, ITEM 6, ON THE PREFABRICATED TOP AND BOTTOM FRAMES.

(C) PLACE THE BOTTOM FRAME ASSEMBLY ON THE PALLET DECK WITH EQUAL OVERHANG ON BOTH SIDES.

(D) POSITION THE FOUR CONTAINERS OVER THE CLEATS ON THE BOTTOM FRAME. IDENTIFICATION MARKINGS ON THE CONTAINERS SHALL BE TOWARD THE OUTSIDE.

(E) PLACE THE TOP FRAME ASSEMBLY OVER THE CONTAINERS, AS SHOWN, AND POSITION STRAPPING, ITEM 2, AROUND THE UNIT LOAD. TENSION AND DOUBLE NOTCH SEAL, ITEM 5.

(F) POSITION STRAPPING, ITEM 3, UNDER THE PALLET DECK AND AROUND THE UNIT LOAD. TENSION AND DOUBLE NOTCH THE SEAL.

(G) SECURE THE STRAPPING TO THE TOP FRAME WITH STAPLES, ITEM 6, AS SHOWN.

MARKING:

IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-1322 (NAVY).

DEPALLETIZING PROCEDURE

NOTE: DO NOT REMOVE GIRTHWISE STRAPPING AND STAPLES FROM THE PREFABRICATED TOP AND BOTTOM FRAMES.

(A) REMOVE STAPLES FROM THE LATERAL AND LONGITUDINAL STRAPPING.

(B) CUT AND REMOVE LATERAL AND LONGITUDINAL STRAPPING.

(C) REMOVE TOP FRAME.

(D) REMOVE CONTAINERS.

(E) REMOVE BOTTOM FRAME.

NOTES:

(1) UNLESS OTHERWISE SPECIFIED, ALL MATERIALS SHALL BE IN ACCORDANCE WITH MIL-STD-1322 (NAVY).

(2) DO NOT USE TYPE I STRAPPING WITH POWER MACHINES.

(3) 4-1/4 ACTUAL WIDTH.

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
2 PER JOINT	14	NAIL, STANDARD BOX	SEE NOTE 1	12d
3 PER JOINT	13	NAIL, STANDARD BOX	SEE NOTE 1	8d
4 PER JOINT	12	NAIL, STANDARD BOX	SEE NOTE 1	2d
1	11	SPACER, TOP FRAME	SEE NOTES 1 & 3	2 X 4-1/4 X 40-3/4
12	10	BATTENS, TOP & BOTTOM FRAMES	SEE NOTE 1	1 X 6 X 43-3/4
4	9	CLEAT, BOTTOM FRAME	SEE NOTE 1	16-3/4 X 3 X 1/2
4	8	END PIECE	SEE NOTE 1	2 X 4 X 40-3/4
4	7	SIDE PIECE	SEE NOTE 1	2 X 4 X 48
AS REQ'D	6	STAPLES	SEE NOTE 1	3/4
6	5	SEAL	SEE NOTE 1	3/4
2	4	STRAPPING, GIRTHWISE	SEE NOTES 1 & 2	3/4 X .035 X 16 FT
2	3	STRAPPING	SEE NOTES 1 & 2	3/4 X .035 X 14 FT
2	2	STRAPPING	SEE NOTES 1 & 2	3/4 X .035 X 14 FT 6
1	1	PALLET	SEE NOTE 1	40 X 48 X 5-1/2

LIST OF MATERIALS

REVIEW ACTIVITY:
NAVY-OS

PREPARING ACTIVITY:
NAVY-OS
(PROJECT NO. 8140-N730)
FSC 8140

☆U.S. GOVERNMENT PRINTING OFFICE: 1989 - 604-033/12672

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:53Z
Check the source to verify that this is the current version before use.