MILITARY STANDARD

MIL-STD-1322-99
(NAVY)
16 JANUARY 1990

UNIT LOAD
FOR DOMESTIC AND OVERSEAS SHIPMENT
CHARGES, SHAPED, LINEAR, FLEXIBLE, (FLSC)
20 GRAINS/FT THROUGH 600 GRAINS/FT
IN PALLET ADAPTER, MK 144 MOD 0

UNIT LOAD DATA	FLSC 20 GR/FT (LBS)	FLSC 30 GR/FT (LBS)	FLSC 40 GR/FT (LBS)	FLSC 60 GR/FT (LBS)	FLSC 75 GR/FT (LBS)	FLSC 125 GR/FT (LBS)	FLSC 225 GR/FT (LBS)	FLSC 300 GR/FT (LBS)	FLSC 400 GR/FT (LBS)	FLSC 500 GR/FT (LBS)	FLSC 600 GR/FT (LBS)
DODIC/NALC NO.	ML09	ML10	ML11	ML12	ML13	ML14	ML15	ML16	ML17	ML18	ML19
NO. OF CHARGES PER CONTAINER	18	18	18	18	18	15	15	15	9	9	9
NO. OF CONTAINERS PER UNIT LOAD	24	24	24	24	24	24	24	24	24	24	24
NO. OF ADAPTER UNITS PER UNIT LOAD	2	2	2	2	2	2	2	2	2	2	2
NO. OF CHARGES PER UNIT LOAD	432	432	432	432	432	360	360	360	216	216	216
GROSS WEIGHT OF ONE CONTAINER	19.5	21.3	22.8	26.0	28.4	33.0	46.3	54.2	48.2	56.2	64.1
GROSS WEIGHT OF ONE ADAPTER UNIT	292.0	313.6	331.6	370.0	398.8	454.0	613.6	708.4	636.4	732.4	827.2
WEIGHT OF TWO ADAPTERS	116.0	116.0	116.0	116.0	116.0	116.0	116.0	116.0	116.0	116.0	116.0
WEIGHT OF STEEL STRAPPING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEIGHT OF PALLET	94.0	94.0	94.0	94.0	94.0	94.0	94.0	94.0	94.0	94.0	94.0
GROSS WEIGHT OF UNIT LOAD △	688.0	731.2	767.2	844.0	901.6	1012.0	1331.2	1520.8	1376.8	1568.8	1758.4
CUBE	42.1 FT	42.1 FT	42.1 FT	42.1 FT	42.1 FT	42.1 FT	42.1 FT	42.1 FT	42.1 FT	42.1 FT	42.1 FT
SHIPPING CONDITION DRAWING	5206261	5206262	5206263	5206264	5206265	5206266	5206267	5206268	5206269	5206270	5206271

△ DO NOT USE FOR SHIPPING WEIGHT

DO NOT STACK MORE THAN 5 UNIT LOADS HIGH IN STORAGE

HAZARD CLASSIFICATION

DOT - CLASS A

CG - CLASS IX-B



CONTAINER DRAWING
53711-5206281
CONTAINER, SHIPPING AND STORAGE ASSEMBLY

AMSC NO. - N/A

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE: DISTRIBUTION IS UNLIMITED.

NOTES:

1. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

REV LTR	REVISION DESCRIPTION	DATE	TDA	SYSCOM
			APPROVAL	

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR DEPOT HANDLING AND STORAGE AND FOR SHIPMENT BY COMMON CARRIER.

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1322 (NAVY).

1-16-90
SIGNATURE TDA, WPNSTA EARLE DATE

1/16/90
SIGNATURE NAVSEASYSCOM BY DIRECTION DATE

ORIGINATOR S.R. Petri 1/16/90
DATE

WPNSTA EARLE, NEW JERSEY

PALLETIZING PROCEDURE

(A) THREAD STRAPPING, ITEM 7, BETWEEN THE DECK WIRES OF THE PALLET, ITEM 1, AS SHOWN IN DETAIL A.

(B) THREAD STRAPPING, ITEM 8, THROUGH THE SQUARE OPENINGS IN THE PALLET DECK AS SHOWN IN DETAIL A.

(C) POSITION STRAPPING, ITEM 5, USED TO UNITIZE MODULE. ON PALLET ABOVE STRAPPING, ITEM 7, AS SHOWN IN DETAIL B.

(D) THREAD STRAPPING, ITEM 6, THROUGH THE STRAP LOOPS OF THE FRONT AND REAR FRAMES, ITEMS 2 AND 3, AND POSITION THE FRAMES ON THE PALLET AS SHOWN IN DETAIL B.

(E) POSITION TWO CONTAINERS IN THE CORNERS OF THE FRAMES WITH THEIR COVER ENDS AGAINST THE FLANGE OF THE FRONT FRAME, ITEM 2, AND THEIR BOTTOM ENDS ON THE SPACER BLOCKS OF THE REAR FRAME, ITEM 3, AS SHOWN IN DETAILS B AND C.

(F) POSITION A THIRD CONTAINER BETWEEN THE TWO CONTAINERS WITH THE COVER END AGAINST THE FLANGE OF THE REAR FRAME.

(G) POSITION THE REMAINING THREE ROWS OF CONTAINERS. ALTERNATING THE DIRECTION OF THE CONTAINERS BETWEEN ROWS, AS SHOWN IN DETAIL B.

(H) POSITION THE TOP FRAME, ITEM 4, OVER THE FRAMES AND CONTAINERS WITH THE TWO SPACER BLOCK END OVER THE FRONT FRAME.

(I) POSITION STRAPPING, ITEM 5, IN THE EDGE NOTCHES AND OVER THE TOP FRAME. TENSION AND DOUBLE NOTCH THE SEAL, ITEM 9.

(J) THREAD STRAPPING, ITEM 6, THROUGH THE OUTBOARD STRAP LOOPS OF THE FRONT AND REAR FRAMES. TENSION AND DOUBLE NOTCH THE SEAL, ITEM 9.

(K) REPEAT STEPS (C) THROUGH (J) FOR THE SECOND ADAPTER UNIT.

(L) THREAD STRAPPING, ITEM 8, UP THROUGH THE STRAP LOOPS OF THE FRONT AND REAR FRAMES AND OVER THE TOP FRAMES. TENSION AND DOUBLE NOTCH THE SEAL, ITEM 9.

(M) POSITION STRAPPING, ITEM 7, TO SECURE LOAD TO PALLET, OVER THE ADAPTER UNIT STRAPPING, ITEM 5. TENSION AND DOUBLE NOTCH THE SEAL, ITEM 9.

MARKING:

THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-1322 (NAVY) AND MIL-STD-129.



SEE DETAILS A AND B

APPLY THESE STRAPS FIRST
(THREAD THROUGH STRAP LOOPS)

NOTE

FRONT AND REAR FRAMES MAY NEED SUPPORT DURING LOADING (SEE STEPS E, F, AND G) TO PREVENT TOPPLING.

DEPALLETIZING PROCEDURE

(A) CUT AND REMOVE THE PALLETIZING STRAPPING, ITEMS 7 AND 8.

CAUTION

DO NOT CUT ADAPTER UNIT STRAPPING, ITEMS 5 AND 6. IF THE ADAPTER UNITS ARE TO BE HANDLED/TRANSFERRED BEFORE REMOVING THE CONTAINERS.

(B) CUT AND REMOVE THE ADAPTER UNIT STRAPPING, ITEMS 5 AND 6.

(C) REMOVE TOP FRAME.

(D) REMOVE CONTAINERS.

(E) REMOVE FRONT AND REAR FRAMES.

*NOTE: ALL MATERIALS SHALL BE IN ACCORDANCE WITH BASIC DOCUMENT, MIL-STD-1322 (NAVY).

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
10	9	SEAL	STEEL*	3/4
2	8	STRAPPING	STEEL* HEAVY DUTY	3/4 X .035 X 13 FT
2	7	STRAPPING	STEEL* HEAVY DUTY	3/4 X .035 X 15 FT
4	6	STRAPPING	STEEL* HEAVY DUTY	3/4 X .035 X 14 FT
2	5	STRAPPING	STEEL* HEAVY DUTY	3/4 X .035 X 15 FT
2	4	FRAME, TOP (ADAPTER, MK 144)	STEEL 53711-5166444	53-3/8 X 21-1/8 X 2
2	3	FRAME, REAR (ADAPTER, MK 144)	STEEL 53711-5166446	20-5/8 X 6-1/2 X 27
2	2	FRAME, FRONT (ADAPTER, MK 144)	STEEL 53711-5166445	20-5/8 X 6-1/2 X 27
1	1	PALLET, MK 3 MOD 0	STEEL 10001-564200	40 X 48 X 4-3/4

LIST OF MATERIALS


8
7
THREAD STRAPPING DOWN THROUGH THE SQUARE WHICH IS 2ND FROM THE END AND 3RD FROM THE SIDE
THREAD STRAPPING BETWEEN THE 6TH AND 7TH WIRE

DETAIL A


EDGE NOTCH
5 APPLY THIS STRAP FIRST
KEY
B - BOTTOM END
C - COVER END
4
STRAP LOOP
3
SEE DETAIL C
6
9
1
5
7
2
7
POSITION ON PALLET DECK IN LINE WITH EDGE NOTCHES
POSITION FRAMES WITH 1 INCH OVERHANG IN BOTH DIRECTIONS
THREAD THROUGH STRAP LOOPS ON INBOARD SIDE BEFORE PLACING ADAPTER FRAMES ON PALLET
B
C

DETAIL B

ADAPTER UNIT ASSEMBLY



DETAIL C

POSITIONING OF CONTAINER ON FRONT AND REAR FRAMES

REVIEW ACTIVITY:
NAVY-OS

PREPARING ACTIVITY:
NAVY-OS
(PROJECT NO. 8140-N819)

☆U.S. GOVERNMENT PRINTING OFFICE: 1990 - 704-034/30387