MILITARY STANDARD

MIL-STD-1323-313A (NAVY)
21 APRIL 1987


SUPERSEDING
MIL-STD-1323-313
2 NOV 84

UNIT LOAD
FOR UNDERWAY REPLENISHMENT
CARTRIDGE, 5.125 INCH, MK 214 MOD 0
NATO SEA GNAT RF SEDUCTION AND MK 216 MOD 0
NATO SEA GNAT RF DISTRACTION IN PALLET ADAPTER, MK 144


UNIT LOAD DATA	DODIC/NALC NO.	GW22 (MK 214)	3W80 (MK 216)
NUMBER OF CARTRIDGES PER CONTAINER		1	1
NUMBER OF CONTAINERS PER ADAPTER UNIT		12	12
NUMBER OF ADAPTER UNITS PER UNIT LOAD		2	2
NUMBER OF CARTRIDGES PER UNIT LOAD		24	24
GROSS WEIGHT OF ONE CONTAINER		60 LBS	65 LBS
GROSS WEIGHT OF ONE ADAPTER UNIT		782 LBS	842 LBS
WEIGHT OF ADAPTERS 2 @ 58 LBS		116 LBS	116 LBS
WEIGHT OF STEEL STRAPPING		12 LBS	12 LBS
WEIGHT OF PALLET		94 LBS	94 LBS
GROSS WEIGHT OF UNIT LOAD		1662 LBS△	1790 LBS△
CUBE		42.1 CU FT	42.1 CU FT
HAZARD CLASSIFICATION			
DOT		CLASS C	CLASS B
CG		CLASS II B	CLASS II B

△DO NOT USE FOR SHIPPING WEIGHT

DO NOT STACK MORE THAN
5 UNIT LOADS HIGH IN STORAGE



SHIPPING CONDITION DRAWING
RF SEDUCTION 53711 - 6133075
RF DISTRACTION 53711 - 6348315



AMSC NO. - N/A

NOTES:
1. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS MIL-HDBK-236 (NAVY).

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED

REV LTR	REVISION DESCRIPTION	DATE	APPROVAL TDA	APPROVAL SYSCOM
A	ADDED MK 216 MOD 0 RF DISTRACTION	9/2/87		

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING, STORAGE AND TRANSFER-AT-SEA. IT MAY ALSO BE USED FOR DOMESTIC SHIPMENT IN COMPLIANCE WITH DOT REGULATIONS.

SIGNATURE TECHNICAL DIRECTION AGENT (TDA) — DATE

SIGNATURE SEASYSCOM BY DIRECTION — DATE

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1323 (NAVY)

ORIGINATOR S.R Patrick 11/2/84 — DATE

NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2025-10-20 12:31:59Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

(a) THREAD STRAPPING, ITEM 7, BETWEEN THE DECK WIRES OF THE PALLET, ITEM 1, AS SHOWN IN DETAIL A.

(b) THREAD STRAPPING, ITEM 8, THROUGH THE SQUARE OPENINGS IN THE PALLET DECK AS SHOWN IN DETAIL A.

(c) POSITION STRAPPING, ITEM 5, USED TO UNITIZE MODULE, ON PALLET ABOVE STRAPPING, ITEM 7, AS SHOWN IN DETAIL B.

(d) THREAD STRAPPING, ITEM 6, THROUGH THE STRAP LOOPS OF THE FRONT AND REAR FRAMES, ITEMS 2 AND 3, AND POSITION THE FRAMES ON THE PALLET AS SHOWN IN DETAIL B.

(e) POSITION TWO CONTAINERS IN THE CORNERS OF THE FRAMES WITH THEIR COVER ENDS AGAINST THE FLANGE OF THE FRONT FRAME, ITEM 2, AND THEIR BOTTOM ENDS ON THE SPACER BLOCKS OF THE REAR FRAME, ITEM 3, AS SHOWN IN DETAILS B AND C.

(f) POSITION A THIRD CONTAINER BETWEEN THE TWO CONTAINERS WITH THE COVER END AGAINST THE FLANGE OF THE REAR FRAME.

(g) POSITION THE REMAINING THREE ROWS OF CONTAINERS, ALTERNATING THE DIRECTION OF THE CONTAINERS BETWEEN ROWS, AS SHOWN IN DETAIL B.

(h) POSITION THE TOP FRAME, ITEM 4, OVER THE FRAMES AND CONTAINERS WITH THE TWO SPACER BLOCK END OVER THE FRONT FRAME.

(i) POSITION STRAPPING, ITEM 5, IN THE CORNER NOTCHES AND OVER THE TOP FRAME. TENSION AND DOUBLE NOTCH THE SEAL, ITEM 9.

(j) THREAD STRAPPING, ITEM 6, THROUGH THE OUTBOARD STRAP LOOPS OF THE FRONT AND REAR FRAMES. TENSION AND DOUBLE NOTCH THE SEAL, ITEM 9.


(k) REPEAT STEPS (c) THROUGH (j) FOR THE SECOND ADAPTER UNIT.

(l) THREAD STRAPPING, ITEM 8, UP THROUGH THE STRAP LOOPS OF THE FRONT AND REAR FRAMES AND OVER THE TOP FRAMES. TENSION AND DOUBLE NOTCH THE SEAL, ITEM 9.

(m) POSITION STRAPPING, ITEM 7, TO SECURE LOAD TO PALLET, OVER THE ADAPTER UNIT STRAPPING, ITEM 5. TENSION AND DOUBLE NOTCH THE SEAL, ITEM 9.

MARKING:

THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-1323 (NAVY).



NOTE

END FRAMES MAY NEED SUPPORT DURING LOADING (SEE STEPS e, f and g) TO PREVENT TOPPLING.

DEPALLETIZING PROCEDURE

(a) CUT AND REMOVE THE PALLETIZING STRAPPING, ITEM 7 AND 8.

CAUTION

DO NOT CUT ADAPTER UNIT STRAPPING, ITEMS 5 AND 6, IF THE ADAPTER UNITS ARE TO BE HANDLED/TRANSFERRED BEFORE REMOVING THE CONTAINERS.

(b) CUT AND REMOVE THE ADAPTER UNIT STRAPPING, ITEMS 5 AND 6.

(c) REMOVE TOP FRAME.

(d) REMOVE CONTAINERS.


(e) REMOVE FRONT AND REAR FRAMES.

NOTES: 1. .031 COLD ROLLED, HEAT TREATED, MAY BE SUBSTITUTED.
2. DO NOT USE TYPE I STRAPPING WITH POWER TOOLS.


LIST OF MATERIALS

REQ.	ITEM	DESCRIPTION	MAT'L	MAT'L SPEC.	DIMENSIONS
10	9	SEAL	STEEL	QQ-S-781, TY D, CL H, FIN A OR B	3/4
2	8	STRAPPING SEE NOTES 1 & 2	STEEL HEAVY DUTY	QQ-S-781, TY I OR IV, FIN B	3/4 X .035 X 13 FT
2	7	STRAPPING SEE NOTES 1 & 2	STEEL HEAVY DUTY	QQ-S-781, TY I OR IV, FIN B	3/4 X .035 X 15 FT
4	6	STRAPPING SEE NOTES 1 & 2	STEEL HEAVY DUTY	QQ-S-781, TY I OR IV, FIN B	3/4 X .035 X 14 FT
2	5	STRAPPING SEE NOTES 1 & 2	STEEL HEAVY DUTY	QQ-S-781, TY I OR IV, FIN B	3/4 X .035 X 15 FT
2	4	FRAME, TOP (ADAPTER MK 144)	STEEL	53711 - 5166444	53 3/8 X 21 1/8 X 2
2	3	FRAME, REAR (ADAPTER MK 144)	STEEL	53711 - 5166446	20 5/8 X 6 1/2 X 27
2	2	FRAME, FRONT (ADAPTER MK 144)	STEEL	53711 - 5166445	20 5/8 X 6 1/2 X 27
1	1	PALLET, MK 3 MOD 0	STEEL	10001 - 564200	40 X 48 X 4 3/4

Source: https://assist.dla.mil - Downloaded: 2026-10-23T23:59Z
Check the source to v on before use.




DETAIL A



DETAIL B

ADAPTER UNIT ASSEMBLY



DETAIL C

POSITIONING OF END FRAMES

REVIEW ACTIVITY
NAVY - OS

PREPARING ACTIVITY:
NAVY - OS
(PROJECT NO. 8140-N746)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:59Z
Check the source to verify that this is the current version before use.